

CATALOGUE 2024

The top half of the image features a dark blue background on the left with the 'HydroSan' logo in a light blue, 3D-style font. To the right is a close-up photograph of a water droplet splashing, creating a crown-like shape with ripples. A thin white horizontal line is positioned below the logo.

HydroSan

- REGULATION - EQUILIBRAGE -

Vannes de régulation, d'équilibrage et de réglage

PICV – DPCV

Réducteurs de pression

Vannes de régulation	-----	P2 - 3
Vannes d'équilibrage	-----	P4 - 5
Vannes de réglage	-----	P6
PICV	-----	P7
DPCV	-----	P8
Réducteurs de pression	-----	P8



**Vanne de régulation
double à orifice
variable en bronze**

Diamètre	Référence
010 - 3/8"	VRE9505B010
015 - 1/2"	VRE9505B015
020 - 3/4"	VRE9505B020
025 - 1"	VRE9505B025
032 - 1 1/4"	VRE9505B032
040 - 1 1/2"	VRE9505B040
050 - 2"	VRE9505B050



**Vanne de régulation
double à orifice fixe
en bronze**

Diamètre	Référence
X 015 - 1/2"	VRE95Z04015
U 015 - 1/2"	VRE95Z03015
L 015 - 1/2"	VRE95Z02015
015 - 1/2"	VRE95Z01015
020 - 3/4"	VRE95Z01020
025 - 1"	VRE95Z01025
032 - 1 1/4"	VRE95Z01032
040 - 1 1/2"	VRE95Z01040
050 - 2"	VRE95Z01050



**Vanne de régulation
double à orifice fixe
en laiton DZR**

Diamètre	Référence
X 015 - 1/2"	VRE95V04X 0
U 015 - 1/2"	VRE95V03U 0
L 015 - 1/2"	VRE95V02L 0
015 - 1/2"	VRE95V01015
020 - 3/4"	VRE95V01020
025 - 1"	VRE95V01025
032 - 1 1/4"	VRE95V01032
040 - 1 1/2"	VRE95V01040
050 - 2"	VRE95V01050



**Vanne de régulation
double à orifice
variable en laiton
DZR**

Diamètre	Référence
008 - 1/4"	VABS3430V008
010 - 3/8"	VABS3430V010
015 - 1/2"	VABS3430V015
020 - 3/4"	VABS3430V020
025 - 1"	VABS3430V025
032 - 1 1/4"	VABS3430V032
040 - 1 1/2"	VABS3430V040
050 - 2"	VABS3430V050



**Vanne de régulation
double avec prises
de pression en fonte**

Diamètre	Référence
040 - 1 1/2"	VRE9500I040
050 - 2"	VRE9500I050
065 - 2 1/2"	VRE9500I065
080 - 3"	VRE9500I080
100 - 4"	VRE9500I100
125 - 5"	VRE9500I125
150 - 6"	VRE9500I150
200 - 8"	VRE9500I200
250 - 10"	VRE9500I250
300 - 12"	VRE9500I300
350 - 14"	VRE9500I350
400 - 16"	VRE9500I400



**Vanne de régulation
double avec
débitmètre en fonte**

Diamètre	Référence
040 - 1 1/2"	VRE555P+040
050 - 2"	VRE555P+050
065 - 2 1/2"	VRE555P+065
080 - 3"	VRE555P+080
100 - 4"	VRE555P+100
125 - 5"	VRE555P+125
150 - 6"	VRE555P+150
200 - 8"	VRE555P+200
250 - 10"	VRE555P+250
300 - 12"	VRE555P+300
350 - 14"	VRE555P+350
400 - 16"	VRE555P+400



**Vanne rainurée à
orifice variable
en fonte**

Diamètre	Référence
040 - 1 1/2"	VRE9555J040
050 - 2"	VRE9555J050
065 - 2 1/2"	VRE9555J065
080 - 3"	VRE9555J080
100 - 4"	VRE9555J100
125 - 5"	VRE9555J125
150 - 6"	VRE9555J150
200 - 8"	VRE9555J200
250 - 10"	VRE9555J250
300 - 12"	VRE9555J300



**Vanne d'équilibrage
terminal ON/OFF
en laiton DZR**

Diamètre	Référence
L 015 - L 1/2"	VRE95E0L015
015 - 1/2"	VRE95E00015
020 - 3/4"	VRE95E00020
025 - 1"	VRE95E00025



**Vanne d'équilibrage
à sphère en
acier inox**

Diamètre	Référence
015 - 1/2"	VRE95950015
020 - 3/4"	VRE95950020
025 - 1"	VRE95950025
032 - 1 1/4"	VRE95950032
040 - 1 1/2"	VRE95950040
050 - 2"	VRE95950050
065 - 2 1/2"	VRE95950065
080 - 3"	VRE95950080
100 - 4"	VRE95950100
125 - 5"	VRE95950125
150 - 6"	VRE95950150
200 - 8"	VRE95950200
250 - 10"	VRE95950250



**Vanne d'équilibrage
à sphère en
acier inox**

Diamètre	Référence
015 - 1/2"	VRE95940015
020 - 3/4"	VRE95940020
025 - 1"	VRE95940025
032 - 1 1/4"	VRE95940032
040 - 1 1/2"	VRE95940040
050 - 2"	VRE95940050
065 - 2 1/2"	VRE95940065
080 - 3"	VRE95940080
100 - 4"	VRE95940100
125 - 5"	VRE95940125
150 - 6"	VRE95940150
200 - 8"	VRE95940200
250 - 10"	VRE95940250



**Vanne d'équilibrage
automatique avec
prises en fonte DZR**

Diamètre	Référence
080 - 3"	VRE9955V080
100 - 4"	VRE9955V100
125 - 5"	VRE9955V125
150 - 6"	VRE9955V150
200 - 8"	VRE9955V200
250 - 10"	VRE9955V250
300 - 12"	VRE9955V300



**Vanne d'équilibrage
automatique
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VRE990P0015
H 015 - H 1/2"	VRE990P0H15
L 020 - L 3/4"	VRE990P0L20
020 - 3/4"	VRE990P0020
025 - 1"	VRE990P0025
032 - 1 1/4"	VRE990P0032
040 - 1 1/2"	VRE990P0040
050 - 2"	VRE990P0050



**Vanne d'équilibrage
automatique avec
prises en laiton DZR**

Diamètre	Référence
015 - 1/2"	VRE990V5015
H 015 - H 1/2"	VRE990V5H15
L 020 - L 3/4"	VRE990V5L20
020 - 3/4"	VRE990V5020
025 - 1"	VRE990V5025
032 - 1 1/4"	VRE990V5032
040 - 1 1/2"	VRE990V5040
050 - 2"	VRE990V5050
050HF - 2"	VRE990V5H50
065 - 2 1/2"	VRE990V5065



**Vanne d'équilibrage
automatique
ON/OFF
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VRE99T00015
H 015 - H 1/2"	VRE99T00H15
L 020 - L 3/4"	VRE99T00L20
020 - 3/4"	VRE99T00020
025 - 1"	VRE99T00025



**Vanne d'équilibrage
automatique ON/OFF
avec prises
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VRE99T50015
H 015 - H 1/2"	VRE99T50H15
L 020 - L 3/4"	VRE99T50L20
020 - 3/4"	VRE99T50020
025 - 1"	VRE99T50025



**Vanne de réglage
2 voies ON/OFF
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VABS980Ss015
020 - 3/4"	VABS980Ss020
025 - 1"	VABS980Ss025
032 - 1 1/4"	VABS980Ss032
040 - 1 1/2"	VABS980Ss040
050 - 2"	VABS980Ss050



**Vanne de réglage
2 voies ON/OFF
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VABS988Ss015
020 - 3/4"	VABS988Ss020
025 - 1"	VABS988Ss025
032 - 1 1/4"	VABS988Ss032
040 - 1 1/2"	VABS988Ss040
050 - 2"	VABS988Ss050



**Vanne de réglage
3 voies ON/OFF
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VABS980Ts015
020 - 3/4"	VABS980Ts020
025 - 1"	VABS980Ts025
032 - 1 1/4"	VABS980Ts032
040 - 1 1/2"	VABS980Ts040
050 - 2"	VABS980Ts050



**Vanne de réglage
3 voies ON/OFF
en laiton DZR**

Diamètre	Référence
015 - 1/2"	VABS988Ts015
020 - 3/4"	VABS988Ts020
025 - 1"	VABS988Ts025
032 - 1 1/4"	VABS988Ts032
040 - 1 1/2"	VABS988Ts040
050 - 2"	VABS988Ts050

**PICV**

Diamètre	Référence
L 015 - L 1/2"	PIC97000L15
015 - 1/2"	PIC97000015
020 - 3/4"	PIC97000020
025 - 1"	PIC97000025
032 - 1 1/4"	PIC97000032

**PICV avec prises**

Diamètre	Référence
L 015 - L 1/2"	PIC97050L15
015 - 1/2"	PIC97050015
020 - 3/4"	PIC97050020
025 - 1"	PIC97050025
032 - 1 1/4"	PIC97050032

**PICV avec prises**

Diamètre	Référence
L 015 - L 1/2"	PIC97030L15
015 - 1/2"	PIC97030015
020 - 3/4"	PIC97030020
025 - 1"	PIC97030025
032 - 1 1/4"	PIC97030032

**PICV avec prises et actuateur**

Diamètre	Référence
065 - 2 1/2"	PIC97550065
080 - 3"	PIC97550080
100 - 4"	PIC97550100
125 - 5"	PIC97550125
150 - 6"	PIC97550150

**DPCV**

Diamètre	Référence
015 - 1/2"	DPCBB000015
020 - 3/4"	DPCBB000020
025 - 1"	DPCBB000025
032 - 1 1/4"	DPCBB000032
040 - 1 1/2"	DPCBB000040
050 - 2"	DPCBB000050
Pour les H, L ou U	Nous consulter

**DPCV**

Diamètre	Référence
L 065 - L 2 1/2"	DPC96550065
H 065 - H 2 1/2"	DPC9655H065
L 080 - L 3"	DPC96550080
H 080 - H 3"	DPC96550H80
L 100 - L 4"	DPC96550100
H 100 - H 4"	DPC9655H100
125 - 5"	DPC96550125
150 - 6"	DPC96550150
Spare cappillary 65 - 150	Nous consulter

**Régulateur de
pression à action
directe en laiton**

Diamètre	Référence
015 - 1/2"	RPL96100015
020 - 3/4"	RPL96100020
025 - 1"	RPL96100025
032 - 1 1/4"	RPL96100032
040 - 1 1/2"	RPL96100040
050 - 2"	RPL96100050
065 - 2 1/2"	RPL96100065
080 - 3"	RPL96100080
100 - 4"	RPL96100100

**Régulateur de
pression à action
directe en laiton DZR**

Diamètre	Référence
015 - 1/2"	RPD96100015
020 - 3/4"	RPD96100020
025 - 1"	RPD96100025
032 - 1 1/4"	RPD96100032
040 - 1 1/2"	RPD96100040
050 - 2"	RPD96100050
065 - 2 1/2"	RPD96100065
080 - 3"	RPD96100080
100 - 4"	RPD96100100