

☒ HD PoE KIT
 ☒ NO MOQ
 ☒ Full Carton Delivery

 www.weiskytech.com

 Mobile | WhatsApp: +86 180 3308 6000

 WeChat: onfine2006

Calling All CCTV Distributors, Resellers & Wholesalers!

Your Trusted CCTV Manufacturer Since 2006

Revolutionizing Surveillance: 180° Ultra-Wide PoE NVR(11.6-inch) Security Kits

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	NVR FEATURES	PACKING LIST
	PKM2-4P		4MP 2PCS Cam	■ 4/8MP, dual-lens, one-view, dual-CMOS, dual-lens focal length ■ F1.6 super-starlight-grade 2PCS*2.8MM lens, 180° ultra-wide viewing angle ■ Built-in isolated, high-efficiency PoE module, supports IEEE 802.af and IEEE 802.3at adaptive ■ Exterior with Hikvision ultra-white powder-coated finish, with mounting bracket ■ Full metal housing, IP67 waterproof rating	Multi-channel real-time recording, playback, network operation, USB backup 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	2*PoE Cameras 2*20M Cat5 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PKM2-8P		8MP 2PCS Cam	■ Four high-power diamond-shaped LEDs, 2+2 dual-light design ■ Ultra-low-light sensor, noise reduction, and clear night vision images ■ AI human detection, DIY AI alarm voice commands, two-way intercom ■ Supports 8-512GB TF card storage ■ Supports ONVIF protocol with Hikvision protocol ■ Power supply: PoE		
	PKM4-4P		4MP 4PCS Cam	■ 4/8MP, dual-lens, one-view, dual-CMOS, dual-lens focal length ■ F1.6 super-starlight-grade 2PCS*2.8MM lens, 180° ultra-wide viewing angle ■ Built-in isolated, high-efficiency PoE module, supports IEEE 802.af and IEEE 802.3at adaptive ■ Exterior with Hikvision ultra-white powder-coated finish, with mounting bracket ■ Full metal housing, IP67 waterproof rating ■ Four high-power diamond-shaped LEDs, 2+2 dual-light design ■ Ultra-low-light sensor, noise reduction, and clear night vision images ■ AI human detection, DIY AI alarm voice commands, two-way intercom ■ Supports 8-512GB TF card storage ■ Supports ONVIF protocol with Hikvision protocol ■ Power supply: PoE	Multi-channel real-time recording, playback, network operation, USB backup 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat5 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PKM4-8P		8MP 4PCS Cam	■ Four high-power diamond-shaped LEDs, 2+2 dual-light design ■ Ultra-low-light sensor, noise reduction, and clear night vision images ■ AI human detection, DIY AI alarm voice commands, two-way intercom ■ Supports 8-512GB TF card storage ■ Supports ONVIF protocol with Hikvision protocol ■ Power supply: PoE		

Revolutionizing Surveillance: 180° Ultra-Wide PoE NVR Security Kits

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	NVR FEATURES	PACKING LIST
	PK2-4P		4MP 2PCS Cam	■ 4/8MP, dual-lens, one-view, dual-CMOS, dual-lens focal length ■ F1.6 super-starlight-grade 2PCS*2.8MM lens, 180° ultra-wide viewing angle ■ Built-in isolated, high-efficiency PoE module, supports IEEE 802.af and IEEE 802.3at adaptive ■ Exterior with Hikvision ultra-white powder-coated finish, with mounting bracket ■ Full metal housing, IP67 waterproof rating	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 4-channel * 4K (PoE * 4-channel) Video compression H.265AI/H.265 + (compatible with H.265/H.264) Video display resolution Up to 4K Video playback resolution 4K/5M/4M/3M/1080P Video decoding 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Audio compression G.711A Supports camera sound recording Hard Drive: Support 1*14TB	2*PoE Cameras 2*20M Cat5 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK2-8P		8MP 2PCS Cam	■ Four high-power diamond-shaped LEDs, 2+2 dual-light design ■ Ultra-low-light sensor, noise reduction, and clear night vision images ■ AI human detection, DIY AI alarm voice commands, two-way intercom ■ Supports 8-512GB TF card storage ■ Supports ONVIF protocol with Hikvision protocol ■ Power supply: PoE		
	PK4-4P		4MP 4PCS Cam	■ 4/8MP, dual-lens, one-view, dual-CMOS, dual-lens focal length ■ F1.6 super-starlight-grade 2PCS*2.8MM lens, 180° ultra-wide viewing angle ■ Built-in isolated, high-efficiency PoE module, supports IEEE 802.af and IEEE 802.3at adaptive ■ Exterior with Hikvision ultra-white powder-coated finish, with mounting bracket ■ Full metal housing, IP67 waterproof rating ■ Four high-power diamond-shaped LEDs, 2+2 dual-light design ■ Ultra-low-light sensor, noise reduction, and clear night vision images ■ AI human detection, DIY AI alarm voice commands, two-way intercom ■ Supports 8-512GB TF card storage ■ Supports ONVIF protocol with Hikvision protocol ■ Power supply: PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 4-channel * 4K (PoE * 4-channel) Video compression H.265AI/H.265 + (compatible with H.265/H.264) Video display resolution Up to 4K Video playback resolution 4K/5M/4M/3M/1080P Video decoding 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Audio compression G.711A Supports camera sound recording Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat5 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK4-8P		8MP 4PCS Cam	■ Four high-power diamond-shaped LEDs, 2+2 dual-light design ■ Ultra-low-light sensor, noise reduction, and clear night vision images ■ AI human detection, DIY AI alarm voice commands, two-way intercom ■ Supports 8-512GB TF card storage ■ Supports ONVIF protocol with Hikvision protocol ■ Power supply: PoE		

	PK8-4P		4MP 8PCS Cam	4/8MP, dual-lens, one-view, dual-CMOS, dual-lens focal length - F1.6 super-starlight-grade 2PCS*2.8MM lens, 180° ultra-wide viewing angle - Built-in isolated, high-efficiency PoE module, supports IEEE 802.af and IEEE 802.3at adaptive - Exterior with Hikvision ultra-white powder-coated finish, with mounting bracket - Full metal housing, IP67 waterproof rating	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 8CH*4K(PoE*8CH) (PK8-4P,PK8-8P) Video input (IP) 16CH*4K(PoE Switch 16CH*1) (PK16-4P,PK16-8P) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	8*PoE Cameras 8*20M Cat5 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK8-8P		8MP 8PCS Cam			
	PK16-4P		4MP 16PCS Cam	- Four high-power diamond-shaped LEDs, 2+2 dual-light design - Ultra-low-light sensor, noise reduction, and clear night vision images - AI human detection, DIY AI alarm voice commands, two-way intercom - Supports 8-512GB TF card storage - Supports ONVIF protocol with Hikvision protocol - Power supply: PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 8CH*4K(PoE*8CH) (PK8-4P,PK8-8P) Video input (IP) 16CH*4K(PoE Switch 16CH*1) (PK16-4P,PK16-8P) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	16*PoE Cameras 16*20M Cat6 Cable 1*16CH NVR 1*16CH PoE Switcher 2*Power Adapter 1*Mouse
	PK16-8P		8MP 16PCS Cam			

2.8mm 110° Wide PoE NVR(11.6-inch) Security Kits

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	NVR FEATURES	PACKING LIST
	PKM4-3		3MP 4PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat6 Cable 1*4CH Monitor PoE NVR 1*Power Adapter 1*Mouse
	PKM4-4		4MP 4PCS Cam			
	PKM4-5		5MP 4PCS Cam			
	PKM4-8		8MP 4PCS Cam	8MP (4K) 11.6-inch integrated HD PoE video recorder with screen		
	PKM8-3		3MP 8PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	8*PoE Cameras 8*20M Cat6 Cable 1*8CH Monitor PoE NVR 1*Power Adapter 1*Mouse
	PKM8-4		4MP 8PCS Cam			
	PKM8-5		5MP 8PCS Cam			
	PKM8-8		8MP 8PCS Cam	8MP (4K) 11.6-inch integrated HD PoE video recorder with screen		

CCTV Surveillance: 4K HD PoE NVR Security Kits

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	NVR FEATURES	PACKING LIST
 PRE-MADE CABLES INCLUDED BUILT-IN PoE INCLUDED SUPERIOR PRODUCTS 3 YEAR WARRANTY HDD SUPPORT 1PCS MAX 16TB OPTIONAL 27" 32" LCD MONITOR	PK4XM-3		3MP 4PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat6 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK4XM-4		4MP 4PCS Cam			
	PK4XM-5		5MP 4PCS Cam			
	PK4XM-8		8MP 4PCS Cam			
 PRE-MADE CABLES INCLUDED BUILT-IN PoE INCLUDED SUPERIOR PRODUCTS 3 YEAR WARRANTY HDD SUPPORT 1PCS MAX 16TB OPTIONAL 27" 32" LCD MONITOR	PK4XM-3D		3MP 4PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat6 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK4XM-4D		4MP 4PCS Cam			
	PK4XM-5D		5MP 4PCS Cam			
	PK4XM-8D		8MP 4PCS Cam			
 PRE-MADE CABLES INCLUDED BUILT-IN PoE INCLUDED SUPERIOR PRODUCTS 3 YEAR WARRANTY HDD SUPPORT 1PCS MAX 16TB OPTIONAL 27" 32" LCD MONITOR	PK8XM-3		3MP 8PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*8CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	8*PoE Cameras 8*20M Cat6 Cable 1*8CH PoE NVR 1*Power Adapter 1*Mouse
	PK8XM-4		4MP 8PCS Cam			
	PK8XM-5		5MP 8PCS Cam			
	PK8XM-8		8MP 8PCS Cam			
 PRE-MADE CABLES INCLUDED BUILT-IN PoE INCLUDED SUPERIOR PRODUCTS 3 YEAR WARRANTY HDD SUPPORT 1PCS MAX 16TB OPTIONAL 27" 32" LCD MONITOR	PK8XM-3D		3MP 8PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*8CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	8*PoE Cameras 8*20M Cat6 Cable 1*8CH PoE NVR 1*Power Adapter 1*Mouse
	PK8XM-4D		4MP 8PCS Cam			
	PK8XM-5D		5MP 8PCS Cam			
	PK8XM-8D		8MP 8PCS Cam			
 PRE-MADE CABLES INCLUDED BUILT-IN PoE INCLUDED SUPERIOR PRODUCTS 3 YEAR WARRANTY HDD SUPPORT 1PCS MAX 16TB OPTIONAL 27" 32" LCD MONITOR	PK16XM-3		3MP 16PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 16CH*4K(PoE by Switcher) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	16*PoE Cameras 16*20M Cat6 Cable 1*16CH NVR 1*16CH PoE Switcher 2*Power Adapter 1*Mouse
	PK16XM-4		4MP 16PCS Cam			
	PK16XM-5		5MP 16PCS Cam			
	PK16XM-8		8MP 16PCS Cam			

	PK16XM-3D		3MP 16PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 16CH*4K(PoE by Switcher) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	16*PoE Cameras 16*20M Cat6 Cable 1*16CH NVR 1*16CH PoE Switcher 2*Power Adapter 1*Mouse
	PK16XM-4D		4MP 16PCS Cam			
	PK16XM-5D		5MP 16PCS Cam			
	PK16XM-8D		8MP 16PCS Cam			
Revolutionizing Surveillance:4K HD PoE NVR Security Kits 4-61Ch						
PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	NVR FEATURES	PACKING LIST
	PK4-3		3MP 4PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat6 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK4-4		4MP 4PCS Cam			
	PK4-5		5MP 4PCS Cam			
	PK4-8		8MP 4PCS Cam			
	PK4-3D		3MP 4PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat6 Cable 1*4CH PoE NVR 1*Power Adapter 1*Mouse
	PK4-4D		4MP 4PCS Cam			
	PK4-5D		5MP 4PCS Cam			
	PK4-8D		8MP 4PCS Cam			
	PK8-3		3MP 8PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 10CH*4K(PoE*8CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	8*PoE Cameras 8*20M Cat6 Cable 1*8CH PoE NVR 1*Power Adapter 1*Mouse
	PK8-4		4MP 8PCS Cam			
	PK8-5		5MP 8PCS Cam			
	PK8-8		8MP 8PCS Cam			
	PK16-3		3MP 16PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 16CH*4K(PoE by Switcher) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	16*PoE Cameras 16*20M Cat6 Cable 1*16CH NVR 1*16CH PoE Switcher 2*Power Adapter 1*Mouse
	PK16-4		4MP 16PCS Cam			
	PK16-5		5MP 16PCS Cam			
	PK16-8		8MP 16PCS Cam			

	PK24-3		3MP 24PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 36CH*4K(PoE by Switcher) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 2*14TB	24*PoE Cameras 24*20M Cat6 Cable 1*36CH NVR 1*24CH PoE Switcher 2*Power Adapter 1*Mouse
	PK24-4		4MP 24PCS Cam			
	PK24-5		5MP 24PCS Cam			
	PK24-8		8MP 24PCS Cam			
	PK32-3		3MP 32PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 36CH*4K(PoE by Switcher) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 4*14TB	32*PoE Cameras 32*20M Cat6 Cable 1*36CH NVR 2*16CH PoE Switcher 3*Power Adapter 1*Mouse
	PK32-4		4MP 32PCS Cam			
	PK32-5		5MP 32PCS Cam			
	PK32-8		8MP 32PCS Cam			
	PK64-3		3MP 64PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup Video input (IP) 64CH*4K(PoE by Switcher) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 8*14TB ATX Power	64*PoE Cameras 64*20M Cat6 Cable 1*64CH NVR 4*16CH PoE Switcher 5*Power Adapter 1*Mouse
	PK64-4		4MP 64PCS Cam			
	PK64-5		5MP 64PCS Cam			
	PK64-8		8MP 64PCS Cam			

MONITOR PoE KIT 4-8Ch

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	NVR FEATURES	PACKING LIST
	PKM4-3		3MP 4PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	4*PoE Cameras 4*20M Cat6 Cable 1*4CH Monitor PoE NVR 1*Power Adapter 1*Mouse
	PKM4-4		4MP 4PCS Cam			
	PKM4-5		5MP 4PCS Cam			
	PKM4-8		8MP 4PCS Cam	8MP (4K) 11.6-inch integrated HD PoE video recorder with screen		
	PKM8-3		3MP 8PCS Cam	3/4/5/8MP IP PoE Surveillance FULL COLOR Camera (Optional Bullet or Dome) HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	Multi-channel real-time recording, playback, network operation, USB backup 8MP (4K) 11.6-inch integrated HD PoE video recorder with screen Video input (IP) 10CH*4K(PoE*4CH) Video compression H.265AI/H.265 + (compatible H.265/H.264) Video Display quality Max:4K Video Playback quality 4K/5M/4M/3M/1080P Video Decode 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Video human shape / Face Support Audio compression G.711A Audio Intercom Support By camera Hard Drive: Support 1*14TB	8*PoE Cameras 8*20M Cat6 Cable 1*8CH Monitor PoE NVR 1*Power Adapter 1*Mouse
	PKM8-4		4MP 8PCS Cam			
	PKM8-5		5MP 8PCS Cam			
	PKM8-8		8MP 8PCS Cam	8MP (4K) 11.6-inch integrated HD PoE video recorder with screen		

PoE CAMERA 180° ultra-wide-angle IP67 rating

Dual Light(White Light+IR LED Light) Color Series(PoE)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	OTHER
	IPC180-4M		4MP 4MP@20fps 3840×1080	■4/8MP, dual-lens, one-view, dual-CMOS, dual-lens focal length ■1.6 super-starlight-grade 2PCS*2.8MM lens, 180° ultra-wide viewing angle ■Built-in isolated, high-efficiency PoE module, supports IEEE.802.af and IEEE.802.3at adaptive, and supports both 1/2/3/6 (data port) and 4/5/7/8 (idle port) power modes ■Hikon ultra-white powder-coated exterior with mounting bracket ■Full metal housing, IP67 waterproof rating	Master Controller:SSC 30KQ 1/2.7"Color 2PCS*GC2063 Pixels Coms
	IPC180-8M		8MP 8MP@20fps 4096*1944	■Four high-power diamond-shaped LEDs, 2+2 dual-light design ■Ultra-low-light sensor, noise reduction, and clear night vision images ■AI human detection, DIY AI alarm voice commands, two-way intercom ■Supports 8-5128GB TF card storage ■Supports ONVIF protocol with Hikvision protocol ■Power supply: PoE + DC 12V 2A (not included)	Master Controller:SSC 359G 1/2.7"Color 2PCS*GC5623 Pixels Coms

PoE CAMERA BULLET 2.8/3.6mm Lens

Dual Light(White Light+IR LED Light) Color Series(PoE)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES	OTHER
	IPC-100-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum + Plastic Case PoE Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE
	IPC-100-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	
	IPC-100-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	
	IPC-100-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	
	IPC-101-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Bullet PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE
	IPC-101-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	
	IPC-101-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	
	IPC-101-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	
	IPC-102-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Bullet PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE
	IPC-102-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	
	IPC-102-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	
	IPC-102-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	
	IPC-102-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Bullet PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE
	IPC-102-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	
	IPC-102-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	
	IPC-102-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	

PoE CAMERA DOME 2.8/3.6mm Lens

Dual Light(White Light+IR LED Light) Color Series(PoE)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES		OTHER
	IPC-200-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Plastic Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	1. Supporting human detection, face detection (Need to be paired with XMEYE NVR) 2. Support 2D/3D noise reduction,digital wide dynamic; 3. Advanced H.265+ video compression 4. Super low rate,high
	IPC-200-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		
	IPC-200-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		
	IPC-200-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		
	IPC-201-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Plastic Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	definition quality of image; 5. ONVIF Protocol; 6. Provide Free APP (XMEYE/XMEYE pro/iCSee) 7. Provide Free Web/Free CMS Computer https://www.xmeye.net/index VMS Computer client
	IPC-201-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		
	IPC-201-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		
	IPC-201-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		
	IPC-202-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Plastic Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	1. Supporting human detection, face detection (Need to be paired with XMEYE NVR) 2. Support 2D/3D noise reduction,digital wide dynamic; 3. Advanced H.265+ video compression 4. Super low rate,high
	IPC-202-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		
	IPC-202-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		
	IPC-202-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		
	IPC-203-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	definition quality of image; 5. ONVIF Protocol; 6. Provide Free APP (XMEYE/XMEYE pro/iCSee) 7. Provide Free Web/Free CMS Computer https://www.xmeye.net/index VMS Computer client
	IPC-203-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		
	IPC-203-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		
	IPC-203-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		

PoE CAMERA Explosion-Proof Camera Infrared Night Vision Series

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES		Chipset Solution
Explosion-Proof Grade: Normal 	IPC-701-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Explosion-Proof Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7201V200 +1/2.8" SC4239H
	IPC-701-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		GK7205V210 +1/2.8" SC5239S
	IPC-701-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		GK7205V300 +1/2.8" SC5239P
	IPC-701-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		NT98566 1/2.7" SC8239
Explosion-Proof Grade:Normal 	IPC-702-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Explosion-Proof Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7201V200 +1/2.8" SC4239H
	IPC-702-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		GK7205V210 +1/2.8" SC5239S
	IPC-702-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		GK7205V300 +1/2.8" SC5239P
	IPC-702-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		NT98566 1/2.7" SC8239
Explosion-Proof Grade: IK10 	IPC-703-3		3MP	Main stream: 2304*1296@20fps, 1920*1080@25fps; sub-stream: 800*448@25fps	Aluminum Explosion-Proof Dome PoE IP Camera 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection, support customization of other intelligent functions 2.8mm Lens (110° Wide Angle View) Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7201V200 +1/2.8" SC4239H
	IPC-703-4		4MP	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;		GK7205V210 +1/2.8" SC5239S
	IPC-703-5		5MP	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;		GK7205V300 +1/2.8" SC5239P
	IPC-703-8		8MP	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;		NT98566 1/2.7" SC8239

PoE CAMERA BULLET 2.7-13.5MM 5X optical zoom

Electric Zoom AF Zoom Lens Series(PoE)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES		Chipset Solution
	IPC-Z1-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 2.7-13.5MM 5X optical zoom 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V210 +1/2.8" SC5239S
	IPC-Z1-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 +1/2.8" SC5239P
	IPC-Z1-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 1/2.8"Sony335
	IPC-Z1-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239
	IPC-Z2-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 2.7-13.5MM 5X optical zoom 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V210 +1/2.8" SC5239S
	IPC-Z2-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 +1/2.8" SC5239P
	IPC-Z2-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 1/2.8"Sony335
	IPC-Z2-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239

PoE CAMERA DOME 2.7-13.5MM 5X optical zoom

Electric Zoom AF Zoom Lens Series(PoE)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES		Chipset Solution
	IPC-Z3-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Plastic Case White Color PoE ZOOM Camera 2.7-13.5MM 5X optical zoom 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V210 +1/2.8" SC5239S
	IPC-Z3-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 +1/2.8" SC5239P
	IPC-Z3-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 1/2.8"Sony335
	IPC-Z3-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239
	IPC-Z4-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum + Plastic Case White Color PoE ZOOM Camera 2.7-13.5MM 5X optical zoom 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V210 +1/2.8" SC5239S
	IPC-Z4-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 +1/2.8" SC5239P
	IPC-Z4-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone(Optional Speaker) SD Card Slot Optional H.265AI Video Compression Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	GK7205V300 1/2.8"Sony335
	IPC-Z4-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239

PoE PTZ CAMERA 4.7-94mm Motor Lens 20X Zoom

Electric Zoom AF Zoom Lens Series(PoE)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	MEGAPIXEL	CAMERA FEATURES		Chipset Solution
 3.5-inch PTZ	IPC-Z5-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum + Plastic Case White Color PoE ZOOM Camera 2.7-13.5MM 5X optical zoom	GK7205V210 +1/2.8" SC5239S
	IPC-Z5-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions	GK7205V300 +1/2.8" SC5239P
	IPC-Z5-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V300 1/2.8"Sony335
	IPC-Z5-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239
 4.5-inch PTZ	IPC-Z6-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 4.7-94mm Motor Lens 20X Zoom	GK7205V210 +1/2.8" SC5239S
	IPC-Z6-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions	GK7205V300 +1/2.8" SC5239P
	IPC-Z6-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V300 1/2.8"Sony335
	IPC-Z6-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239
 4.5-inch PTZ	IPC-Z7-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 4.7-94mm Motor Lens 20X Zoom	GK7205V210 +1/2.8" SC5239S
	IPC-Z7-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions	GK7205V300 +1/2.8" SC5239P
	IPC-Z7-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V300 1/2.8"Sony335
	IPC-Z7-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239
 4.5-inch PTZ	IPC-Z8-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 4.7-94mm Motor Lens 20X Zoom	GK7205V210 +1/2.8" SC5239S
	IPC-Z8-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions	GK7205V300 +1/2.8" SC5239P
	IPC-Z8-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V300 1/2.8"Sony335
	IPC-Z8-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239
 4.5-inch PTZ	IPC-Z9-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 4.7-94mm Motor Lens 20X Zoom	GK7205V210 +1/2.8" SC5239S
	IPC-Z9-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions	GK7205V300 +1/2.8" SC5239P
	IPC-Z9-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V300 1/2.8"Sony335
	IPC-Z9-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239

 8 -inch PTZ	IPC-Z10-4		4MP@18fps 2560*1440	Main stream: 2560*1440@20fps 2304*1296@20fps,1920*1080@25fps;sub-stream: 800*448@25fps;	Aluminum Case White Color PoE ZOOM Camera 4.7-94mm Motor Lens 20X Zoom 3/4/5/8MP IP PoE Surveillance FULL COLOR HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V210 +1/2.8" SC5239S
	IPC-Z10-5		5MP@25fps 2880*1616	Main stream: 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps,1920*1080@30fps;	HD low illumination AI Intelligent IP Camera Support human detection,support customization of other intelligent functions	GK7205V300 +1/2.8" SC5239P
	IPC-Z10-6		6MP@25fps 3072*2048	Main stream: 3072*2024@25 FPS 2880*1616@30fps 2560*1440@30fps,2304*1296@30fps;	Up to 30M Color Night Vision Built-in Microphone and Speaker SD Card Slot Optional H.265AI Video Compression	GK7205V300 1/2.8"Sony335
	IPC-Z10-8		8MP@15fps 3840*2160	Main stream: 8MP 3840*2160@15fps 5MP 2880*1616@25fps; 4MP 2560*1440@25fps; 2MP 1920*1080@25fps;	Weatherproof (IP67) Wide Dynamic Range (120dB) Power Over Ethernet - PoE	NT98566 1/2.7" SC8239

MONITOR + PoENVR

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	INPUT	PRODUCTS FEATURES
	M-24		24-INCH	24 Inch, 4K UHD (3840 x 2160) IPS Display, Ultra-Thin Bezel, HDMI, DisplayPort Professional monitor for surveillance equipment
	M-27		27-INCH	27 Inch, 4K UHD (3840 x 2160) IPS Display, Ultra-Thin Bezel, HDMI, DisplayPort Professional monitor for surveillance equipment
	M-32		32-INCH	32 Inch, 4K UHD (3840 x 2160) IPS Display, Ultra-Thin Bezel, HDMI, DisplayPort Professional monitor for surveillance equipment
	NVR-MP4		4CH 4K PoE*4	8MP (4K) 11.6-inch integrated HD PoE video recorder with screen >Support IPC plug-and-play >Support H.265 intelligent encoding technology >Support preview, storage and playback of 8MP HD network video >Support various mobile phone monitoring (iPhone Android) >Compatible with third-party network cameras that comply with the standard ONVIF RTSP protocol >Support VGA/HDMI synchronous output, HDMI maximum resolution 4K >Support 250 meters long-distance PoE power supply and transmission
	NVR-MP8		8CH 4K PoE*8	>Support 1 SATA interface, single disk maximum 14TB >Support IEEE802.3AF/AT standard power supply protocol, PD power intelligent detection, system-level overload protection >Support 4/8-core (1236+4578) multiple ways of voltage stabilization power supply >HDD Support 1*14TB

NVR + PoENVR + SWITCHER + PoE SWITCHER

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	INPUT	PRODUCTS FEATURES
	NVR-PoEB4		4CH*4K PoE Port*4	Screen display:1/2/4/6/9/10 screens; Video and Display quality: 10*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection;HDD Support 1*14TB
	NVR-PoEB8		8CH*4K PoE Port*8	Screen display:1/2/4/6/9/10 screens; Video and Display quality: 10*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection;HDD Support 1*14TB
	NVR-PoEB16		16CH*4K PoE Port*16	Screen display:1/2/4/6/9/10/16 screens; Video and Display quality: 16*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection;HDD Support 2*14TB
	NVR-9110M		10CH 4K	Screen display:1/2/4/6/9/10 screens; Video and Display quality: 10*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1)/5M(1+1)/4M(2)/3M(2+2)/1080P(4+1) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection;HDD Support 1*14TB
	NVR-6116MK		16CH 4K	Screen display:1/2/4/6/9/16 screens; Video and Display quality: 16*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1)/5M(1+1)/4M(2+1)/3M(2+2)/1080P(4+1) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection;HDD Support 1*14TB

	NVR-6236N		36CH 4K	Screen display:1/2/4/6/8/9/16/25/36 screens; Video and Display quality: 36*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1+1)/5M(3+1)/4M(4+1)/3M(5+1)/1080P(8+2) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection; HDD Support 2*14TB
	NVR-6436ULQ		36CH 4K	Screen display:1/2/4/6/8/9/16/25/36 screens; Video and Display quality: 36*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1+1)/5M(3+1)/4M(4+1)/3M(5+1)/1080P(8+2) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection; HDD Support 4*14TB
	NVR-6864TQ		64CH 4K	Screen display:1/4/8/16/24/32/64 screens; Video and Display quality: 64*4K Playback quality: 4K/5M/4M/3M/1080P; Decode: 4K(1+1)/5M(3+1)/4M(4+1)/3M(5+1)/1080P(8+2) Supports access to various XMEYE intelligent front-end devices such as human shape detection and face detection; HDD Support 8*14TB ATX POWER

PoE SWITCH 4-24port (100M)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	PORT	Main Parameters Port	Backplane Bandwidth	POWER
	XW6004FR		4+2 PoE switch	4 PoE power supply ports 10/100Mbps+2 uplink 10/100Mbps	IEEE 802.3af & IEEE 802.3at 1/2, ,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/1.25A(65W) 250M
	XW1008FR		8+2 PoE switch	8 PoE power supply ports 10/100Mbps+2 uplink 10/100Mbps	IEEE 802.3af & IEEE 802.3at 1/2, ,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/2.3A (119.6W) 250M
	XW1008G		8+2 PoE 10/100/1000 Mbps switch	8 PoE power supply ports 10/100Mbps+2 Uplink 10/100/1000Mbps	IEEE 802.3af & IEEE 802.3at 1/2, ,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/2.3A (119.6W) 250M
	XW1008GS		8+2 PoE 10/100/1000 Mbps switch	8 PoE power supply ports 10/100Mbps+2 Uplink 10/100/1000Mbps+1 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2, ,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/2.3A (119.6W) 250M
	XWZC2016GF		16+3+1 PoE switch	16 PoE power outlets 10/100Mbps+3 uplink couplet 10/100/1000Mbps+1 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2, ,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:290mm*200mm*44mm(L*W*H)	52V/4.8A (249.6W) 250M
	XW2624G		24+2+1 PoE switch	24 PoE power supply ports 10/100Mbps+2 uplink couplet 10/100/1000Mbps+1 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2, ,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:290mm*200mm*44mm(L*W*H)	52V/6.5A(320W) 250M


PoE SWITCH 4-24port (1000M)

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	PORT	Main Parameters Port	Backplane Bandwidth	POWER
	XW6004QG		4+2 PoE SWITCH	4 PoE power supply ports 10/100/1000Mbps+2 uplink 10/100/1000Mbps	IEEE 802.3af & IEEE 802.3at 1/2,,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/1.25A (65W) 250M
	XW6114QG		4+1+1 PoE SWITCH	4 PoE power supply ports 10/100/1000Mbps+1 uplink 10/100/1000Mbps+1 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2,,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/1.25A (65W) 250M
	XW1008QG		8+2+1 PoE SWITCH	8 PoE power supply ports 10/100/1000Mbps+2 uplink 10/100/1000Mbps+1 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2,,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:200mm*118mm*44mm(L*W*H)	52V/2.3A (119.6W) 250M
	XW1816QG		16+2+1 PoE SWITCH	16 PoE power supply ports 10/100/1000Mbps+2 uplink 10/100/1000Mbps+1 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2,,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:290mm*200mm*44mm(L*W*H)	52V/2.3A (260W) 250M
	XW2624QG		24+2+2 PoE SWITCH	24 PoE power supply ports 10/100/1000Mbps+2 uplink 10/100/1000Mbps+2 1000MbpsSFP	IEEE 802.3af & IEEE 802.3at 1/2,,3/6,or 4/5(+),7/8(-) transmission 250 meters Size:290mm*200mm*44mm(L*W*H)	52V/2.3A (320W) 250M

CCTV Surveillance Hard Drive + Cat5 Cat6

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	HARD DISK CAPACITY	PACKING LIST
	HDD2		2TB	The ordered hard drive will be installed directly to the NVR and tested for successful connection
	HDD4		4TB	
	HDD6		6TB	
	HDD8		8TB	
	HDD10		10TB	
	HDD12		12TB	

CCTV Surveillance Hard Drive + Cat5 Cat6

PRODUCTS PICTURE	MODEL	PRICE SAMPLE	Length	Main Parameters Port
	CAT5-20M		CAT5 20 meters	Jacket Material Strong and durable PVC reinforced outer layer. With an integrated molding process. The thicker wire diameter is sturdy and durable Resistant to bending and cracking, and does no knot and better protects the inner wire core. Cat5: Support 100-megabit network(50-100 MHz) Cat5e: Supports gigabit network (100-250 MHz) Cat6: Gigabit network (250-500 MHz), with stronger anti-interference capability. Cat6a and above: Supports 10-gigabit network (500-1000MHz+). How to choose between shielded network cables and unshielded network cables? UTP (unshielded): Suitable for ordinary household or office environments. FTP/SFTP (shielded): Applicable to factories, computer rooms and other high-interference scenarios.   
	CAT6-20M		CAT6 20 meters	
	CAT5-300M		CAT5 300 meters size:41*41*2 5cm 11KG	
	CAT6-300M		CAT6 300 meters size:41*41*2 5cm 11.5KG	