

Eximtree

Corporate office:
H-89, Sector 22, Noida, G.B. Nagar, Noida,
Uttar Pradesh - 201301
Contact us :
Email-eximtree@gmail.com
info@eximtree.com

PRODUCT CATALOGUE




INFUSION THERAPY

Infusion therapy is when you receive medication through a needle or catheter, usually intravenously (IV).



Products

- Safety IV Cannula (Catheter) with Wings and Injection Port
- Safety IV Cannula (Catheter) without Wings and without Injection Port
- Safety IV Cannula (Active) without Wings and without Injection Port with automatic activation(spring loaded)
- Safety IV Cannula without Wings and without Injection Port (Slide Safety) Telescopic
- IV Cannula (Catheter) with Wings and with Injection Port
- IV Cannula (Catheter) without Wings and without Injection Port and Pen Type IV
- IV Cannula (C-Type) without Wings and without Injection Port
- IV Cannula (Intra) with small Wings and without Injection Port
- IV Cannula (Catheter) with Wing Holder and without Injection Port
- IV Cannula (Catheter) for veterinary use
- Injection Stopper Cap / Heparin Cap
- 3-Way Stopcock
- 3-Way Stopcock with Extension Tube
- Multi-Infusion Extension Tube
- Extension Tube
- IV Infusion Set
- Blood Transfusion Set
- Measured Volume Set Burette Set



SAFETY IV CANNULA (CATHETER) with Wings & Injection Port

Item Code: 9011



FEATURES

Eximtree offers super sharp IGAKU Needles.

Passive safety device for protection from needle stick injury.

Needle sharp tip is locked with a non-openable metal clip for safely disposing of the needle.

The metal clip is designed to enclose the needle sharp tip after the needle is withdrawn, hence preventing healthcare professionals from the risk of accidental needle stick injury.

Coloured wing with suturable holes.

OPTION AVAILABLES

- FEP / PTFE / PUR Catheter
- Medical paper / Tyvek
- Hydrophobic filter
- Quick flash back needle Steile / non-pyrogenic/Single use.

TECHNICAL SPECIFICATION

Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water) ml/min	Box Qty. (Inner/Outer)
18G	1.3	45	80	50/500 100 / 1000
20G	1.1	32	54	50/500 100 / 1000
22G	0.9	25	33	50/500 100 / 1000
24G	0.7	19	20	50/500 100 / 1000

CERTIFICATION:

- CE
- ISO 13485:2016

SAFETY IV CANNULA (CATHETER) without Wings & Injection Port

Item Code: 90103



FEATURES

NEEDLE: Eximtree offers super sharp IGAKU Needles. Siliconized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER: Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER: Transparent Needle cover to prevent accidental damage to needle and catheter.

SAFETY CLIP: Ensuring healthcare worker safety with fail-proof needle locking mechanism protecting health care worker from accidental, possible fatal stick injury.

OPTION AVAILABLES

- FEP / PTFE / PUR Catheter
- Medical paper / Tyvek
- Hydrophobic filter
- Packing colour coded M.K.P.
- Sterile/non-pyrogenic/Single use.

TECHNICAL SPECIFICATION

Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water) (ml/min)	Flow Rate (Air) (lpm/Outer)
18G	1.30	45	80	50/500 100 / 1000
20G	1.10	32	54	50/500 100 / 1000
22G	0.90	25	33	50/500 100 / 1000
24G	0.70	19	20	


CERTIFICATION:

- CE
- ISO 13485:2016

SAFETY IV CANNULA (ACTIVE)

without Wings, without Injection Port
& with automatic activation
(Spring Loaded)

Item Code: 90102



Super Sharp IGAKU® needle

After Use, Needle Is Locked Inside Safety Barrel, Keeping Healthcare Worker Safe From Sharp Injury



FEATURES

NEEDLE: Eximtree offers super sharp IGAKU Needles. Siliconized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER: Large FB chamber allow quick visualisation for successful venipuncture.

ERGONOMIC AUTO ACTIVATION MECHANISM: Activated by a simple button press. Needle is auto retracted and locked inside safety barrel.

NEEDLE COVER: Transparent Needle cover to prevent accidental damage to needle and catheter.

OPTION AVAILABLES

FEP / PTFE / PUR Catheter

Medical paper / Tyvek

Hydrophobic filter

Quick flash back needle Steile / non-pyrogenic/Single use.

TECHNICAL SPECIFICATION



Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water) ml/min	Box Qty. (Inner/Outer)
18G	1.30	45	80	50/500 100/1000
20G	1.10	32	54	50/500 100/1000
22G	0.90	25	33	50/500 100/1000
24G	0.70	19	20	50/500 100/1000

CERTIFICATION:

• CE • ISO 13485:2016

IV CANNULA (CATHETER) with Wings & Injection Port

Item Code: 90110



FEATURES

NEEDLE: Eximtree offers super sharp IGAKU Needles. Siliconized, Ultra Sharp, Stainless Steel, back-cut needle to perform easy and painless venipuncture.

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER: Large FB chamber allow quick visualisation for successful venipuncture.

CAP: Colour coded cap for gauge identification.

NEEDLE COVER: Transparent Needle cover to prevent accidental damage to needle and catheter.

OPTION AVAILABLES

- FEP / PTFE / PUR Catheter
- Medical paper / Tyvek
- Hydrophobic filter
- Quick flash back needle
- Steile / non-pyrogenic/Single use.

TECHNICAL SPECIFICATION

Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water)	Box Qty. (Inner/Outer)
14G	2.1	45	270	100 / 1000
16G	1.7	45	180	100 / 1000
17G	1.5	45	125	100 / 1000
18G	1.3	45	80	100 / 1000
20G	1.1	32	54	100 / 1000
22G	0.9	25	33	100 / 1000
24G	0.7	19	20	100 / 1000
26G	0.6	19	19	100 / 1000


CERTIFICATION:

- CE
- ISO 13485:2016

IV CANNULA (CATHETER)

without Wings & Injection Port
& Pen Type IV

Item Code: 90105



Pen Type IV

FEATURES

NEEDLE: Eximtree offers super sharp IGAKU Needles. Siliconized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician

FLASHBACK CHAMBER: Large FB chamber allow quick visualisation for successful venipuncture.

FLEXIBLE WINGS: The flexible wings provides easy gripping and follows the contours of site allowing more secure fixation.

NEEDLE COVER: Transparent Needle cover to prevent accidental damage to needle and catheter.

FLOW CONTROL HUB: The flow control hub has hydrophobic filter for allowing air to pain and don't allow blood to ooze out.

- OPTION AVAILABLES**
- FEP / PTFE / PUR Catheter
 - Medical paper / Tyvek
 - Hydrophobic filter
 - Quick flash back needle Steile / non-pyrogenic/Single use.

TECHNICAL SPECIFICATION


Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water) (ml/Minute)	Box Qty. (Inner/Outer)
14G	2.10	45	270	50/500 100 / 1000
16G	1.70	45	180	50/500 100 / 1000
17G	1.50	45	125	50/500 100 / 1000
18G	1.30	45	80	50/500 100 / 1000
20G	1.10	32	54	50/500 100 / 1000
22G	0.90	25	33	50/500 100 / 1000
24G	0.70	19	20	50/500 100 / 1000
26G	0.60	19	19	50/500 100 / 1000

CERTIFICATION:

- CE
- ISO 13485:2016

IV CANNULA (C-TYPE) without Wings & Injection Port

Item Code: 90107



FEATURES

NEEDLE: Eximtree offers super sharp IGAKU Needles. Siliconized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER: Large FB chamber allow quick visualisation for successful venipuncture.

FLEXIBLE WINGS: The flexible wings provides easy gripping and follows the contours of site allowing more secure fixation.

NEEDLE COVER: Transparent Needle cover to prevent accidental damage to needle and catheter.

OPTION AVAILABLES

- FEP / PTFE / PUR Catheter
- Medical paper / Tyvek
- Hydrophobic filter
- Quick flash back needle Steile / non-pyrogenic/Single use.

TECHNICAL SPECIFICATION

Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water) (ml/min)	Box Qty. (Inner/Outer)
14G	2.10	45	270	50/500 100 / 1000
16G	1.70	45	180	50/500 100 / 1000
17G	1.50	45	125	50/500 100 / 1000
18G	1.30	45	80	50/500 100 / 1000
20G	1.10	32	54	50/500 100 / 1000
22G	0.90	25	33	50/500 100 / 1000
24G	0.70	19	20	50/500 100 / 1000
26G	0.60	19	19	50/500 100 / 1000


CERTIFICATION:

- CE
- ISO 13485:2016

IV CANNULA (CATHETER)

with small wings, without
Injection Port & with wing holder

Item Code: 90108



Transparent needle hub &
Thumb control for easy placement



Super Sharp IGAKU® needle



Wing Holder

FEATURES
NEEDLE: Eximtree offers super sharp IGAKU Needles. Siliconized, Ultra Sharp, Stainless Steel, back-cut needle to perform easy and painless venipuncture.

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER: Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER: Transparent Needle cover to prevent accidental damage to needle and catheter.

FLEXIBLE WINGS: The flexible wings provide easy gripping and follow the contours of site allowing more secure fixation.

- OPTION AVAILABLES**
- FEP / PTFE / PUR Catheter
 - Medical paper / Tyvek
 - Hydrophobic filter
 - Quick flash back needle
 - Steile / non-pyrogenic/Single use.
 - Thumb Controller
 - Packing colour coded M.K.P.

TECHNICAL SPECIFICATION				
Size	Catheter OD(mm)	Catheter length(mm)	Flow Rate (Water) (ml/min)	Box Qty. (Inner/Outer)
24G	0.7	19	20	50/500 100 / 1000
26G	0.6	19	19	50/500 100 / 1000

CERTIFICATION:

- CE
- ISO 13485:2016


3-WAY STOPCOCK



Male
Luer Lock



3-WAY STOPCOCK
Lipid Resistant



FEATURES

- Three way stopcock is suitable for use during pressure infusion and invasive blood pressure monitoring.
- Smooth 360° rotation or Click 45° steps.
- Clear body for easy visual of fluid flow.
- Arrow mark on tap for indicating flow direction.
- Prevent vortex and reduces thrombus formation.
- Excellent pressure resistance upto 300kpa (45psi).
- Two (2) Female Luer, One (1) Male Luer for secure connection with accessories, as per ISO-80369-7.

OPTION AVAILABLES

Red and blue pegs for arterial and venous line identification.

TECHNICAL SPECIFICATION

Options			Packaging Specification
Tap Colour	Material	Tap Rotation	inner
Red	Non Lipid Lipid Resistant	Smooth 45° Click	50
White	Non Lipid Lipid Resistant	Smooth 45° Click	outer
Blue	Non Lipid Lipid Resistant	Smooth 45° Click	1000

CERTIFICATION:

- CE
- ISO 13485:2016

3-WAY STOPCOCK

with extension tube



3-Way Stop Cock



Rotating Male Luer Lock



Male Luer Lock Port



FEATURES

- Stopcock at one end and Male LUER Connector at the another end.
- Universal 6% taper on Luer allow connection with a wide range of Medical Devices.
- 360° smooth rotation of tap .
- Arrow mark on top for indicating flow direction
- Minimum priming volume

OPTION AVAILABLES

- DEHP free PVC tube
- Lipid resistant
- Tube length 10cm to 250cm / with 45° click rotation.

TECHNICAL SPECIFICATION

Size(cm)	Catheter OD / ID	Catheter length(mm)	Box Qty. (Inner/Outer)
10	4.10/3.0	10	40/320
25	4.10/3.0	25	40/320
50	4.10/3.0	50	40/320
75	4.10/3.0	75	40/320
100	4.10/3.0	100	25/200
150	4.10/3.0	150	25/200
200	4.10/3.0	200	25/200
250	4.10/3.0	250	25/200

CERTIFICATION:

- CE
- ISO 13485:2016

IV INFUSION SET



BASIC PRODUCTS FEATURES

USER-FRIENDLY DESIGN WITH FLEXIBLE DRIP CHAMBER

- Standard piercing spike (vented, universal).
- Easy penetration of solution container and preventing contamination.
- 15 micron (um) filter provides high flow rate and protection against large particles.
- Transparent drip chamber allow for quick & easy visualisation of drip rate.

SOFT, KINK RESISTANT, CLEAR P.V.C. TUBING

- Standard lumen 10 3mm & 00 4.1mm.
- Standard length 150cm with option of 100cm & bigger length.
- DEHP Free plasticizer.

Y Connector Injection Site with option of Needle Free Injection Site.

- Well documented safety characteristics
- Latex free injection site allows easy injection access.
- Also available with needle free injection site.

LUER LOCK TUM-TIGHT FITTING

- Avoid unintended detachment.

OPTION AVAILABLES

Standard lumen 10 3mm & 00 4.1mm DEHP Free plasticizer

Max Flow Rate=20ml/min

Standard drop formation, 20 Drops = 1ml

Well documented safety characteristics

Shelf life of 5 years from manufacturing

Regular length 150cm, subject to customer requirements.


Also available with 60 drops = 1ml

STORE GUIDELINES

Store at room temperature in dry place, away from direct sunlight. use a full spread for this product.

CERTIFICATION:

- CE
- ISO 13485:2016



Roller Clamp



Vented



Y-Connector



Flow Regulator



Non Vented



0.2um inline iv filter



Male Luer Lock




Male Luer with Hypodermic Needle



Needle Free

BLOOD TRANSFUSION SET


Item Code: 90401



Transparent Drip Chamber

Sharp Spike

Smooth Flow Regulator



FEATURES

- For intra vascular, gravity controlled transfusion of blood or blood elements.
- Soft, flexible and transparent drip chamber.
- Soft and kink resistant DEHP free P.V.C. tube.
- For approximately 20 drops/ml.
- With 200 micron blood filter.

OPTION AVAILABLES

- With or without Needle.
- Luer Lock or Luer slip.
- With airvent spike/without airvent spike.
- Latex Bulb for intermittent medication.
- Single/Double Drip chamber.
- Packed in pouch or blister.

CERTIFICATION:

- CE
- ISO 13485:2016

MEASURED VOLUME SET BURETTE SET

Item Code: 90701




Silicon Floater



Micro Dip



Air Vent



FEATURES

Flexible, Transparent & soft Calibrated cylindrical Measured Volume Chamber with Injection port allows medication to be injected into burette chamber for extra medication.

Strong, Sharp and air vented spike is made of sturdy medical grade ABS material for easy insertion in I.V. Container.

Shut off floater to prevent air embolism and it help to indicate fluid level. soft flexible drip chamber fitted with 15 um fluid filter and micro dripper for delivery of approximately 60 drops/ml.

Soft and kink resistant tube with latex for easy flushing.

OPTION AVAILABLES

- Hanger
- Luer Lock or Luer Slip
- Needle Free "Y" Injection site Hypodermic Needle: 23Gx1"
- Airvent Spike/Non Airvent Spike
- Burette Volume of 150ml/110ml/100ml
- Tube Length from 150cm to 200cm
- "Y" injection port
- Automatic shut off valve


TECHNICAL SPECIFICATION

Size	Packing Inner/outer
100ml	25/500
110ml	25/500
150ml	25/500

CERTIFICATION:

- CE
- ISO 13485:2016

SURGICAL BLADES



FEATURES

- Carbon Steel (as per BS 2982:1992) Super sharp Blades.
- Stainless Steel [Grade F as per ISO 7153-1:1999]
- Complies the fitment requirement of ISO 7740:1985
- Packed peel Open Al foil pouches with a VCI protective inner line.
- Sterile life of 5 Years.
- Shelf life of 5 Years.

CERTIFICATION:

- ISO 13485:2016

DISPOSABLE SCALPELS



FEATURES

- Stainless Steel Surgical Blade is mounted on ABS plastic handle Protected with Guard.
- Disposable Scalpel handle are ergonomically designed which gives, better grip, safe uses and better handling.
- Handle is provided with fluted finger grip for better grip.
- Size of the blade is visually marked on the handle.
- Individually packed is a Soft Blister.
- Sterile Gamma Radiation/EO.
- Shelf life of 5 years.
- We also offer bulk pack Non-Sterile for Kits-Pack.

CERTIFICATION:

- ISO 13485:2016

TECHNICAL SPECIFICATION

Size	
Filment 3	10, 11, 12, 15
Filment 4	20, 21, 22, 23, 24

OUR CERTIFICATES
CE CERTIFICATE
ISO CERTIFICATE