

JK ALUMINIUM EXTRUSION PRIVATE LIMITED

OFFICE ADDRESS : GURUDWARA
GATE NO.3 YATRI NIWAS ROAD,
OPPOSITE KHURSALE HOSPITAL,
NANDED-431601




JK

JK ALUMINIUM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1 : 1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1



SCALE 2:1



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	¾ HANDLE
W.T. METER	0.666KG/M
WEIGHT	1.28KG/12'
SECTION NO.	9001

SECTION NAME	¾ INTERLOCK
W.T. METER	0.354KG/M
WEIGHT	1.297KG/12'
SECTION NO.	9002



SECTION NAME	¾ TOP-BOTTOM
W.T. METER	0.304KG/M
WEIGHT	1.113KG/12'
SECTION NO.	9003

SECTION DRAWING





SCALE 2:1

SECTION DRAWING



SCALE 2:1

SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

UN SPECIFIED SHARP CORNERS 0.3MM

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	¾ MIDDLE
W.T. METER	0.301KG/M
WEIGHT	1.102KG/12'
SECTION NO.	9004


SECTION NAME	¾ BEARING BOTTOM
W.T. METER	0.448KG/M
WEIGHT	1.639KG/12'
SECTION NO.	9005

SECTION NAME	18X60 HANDLE
W.T. METER	0.473KG/M
WEIGHT	1.734KG/12'
SECTION NO.	9006

SECTION DRAWING

original


SCALE1:1



SCALE 1.5:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	18X60 INTERLOCK
W.T. METER	0.504KG/M
WEIGHT	1.847KG/12'
SECTION NO.	9007



SECTION DRAWING


1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	18X60 BEARING BOTTOM
W.T. METER	0.474KG/M
WEIGHT	1.737KG/12'
SECTION NO.	9008



SECTION DRAWING

1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	SINGLE TRACK TOP
W.T. METER	0.281KG/M
WEIGHT	1.029KG/12'
SECTION NO.	9009

SECTION DRAWING




1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 2:1

SECTION DRAWING




1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 2:1

SECTION DRAWING



1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 2:1

SECTION NAME	SINGLE TRACK BOTTOM
W.T. METER	0.313KG/M
WEIGHT	1.149KG/12'
SECTION NO.	9010

SECTION NAME	2TB
W.T. METER	0.565KG/M
WEIGHT	2.068KG/12'
SECTION NO.	9011

SECTION NAME	2TT
W.T. METER	0.490KG/M
WEIGHT	1.794KG/12'
SECTION NO.	9012

SECTION DRAWING

ORIGINAL

1:1

32

20

3.8

1.8

23.7

6.6

23.79

6.6

23.7

3.8

4.2

1.8

10.5

Ø2.8

20

7.2

1 TYP

11

92

R0.5

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 1.5:1

SCALE 1.5:1

SECTION NAME	3TB
W.T. METER	0.827KG/M
WEIGHT	3.028KG/12'
SECTION NO.	9013

SECTION DRAWING

ORIGINAL *1:1*

32
20
92
3.98 23.39 6.87 23.52 6.87 23.39 3.98
1.8 4.2 1.8 9.2 7.2
R0.5 11 1.09 TYP

SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 2:1

SECTION NAME	3TT
W.T. METER	0.780KG/M
WEIGHT	2.857KG/12'
SECTION NO.	9014

SECTION DRAWING


1:1

SCALE 1:1

SCALE 1:1

SECTION NAME	4TT
W.T. METER	0.780KG/M
WEIGHT	2.857KG/12'
SECTION NO.	9015


A diagram showing a horizontal line with four small circles placed above it. Below the line, the text "1:1" is centered, indicating a 1:1 ratio of the two types of blocks.



UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	4TB
W.T. METER	1.082KG/M
WEIGHT	3.961KG/12'
SECTION NO.	9016

Technical drawing of a roof structure. It shows a cross-section of a roof with a slope indicated by a triangle labeled $1:1$. The roof is supported by a wall on the left. Various components are labeled with letters: 'A' for the roof surface, 'B' for the gutter, 'C' for the downpipe, 'D' for the roof edge, 'E' for the roof structure, 'F' for the roof slope, 'G' for the roof edge, 'H' for the roof structure, 'I' for the roof slope, 'J' for the roof edge, 'K' for the roof structure, 'L' for the roof slope, 'M' for the roof edge, 'N' for the roof structure, 'O' for the roof slope, 'P' for the roof edge, 'Q' for the roof structure, 'R' for the roof slope, 'S' for the roof edge, 'T' for the roof structure, 'U' for the roof slope, 'V' for the roof edge, 'W' for the roof structure, 'X' for the roof slope, 'Y' for the roof edge, 'Z' for the roof structure.



UN SPECIFIED SHARP CORNERS 0.3MM



SECTION NAME	3TB(HOLLOW)
W.T. METER	3.618KG/M
WEIGHT	13.245KG/12'
SECTION NO.	9017



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	2X1 MIDDLE
W.T. METER	0.389KG/M
WEIGHT	1.427KG/12'
SECTION NO.	9018



SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3X1 MIDDLE
W.T. METER	0.548KG/M
WEIGHT	2.008KG/12'
SECTION NO.	9019


SECTION NAME	3X1 HANDLE
W.T. METER	0.544KG/M
WEIGHT	1.992KG/12'
SECTION NO.	9020

SECTION NAME	3X1 MOULDING HANDLE (HEAVY)
W.T. METER	0.543KG/M
WEIGHT	1.988KG/12'
SECTION NO.	9021

SECTION DRAWING




1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1



SCALE 1.5:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3X1 MOULDING MIDDLE
W.T. METER	0.562KG/M
WEIGHT	2.060KG/12'
SECTION NO.	9022


SECTION NAME	60X25 MOULDING MIDDLE
W.T. METER	0.490KG/M
WEIGHT	1.793KG/12'
SECTION NO.	9023

SECTION NAME	3X1 MOULDING HANDLE
W.T. METER	0.470KG/M
WEIGHT	1.721KG/12'
SECTION NO.	9024

SECTION DRAWING




1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1



SCALE 1.5:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DP
W.T. METER	0.635KG/M
WEIGHT	2.327KG/12'
SECTION NO.	9025


SECTION NAME	SP
W.T. METER	0.604KG/M
WEIGHT	2.211KG/12'
SECTION NO.	9026

SECTION NAME	2X1 L PIPE
W.T. METER	0.251KG/M
WEIGHT	0.920KG/12'
SECTION NO.	9027

SECTION DRAWING




1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE: 1:1



SCALE 1.5: 1

SCALE 2:1



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	1.5X1 L PIPE
W.T. METER	0.245KG/M
WEIGHT	0.900KG/12'
SECTION NO.	9028

SECTION NAME	GLAZING CLIP
W.T. METER	0.059KG/M
WEIGHT	0.216KG/12'
SECTION NO.	9029

SECTION NAME	DOOR VERTICLE
W.T. METER	0.616KG/M
WEIGHT	2.255KG/12'
SECTION NO.	9030



SECTION DRAWING



SCALE 1.5: 1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1.5: 1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOOR SP
W.T. METER	0.616KG/M
WEIGHT	2.255KG/12'
SECTION NO.	9031


SECTION NAME	DOOR MIDDLE
W.T. METER	0.578KG/M
WEIGHT	2.116KG/12'
SECTION NO.	9032

SECTION NAME	36X24 RT (1.5X1)
W.T. METER	0.221KG/M
WEIGHT	0.809KG/12
SECTION NO.	9033

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X18 RT (2X3/4)
W.T. METER	0.492KG/M
WEIGHT	1.809KG/12'
SECTION NO.	9034


SECTION NAME	50X25 RT(2X1)
W.T. METER	0.769KG/M
WEIGHT	2.817KG/12
SECTION NO.	9035

SECTION NAME	50X38 RT(2X1.5)
W.T. METER	0.545KG/M
WEIGHT	1.995KG/12'
SECTION NO.	9036

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X38 RT(2X1.5 HEAVY)
W.T. METER	0.876KG/M
WEIGHT	3.207KG/12'
SECTION NO.	9037


SECTION NAME	63X24 RT (2.5X1)
W.T. METER	0.381KG/M
WEIGHT	1.397KG/12'
SECTION NO.	9038

SECTION NAME	63X38 RT(2.5X1.5)
W.T. METER	0.381KG/M
WEIGHT	1.397KG/12'
SECTION NO.	9039

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	63X38 RT(2.5X1.5 HEAVY)
W.T. METER	0.659KG/M
WEIGHT	2.412KG/12'
SECTION NO.	9040


SECTION NAME	100X25 RT(4X1)
W.T. METER	0.663KG/M
WEIGHT	2.427KG/12'
SECTION NO.	9041

SECTION NAME	100X38(4X1.5)
W.T. METER	0.733KG/M
WEIGHT	2.684KG/12'
SECTION NO.	9042

SECTION DRAWING




SCALE 1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	100X38(4X1.5 HEAVY)
W.T. METER	1.446KG/M
WEIGHT	5.293KG/12'
SECTION NO.	9043


SECTION NAME	38X38 SQT(1.5X1.5)
W.T. METER	0.399KG/M
WEIGHT	1.460KG/12'
SECTION NO.	9044

SECTION NAME	50X50 SQT(2X2)
W.T. METER	0.876KG/M
WEIGHT	3.206KG/12'
SECTION NO.	9045

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X50 SQT(2X2)
W.T. METER	0.876KG/M
WEIGHT	3.206KG/12'
SECTION NO.	9046


SECTION NAME	19X19 ANGLE (3/4X3/4)
W.T. METER	0.193KG/M
WEIGHT	0.708KG/12'
SECTION NO.	9047

SECTION NAME	25X25 ANGLE (1X1)
W.T. METER	0.195KG/M
WEIGHT	0.716KG/12'
SECTION NO.	9048

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	25X25 ANGLE (1X1) HEAVY
W.T. METER	0.313KG/M
WEIGHT	1.148KG/12'
SECTION NO.	9049

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	38X38 ANGLE (1.5X1.5)
W.T. METER	0.301KG/M
WEIGHT	1.102KG/12'
SECTION NO.	9050

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	1.5x1 ANGLE (38X19)
W.T. METER	0.301KG/M
WEIGHT	1.102KG/12'
SECTION NO.	9051


SECTION NAME	2X1 ANGLE(50X38)
W.T. METER	0.412KG/M
WEIGHT	1.510KG/12'
SECTION NO.	9052

SECTION NAME	FLAT BAR 125X3
W.T. METER	1.011/M
WEIGHT	3.703KG/12'
SECTION NO.	9053

SECTION DRAWING



SCALE 1:1




SCALE 1:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	FLAT BAR 150X3
W.T. METER	1.215/M
WEIGHT	4.446KG/12'
SECTION NO.	9054

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	PLAIN T 19X19 (3/4X3/4)
W.T. METER	0.165/M
WEIGHT	0.606KG/12'
SECTION NO.	9055

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	PLAIN T 38X38 (1.5X1.5)
W.T. METER	0.364/M
WEIGHT	1.335KG/12'
SECTION NO.	9056

SECTION DRAWING



SCALE 1:1




SCALE 1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	U CHANNEL 19X19
W.T. METER	0.0975/M
WEIGHT	0.357KG/12'
SECTION NO.	9057


SECTION NAME	F CHANNEL
W.T. METER	0.111/M
WEIGHT	0.406KG/12'
SECTION NO.	9058

SECTION NAME	E CHANNEL
W.T. METER	0.111/M
WEIGHT	0.406KG/12'
SECTION NO.	9059

SECTION DRAWING




SCALE 1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X12 RT(2X1 1/2)
W.T. METER	0.625KG/M
WEIGHT	2.290KG/12'
SECTION NO.	9060


SECTION NAME	CURTAINWAL
W.T. METER	0.693KG/M
WEIGHT	2.539KG/12'
SECTION NO.	9061

SECTION NAME	U CHANNEL 18X30
W.T. METER	0.117KG/M
WEIGHT	0.4306KG/12
SECTION NO.	9062

SECTION DRAWING




SCALE 1:1




UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOMAL INTERLOCK PATTI
W.T. METER	0.274KG/M
WEIGHT	1.005KG/12'
SECTION NO.	9063

SECTION DRAWING



SCALE1:1



SCALE4:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOMAL SHUTTER HANDLE
W.T. METER	0.850KG/M
WEIGHT	3.113KG/12'
SECTION NO.	9064

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	9X8 UCHANNEL
W.T. METER	0.043KG/M
WEIGHT	0.160KG/12
SECTION NO.	9065

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	
W.T. METER	0.612KG/M
WEIGHT	2.241KG/12'
SECTION NO.	9066

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	SLIM PARTITION CORNER
W.T. METER	0.162KG/M
WEIGHT	0.592KG/12'
SECTION NO.	9067

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50MM ROUND RAILING TOP
W.T. METER	0.675KG/M
WEIGHT	2.472KG/12'
SECTION NO.	9068

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM



SCALE1:1



KITCHEN HANDLE


SCALE2:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	50MM SQUARE RAILING TOP
W.T. METER	1.066KG/M
WEIGHT	3.901KG/12'
SECTION NO.	9069

SECTION NAME	2X1 HANDLE
W.T. METER	0.340KG/M
WEIGHT	1.245KG/12'
SECTION NO.	9070

SECTION NAME	Kitchen profile – 67mm handle
W.T. METER	0.526KG/M
WEIGHT	1.928KG/12'
SECTION NO.	9071




SCALE1:1




SCALE2:1

UN SPECIFIED SHARP CORNERS 0.3MM




SCALE1:1




SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM



SCALE1:1




SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	KITCHEN PROFILE 45MM FRAME
W.T. METER	0.380KG/M
WEIGHT	1.393KG/12'
SECTION NO.	9072

SECTION NAME	12MM GLASS M SECTION
W.T. METER	0.536KG/M
WEIGHT	1.964KG/12'
SECTION NO.	9073

SECTION NAME	12MM GLASS F SECTION
W.T. METER	0.362KG/M
WEIGHT	1.325KG/12'
SECTION NO.	9074




ORIGINAL



SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM




SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM



SCALE1:1



SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	G PROFILE
W.T. METER	0.371KG/M
WEIGHT	1.360KG/12'
SECTION NO.	9075

SECTION NAME	DOMAL 3 TRACK WITH COLLAR
W.T. METER	1.501KG/M
WEIGHT	5.495KG/12'
SECTION NO.	9076

SECTION NAME	73MM SLIDING TRACK BOTTOM COVER
W.T. METER	0.093KG/M
WEIGHT	0.342KG/12'
SECTION NO.	9077



SCALE1:1




SCALE2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	73MM SLIM SLIDING TRACK BOTTOM
W.T. METER	0.277KG/M
WEIGHT	1.014KG/12'
SECTION NO.	9078



SCALE1:1



SCALE1.5:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	73MM SLIM SLIDING TRACK TOP
W.T. METER	0.357KG/M
WEIGHT	1.306KG/12'
SECTION NO.	9079

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	MESH SECTION MIDDLE 45MM
W.T. METER	0.254KG/M
WEIGHT	0.930KG/12'
SECTION NO.	9091

SECTION NAME	MESH SECTION 45MM
W.T. METER	0.242KG/M
WEIGHT	0.887KG/12'
SECTION NO.	9092

SECTION NAME	80MM RAILING BOTTOM
W.T. METER	3.098KG/M
WEIGHT	11.340KG/12'
SECTION NO.	9093

A diagram of a U-shaped container. The bottom surface of the container is wavy, representing a liquid meniscus. The container is filled with a substance, indicated by diagonal hatching lines.

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	RAILING TOP 45MM
W.T. METER	1.054KG/M
WEIGHT	3.858KG/12'
SECTION NO.	

Technical drawing of a mechanical part with dimensions. The drawing shows a cross-section of a part with a total width of 82 and a total height of 26.4. The part features a central vertical slot and two side slots. The dimensions are as follows:

- Overall width: 82
- Overall height: 26.4
- Top horizontal segments: 4.8 (left), 32.65 (middle), 7.1 (center slot), 32.65 (right), 4.8 (right edge)
- Left vertical segments: 1.7 (top), 19.1 (middle), 7.3 (bottom)
- Right vertical segments: 1.3 (top), 1.4 (middle), 1.4 (bottom)
- Central vertical slot width: 7.1
- Left side slot width: 1.4
- Right side slot width: 1.4
- Bottom horizontal segments: 38.6 (left), 1.4 (center slot), 38.6 (right)
- Bottom edge thickness: 1
- Internal hole diameter: $\varnothing 4.5$
- Internal hole position: 10.1 from the top edge, 1.4 from the left edge

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	2TB 1" SERIES
W.T. METER	0.898KG/M
WEIGHT	3.290KG/12'
SECTION NO.	

Technical drawing of a mechanical part with dimensions. The overall width is 116.8 and the overall height is 26.4. The part features a central vertical slot and two side slots. Key dimensions include: top horizontal segments (4.8, 29.86, 8.8, 29.88, 8.8, 29.86, 4.8), vertical segments (26.4, 4.6, 8.8, 18.9, 1.7, 1.5, 8.9, 1.6, 1.4), and internal features (1.9, 1.6, 1.6).

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3TT 1" SERIES
W.T. METER	1.122KG/M
WEIGHT	4.108KG/12'
SECTION NO.	

Technical drawing of a mechanical part with dimensions. The overall width is 116.8 and the overall height is 26.4. The drawing shows a series of steps and features with the following dimensions:

- Top horizontal segments: 4.8, 31, 7.1, 31, 7.1, 31, 4.8.
- Left vertical segments: 26.4 (total), 7.8, 4.2, 19.1, 1.7.
- Internal vertical segments: 10.8, 1.2, 9.5.
- Bottom horizontal segments: 1.4, 1.4, 1.3.
- Right vertical segment: 10.1.
- Feature: A hole with diameter $\varnothing 4.5$.

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3TB 1" SERIES
W.T. METER	1.227KG/M
WEIGHT	4.493KG/12'
SECTION NO.	

Technical drawing of a mechanical part with dimensions in mm. The drawing shows a symmetrical component with a central vertical section and two side sections. Key dimensions include:

- Overall width: 82 mm
- Overall height: 26.4 mm
- Top horizontal segments: 4.8 mm (left), 31.8 mm (middle), 8.8 mm (right), 31.8 mm (far right), 4.8 mm (far right).
- Internal horizontal segments: 4.8 mm, 8.8 mm, 2.45 mm, 8.8 mm, 11.5 mm, 8.9 mm, 8.8 mm, 4.6 mm, 1.7 mm, 1.6 mm, 1.3 mm, 1.6 mm, 5.9 mm, 1.4 mm, 1.6 mm.
- Vertical segments: 1.6 mm, 4.6 mm, 8.8 mm, 11.8 mm, 4.9 mm, 1.3 mm, 1.6 mm, 5.9 mm, 1.4 mm, 1.6 mm.

ALL SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	2TT 1" SERIES
W.T. METER	0.815KG/M
WEIGHT	2.986KG/12'
SECTION NO.	

A technical drawing of a U-shaped channel. The channel has a flat bottom and two vertical side walls. On the left side, there is a flange that extends downwards. On the right side, there is a mounting bracket with two horizontal slots for screws.

[illegible]

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	INTERLOCK 1" SERIES
W.T. METER	0.606KG/M
WEIGHT	2.220KG/12'
SECTION NO.	

A diagram of a rectangular room. The left wall has two windows, each represented by a rectangle with a small square in the center. The right wall has a door, represented by a rectangle with a small square in the center. The top and bottom walls are solid lines. The room is divided into two sections by a vertical line representing a partition or doorway.

Technical drawing of a mechanical part with the following dimensions and labels:

- Overall width: 50.5
- Overall height: 25.5
- Left side feature: A semi-circular notch with a radius of 1.1.
- Top edge feature: A semi-circular notch with a radius of 1.1.
- Bottom edge feature: A semi-circular notch with a radius of 1.1.
- Internal width segments: 38 and 12.5.
- Internal height segments: 2.2 and 10.
- Internal circular features: Two circles with diameters labeled $\varnothing 5.9$ and $\varnothing 3.7$.

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	HANDLE 1" SERIES
W.T. METER	0.531KG/M
WEIGHT	1.946KG/12'
SECTION NO.	

[illegible]

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	BEARING BOTTOM 1" SERIES
W.T. METER	0.549KG/M
WEIGHT	2.012KG/12'
SECTION NO.	

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	POLYCARBONATE DOME TOP
W.T. METER	0.211KG/M
WEIGHT	0.773KG/12'
SECTION NO.	