

JK ALUMINIUM EXTRUSION PRIVATE LIMITED


OFFICE ADDRESS : GURUDWARA
GATE NO.3 YATRI NIWAS ROAD,
OPPOSITE KHURSALE HOSPITAL,
NANDED-431601




JK

JK ALUMINIUM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1 : 1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1



SCALE 2:1



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	¾ HANDLE
W.T. METER	0.666KG/M
WEIGHT	1.28KG/12'
SECTION NO.	9001

SECTION NAME	¾ INTERLOCK
W.T. METER	0.354KG/M
WEIGHT	1.297KG/12'
SECTION NO.	9002



SECTION NAME	¾ TOP-BOTTOM
W.T. METER	0.304KG/M
WEIGHT	1.113KG/12'
SECTION NO.	9003

SECTION DRAWING





SCALE 2:1

SECTION DRAWING



SCALE 2:1

SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

UN SPECIFIED SHARP CORNERS 0.3MM

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	¾ MIDDLE
W.T. METER	0.301KG/M
WEIGHT	1.102KG/12'
SECTION NO.	9004

SECTION NAME	¾ BEARING BOTTOM
W.T. METER	0.448KG/M
WEIGHT	1.639KG/12'
SECTION NO.	9005


SECTION NAME	18X60 HANDLE
W.T. METER	0.473KG/M
WEIGHT	1.734KG/12'
SECTION NO.	9006

SECTION DRAWING

original




SCALE1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	18X60 INTERLOCK
W.T. METER	0.504KG/M
WEIGHT	1.847KG/12'
SECTION NO.	9007




1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	18X60 BEARING BOTTOM
W.T. METER	0.474KG/M
WEIGHT	1.737KG/12'
SECTION NO.	9008



1:1





SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM




SECTION NAME	SINGLE TRACK TOP
W.T. METER	0.281KG/M
WEIGHT	1.029KG/12'
SECTION NO.	9009

SECTION DRAWING



SCALE 2:1




SECTION DRAWING



SCALE 2:1

SECTION DRAWING

1.6



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

UN SPECIFIED SHARP CORNERS 0.3MM

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	SINGLE TRACK BOTTOM
W.T. METER	0.313KG/M
WEIGHT	1.149KG/12'
SECTION NO.	9010

SECTION NAME	2TB
W.T. METER	0.565KG/M
WEIGHT	2.068KG/12'
SECTION NO.	9011

SECTION NAME	2TT
W.T. METER	0.490KG/M
WEIGHT	1.794KG/12'
SECTION NO.	9012

SECTION DRAWING

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 1.5:1

SCALE 1.5:1

SECTION NAME	3TB
W.T. METER	0.827KG/M
WEIGHT	3.028KG/12'
SECTION NO.	9013

SECTION DRAWING

ORIGINAL *1:1*

3.98 23.39 6.87 23.52 6.87 23.39 3.98

1.8 4.2 1.8 9.2 7.2 1.09 TYP

32 20 20 11

R0.5 92

SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SCALE 2:1


SECTION NAME	3TT
W.T. METER	0.780KG/M
WEIGHT	2.857KG/12'
SECTION NO.	9014

[illegible]


SCALE 1:1

SECTION NAME	4TT
W.T. METER	0.780KG/M
WEIGHT	2.857KG/12'
SECTION NO.	9015

SECTION DRAWING




1:1




SCALE 1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




1:1




SCALE 1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1



SCALE 2:1



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	4TB
W.T. METER	1.082KG/M
WEIGHT	3.961KG/12'
SECTION NO.	9016

SECTION NAME	3TB(HOLLOW)
W.T. METER	3.618KG/M
WEIGHT	13.245KG/12'
SECTION NO.	9017

SECTION NAME	2X1 MIDDLE
W.T. METER	0.389KG/M
WEIGHT	1.427KG/12'
SECTION NO.	9018



SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3X1 MIDDLE
W.T. METER	0.548KG/M
WEIGHT	2.008KG/12'
SECTION NO.	9019


SECTION NAME	3X1 HANDLE
W.T. METER	0.544KG/M
WEIGHT	1.992KG/12'
SECTION NO.	9020

SECTION NAME	3X1 MOULDING HANDLE (HEAVY)
W.T. METER	0.543KG/M
WEIGHT	1.988KG/12'
SECTION NO.	9021

SECTION DRAWING




1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



1:1



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3X1 MOULDING MIDDLE
W.T. METER	0.562KG/M
WEIGHT	2.060KG/12'
SECTION NO.	9022

SECTION NAME	60X25 MOULDING MIDDLE
W.T. METER	0.490KG/M
WEIGHT	1.793KG/12'
SECTION NO.	9023

SECTION NAME	3X1 MOULDING HANDLE
W.T. METER	0.470KG/M
WEIGHT	1.721KG/12'
SECTION NO.	9024

Technical drawing of a rectangular plate with the following dimensions and features:

- Overall width: 63.2
- Overall height: 37.9
- Top edge features:
 - Left corner radius: $R0.5$
 - Top edge width: 14.86
 - Top edge width: 8
 - Top edge radius: $R0.5$
 - Top edge width: 18.8
 - Top edge width: 2.5
 - Top edge radius: $R0.5$
 - Top edge width: 2.7
- Right edge features:
 - Right edge radius: $R1.26$
 - Right edge width: 0.97 TYP
- Bottom edge features:
 - Bottom edge radius: $R0.5$

SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DP
W.T. METER	0.635KG/M
WEIGHT	2.327KG/12'
SECTION NO.	9025

Technical drawing of a rectangular plate with the following dimensions and features:

- Overall width: 63.2
- Overall height: 37.9
- Top edge features:
 - Left fillet: R0.5
 - Distance from left edge to first fillet: 14.86
 - Distance between first and second fillets: 8
 - Distance from second fillet to right edge: 2.5
 - Right fillet: R0.5
 - Distance from right edge to right fillet: 2.7
- Bottom edge features:
 - Left fillet: R0.5
 - Distance from left edge to bottom-left corner: 18.8
- Right edge features:
 - Distance from right edge to right fillet: 1.02 TYP
 - Bottom-right corner fillet: R1.26

SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	SP
W.T. METER	0.604KG/M
WEIGHT	2.211KG/12'
SECTION NO.	9026

SCALE 1.5:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	2X1 L PIPE
W.T. METER	0.251KG/M
WEIGHT	0.920KG/12'
SECTION NO.	9027

SECTION DRAWING




1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE: 1:1



SCALE 1.5: 1

SCALE 2:1



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	1.5X1 L PIPE
W.T. METER	0.245KG/M
WEIGHT	0.900KG/12'
SECTION NO.	9028

SECTION NAME	GLAZING CLIP
W.T. METER	0.059KG/M
WEIGHT	0.216KG/12'
SECTION NO.	9029

SECTION NAME	DOOR VERTICLE
W.T. METER	0.616KG/M
WEIGHT	2.255KG/12'
SECTION NO.	9030



SECTION DRAWING



SCALE 1.5: 1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1.5: 1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOOR SP
W.T. METER	0.616KG/M
WEIGHT	2.255KG/12'
SECTION NO.	9031


SECTION NAME	DOOR MIDDLE
W.T. METER	0.578KG/M
WEIGHT	2.116KG/12'
SECTION NO.	9032

SECTION NAME	36X24 RT (1.5X1)
W.T. METER	0.221KG/M
WEIGHT	0.809KG/12
SECTION NO.	9033

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X18 RT (2X3/4)
W.T. METER	0.492KG/M
WEIGHT	1.809KG/12'
SECTION NO.	9034


SECTION NAME	50X25 RT(2X1)
W.T. METER	0.769KG/M
WEIGHT	2.817KG/12
SECTION NO.	9035

SECTION NAME	50X38 RT(2X1.5)
W.T. METER	0.545KG/M
WEIGHT	1.995KG/12'
SECTION NO.	9036

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X38 RT(2X1.5 HEAVY)
W.T. METER	0.876KG/M
WEIGHT	3.207KG/12'
SECTION NO.	9037


SECTION NAME	63X24 RT (2.5X1)
W.T. METER	0.381KG/M
WEIGHT	1.397KG/12'
SECTION NO.	9038

SECTION NAME	63X38 RT(2.5X1.5)
W.T. METER	0.381KG/M
WEIGHT	1.397KG/12'
SECTION NO.	9039

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	63X38 RT(2.5X1.5 HEAVY)
W.T. METER	0.659KG/M
WEIGHT	2.412KG/12'
SECTION NO.	9040


SECTION NAME	100X25 RT(4X1)
W.T. METER	0.663KG/M
WEIGHT	2.427KG/12'
SECTION NO.	9041

SECTION NAME	100X38(4X1.5)
W.T. METER	0.733KG/M
WEIGHT	2.684KG/12'
SECTION NO.	9042

SECTION DRAWING




SCALE 1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	100X38(4X1.5 HEAVY)
W.T. METER	1.446KG/M
WEIGHT	5.293KG/12'
SECTION NO.	9043


SECTION NAME	38X38 SQT(1.5X1.5)
W.T. METER	0.399KG/M
WEIGHT	1.460KG/12'
SECTION NO.	9044

SECTION NAME	50X50 SQT(2X2)
W.T. METER	0.876KG/M
WEIGHT	3.206KG/12'
SECTION NO.	9045

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X50 SQT(2X2)
W.T. METER	0.876KG/M
WEIGHT	3.206KG/12'
SECTION NO.	9046


SECTION NAME	19X19 ANGLE (3/4X3/4)
W.T. METER	0.193KG/M
WEIGHT	0.708KG/12'
SECTION NO.	9047

SECTION NAME	25X25 ANGLE (1X1)
W.T. METER	0.195KG/M
WEIGHT	0.716KG/12'
SECTION NO.	9048

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	25X25 ANGLE (1X1) HEAVY
W.T. METER	0.313KG/M
WEIGHT	1.148KG/12'
SECTION NO.	9049

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	38X38 ANGLE (1.5X1.5)
W.T. METER	0.301KG/M
WEIGHT	1.102KG/12'
SECTION NO.	9050

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 1:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	1.5x1 ANGLE (38X19)
W.T. METER	0.301KG/M
WEIGHT	1.102KG/12'
SECTION NO.	9051


SECTION NAME	2X1 ANGLE(50X38)
W.T. METER	0.412KG/M
WEIGHT	1.510KG/12'
SECTION NO.	9052

SECTION NAME	FLAT BAR 125X3
W.T. METER	1.011/M
WEIGHT	3.703KG/12'
SECTION NO.	9053

SECTION DRAWING



SCALE 1:1




SCALE 1:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	FLAT BAR 150X3
W.T. METER	1.215/M
WEIGHT	4.446KG/12'
SECTION NO.	9054

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	PLAIN T 19X19 (3/4X3/4)
W.T. METER	0.165/M
WEIGHT	0.606KG/12'
SECTION NO.	9055

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	PLAIN T 38X38 (1.5X1.5)
W.T. METER	0.364/M
WEIGHT	1.335KG/12'
SECTION NO.	9056

SECTION DRAWING



SCALE 1:1




SCALE 1:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	U CHANNEL 19X19
W.T. METER	0.0975/M
WEIGHT	0.357KG/12'
SECTION NO.	9057


SECTION NAME	F CHANNEL
W.T. METER	0.111/M
WEIGHT	0.406KG/12'
SECTION NO.	9058

SECTION NAME	E CHANNEL
W.T. METER	0.111/M
WEIGHT	0.406KG/12'
SECTION NO.	9059

SECTION DRAWING




SCALE 1:1




SCALE 1.5:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50X12 RT(2X1 1/2)
W.T. METER	0.625KG/M
WEIGHT	2.290KG/12'
SECTION NO.	9060


SECTION NAME	CURTAINWAL
W.T. METER	0.693KG/M
WEIGHT	2.539KG/12'
SECTION NO.	9061

SECTION NAME	U CHANNEL 18X30
W.T. METER	0.117KG/M
WEIGHT	0.4306KG/12
SECTION NO.	9062

SECTION DRAWING




SCALE 1:1




UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOMAL INTERLOCK PATTI
W.T. METER	0.274KG/M
WEIGHT	1.005KG/12'
SECTION NO.	9063

SECTION DRAWING



SCALE1:1



SCALE4:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOMAL SHUTTER HANDLE
W.T. METER	0.850KG/M
WEIGHT	3.113KG/12'
SECTION NO.	9064

SECTION DRAWING



SCALE 1:1




SCALE 2:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	9X8 UCHANNEL
W.T. METER	0.043KG/M
WEIGHT	0.160KG/12
SECTION NO.	9065

SECTION DRAWING



SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	
W.T. METER	0.612KG/M
WEIGHT	2.241KG/12'
SECTION NO.	9066

SECTION NAME	SLIM PARTITION CORNER
W.T. METER	0.162KG/M
WEIGHT	0.592KG/12'
SECTION NO.	9067

SECTION NAME	50MM ROUND RAILING TOP
W.T. METER	0.675KG/M
WEIGHT	2.472KG/12'
SECTION NO.	9068

Technical drawing of a rectangular plate with a central slot and a bottom flange. The plate has overall dimensions of 50x50. The central slot is 20.1 wide and 14.95 deep. The bottom flange is 2.94 wide and 1.5 high. The plate has rounded corners with a radius of R3. The drawing includes dimension lines and labels for all key features.

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	50MM SQUARE RAILING TOP
W.T. METER	1.066KG/M
WEIGHT	3.901KG/12'
SECTION NO.	9069

Technical drawing of a mechanical part, likely a bracket or plate, showing dimensions and tolerances.

Dimensions and Tolerances:


- Overall Width: 50
- Overall Height: 25
- Distance from Left Edge to Center of $\varnothing 3.7$ Hole: 38
- Distance from Center of $\varnothing 3.7$ Hole to Right Edge: 12
- Radius of Corner: $R0.4$
- Radius of Fillet: $R0.5$
- Central Hole Diameter: $\varnothing 3.7$
- Inner Hole Diameter: $\varnothing 5.3$
- Distance between Hole Centers: 2.4
- Tolerance: TYP 0.7

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	2X1 HANDLE
W.T. METER	0.340KG/M
WEIGHT	1.245KG/12'
SECTION NO.	9070

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	Kitchen profile – 67mm handle
W.T. METER	0.526KG/M
WEIGHT	1.928KG/12'
SECTION NO.	9071




SCALE1:1




SCALE2:1

UN SPECIFIED SHARP CORNERS 0.3MM





SCALE1:1




SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM



SCALE1:1




SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM


SECTION NAME	KITCHEN PROFILE 45MM FRAME
W.T. METER	0.380KG/M
WEIGHT	1.393KG/12'
SECTION NO.	9072

SECTION NAME	12MM GLASS M SECTION
W.T. METER	0.536KG/M
WEIGHT	1.964KG/12'
SECTION NO.	9073

SECTION NAME	12MM GLASS F SECTION
W.T. METER	0.362KG/M
WEIGHT	1.325KG/12'
SECTION NO.	9074




ORIGINAL



SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM




SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM



SCALE4:1

UN SPECIFIED SHARP CORNERS 0.3MM




SECTION NAME	G PROFILE
W.T. METER	0.371KG/M
WEIGHT	1.360KG/12'
SECTION NO.	9075

SECTION NAME	DOMAL 3 TRACK WITH COLLAR
W.T. METER	1.501KG/M
WEIGHT	5.495KG/12'
SECTION NO.	9076

SECTION NAME	73MM SLIDING TRACK BOTTOM COVER
W.T. METER	0.093KG/M
WEIGHT	0.342KG/12'
SECTION NO.	9077



SCALE1:1




SCALE2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	73MM SLIM SLIDING TRACK BOTTOM
W.T. METER	0.277KG/M
WEIGHT	1.014KG/12'
SECTION NO.	9078



SCALE1:1




SCALE1.5:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	73MM SLIM SLIDING TRACK TOP
W.T. METER	0.357KG/M
WEIGHT	1.306KG/12'
SECTION NO.	9079

SECTION DRAWING



SCALE: 1.1



SCALE:1.1

9.743 KG/12'


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	DOMAL 4TRACK
W.T. METER	2.662 KG/M
WEIGHT	9.743 KG/12'
SECTION NO.	9125

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1


UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	MESH SECTION MIDDLE 45MM
W.T. METER	0.254KG/M
WEIGHT	0.930KG/12'
SECTION NO.	9091


SECTION NAME	MESH SECTION 45MM
W.T. METER	0.242KG/M
WEIGHT	0.887KG/12'
SECTION NO.	9092

SECTION NAME	80MM RAILING BOTTOM
W.T. METER	3.098KG/M
WEIGHT	11.340KG/12'
SECTION NO.	9093

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING




SCALE 1:1




SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 1:1



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	RAILING TOP 45MM
W.T. METER	1.054KG/M
WEIGHT	3.858KG/12'
SECTION NO.	9121

SECTION NAME	2TB 1" SERIES
W.T. METER	0.898KG/M
WEIGHT	3.290KG/12'
SECTION NO.	9116

SECTION NAME	3TT 1" SERIES
W.T. METER	1.122KG/M
WEIGHT	4.108KG/12'
SECTION NO.	9117

[illegible]

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	3TB 1" SERIES
W.T. METER	1.227KG/M
WEIGHT	4.493KG/12'
SECTION NO.	9118

Technical drawing of a mechanical part showing dimensions in millimeters. The overall width is 82 mm and the overall height is 26.4 mm.

Dimensions:

- Horizontal Dimensions:**
 - Total width: 82
 - Top horizontal segments from left to right: 4.8, 31.8, 8.8, 31.8, 4.8.
 - Bottom horizontal segment between vertical centerlines: 1.7
 - Vertical centerline offset from left edge: 1.6
 - Offset from bottom centerline to first vertical step: 1.3
 - Offset from bottom centerline to second vertical step: 1.6
 - Offset from bottom centerline to third vertical step: 1.4
- Vertical Dimensions:**
 - Total height: 26.4
 - Left vertical segments from top to bottom: 1.6, 4.6, 8.8, 11.8.
 - Middle vertical segments from top to bottom: 4.9, 8.9, 11.5.
 - Right vertical segments from top to bottom: 8.8, 4.6.
- Other Features:**
 - A central horizontal slot with a depth of 2.45 mm.
 - The part features several rounded corners and internal steps.

ALL SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	2TT 1" SERIES
W.T. METER	0.815KG/M
WEIGHT	2.986KG/12'
SECTION NO.	9122

A technical drawing of a U-shaped channel. The channel has a flat bottom and two vertical side walls. On the left side, there is a flange that extends downwards. On the right side, there is a mounting bracket with two horizontal slots for screws.

Technical drawing of a mechanical part, showing front and top views with dimensions.

Front View Dimensions:

- Overall width: 50.5
- Overall height: 25.5
- Left side profile: 10.99 (total height), 1.1 (thickness of the lower section)
- Right side profile: 1.3 (thickness of the upper section), 5 (height of the lower section), 1.5 (width of the lower section)
- Internal features: 7.4 (width of the upper section), 3.9 (width of the lower section), 12 (height of the upper section)
- Angle: 52°

Top View Dimensions:

- Overall width: 50.5
- Overall height: 25.5
- Left side profile: 10.99 (total height), 1.1 (thickness of the lower section)
- Right side profile: 1.3 (thickness of the upper section), 5 (height of the lower section), 1.5 (width of the lower section)
- Internal features: 7.4 (width of the upper section), 3.9 (width of the lower section), 12 (height of the upper section)
- Angle: 52°

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	INTERLOCK 1" SERIES
W.T. METER	0.606KG/M
WEIGHT	2.220KG/12'
SECTION NO.	9113

A diagram of a rectangular room. The left wall has a window with two panes. The right wall has a door with a handle. The top and bottom walls are solid lines.

Technical drawing of a mechanical part with the following dimensions and labels:

- Overall width: 50.5
- Overall height: 25.5
- Left side feature: A semi-circular notch with a radius of 1.1.
- Top and bottom horizontal lines: 1.1
- Central horizontal line: 38
- Right side feature: A semi-circular notch with a radius of 1.1.
- Inner vertical line: 12.5
- Inner horizontal line: 2.2
- Inner circular feature: Labeled $\varnothing 5.9$ and $\varnothing 3.7$.
- Right side vertical line: 10

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	HANDLE 1" SERIES
W.T. METER	0.531KG/M
WEIGHT	1.946KG/12'
SECTION NO.	9115

A schematic diagram of a three-chambered heart. It consists of a single atrium at the top, which branches into two ventricles below it. The ventricles are separated by a vertical septum. The heart is shown in cross-section, with internal structures like valves and the conduction system indicated by small circles and lines.

[illegible]



UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	BEARING BOTTOM 1" SERIES
W.T. METER	0.549KG/M
WEIGHT	2.012KG/12'
SECTION NO.	9114

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	POLYCARBONATE DOME TOP
W.T. METER	0.211KG/M
WEIGHT	0.773KG/12'
SECTION NO.	



SECTION DRAWING



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION DRAWING



SCALE 2:1

UN SPECIFIED SHARP CORNERS 0.3MM

SECTION NAME	125x40 Curtainwall
W.T. METER	2.055KG/M
WEIGHT	7.524 KG/12'
SECTION NO.	9120

SECTION NAME	105X30 CURTAINWALL
W.T. METER	1.638 KG/M
WEIGHT	5.996 KG/12'
SECTION NO.	9126