




yugos upholstery

BAJA



Metal Black



True Blue



Reamy White



Drift Wood



Saddle Tan





Coco Brown




yugos upholstery

BAJA



Iron Ore



Silver Dune



Chrome Gold



Mahogany Red

S.LEATHER CARE INSTRUCTIONS



yugos upholstery

DO / LAKUKAN

- Wipe regularly with a soft dry or damp cloth.
Lap rutin dengan kain lembut kering atau lembap.
- Clean spills immediately with mild soap & water.
Segera bersihkan tumpahan dengan sabun lembut dan air.
- Keep away from direct sunlight & heat.
Jauhkan dari sinar matahari dan panas langsung.
- Air dry naturally.
Keringkan secara alami.
- Use cleaner or conditioner for synthetic leather.
Gunakan pembersih atau kondisioner khusus kulit sintetis.

S.LEATHER CARE INSTRUCTIONS



yugos upholstery

DONT'S / JANGAN LAKUKAN

- Don't use alcohol, acetone, or harsh chemicals.
Jangan gunakan alkohol, aseton, atau bahan kimia keras.
- Don't scrub or use abrasive tools.
Jangan digosok keras atau gunakan alat abrasif.
- Don't soak with water.
Jangan direndam dengan air.
- Don't place sharp or heavy objects.
Jangan letakkan benda tajam atau berat.



TECHNICAL SPECIFICATION:

NO.	UNITS	
1. WIDTH	MM	MIN. 1370 \pm 20
2. THICKNESS	MM	1.15 - 1.25
3. WEIGHT	GR/M ²	680 - 700
4. BURSTING STRENGTH	KGF/M ²	18.0 - 20.0
5. TENSILE STRENGTH : WRAP WEFT	KG/2.5 CM KG/2.5 CM	33.0 - 337.0 13.0 - 15.0
6. PEELING STRENGTH : WRAP WEFT	KG/2.5 CM KG/2.5 CM	MIN. 2 MIN. 1.3
7. TEARING STRENGTH : WRAP WEFT	KG KG	5.0 - 7.0 4.0 - 6.0
8. ELONGATION AT BREAK : WRAP WEFT	% %	53 - 57 240 - 280
9. ABRATION RESISTANCE	CYCLES	100,000
10. FLAMMABILITY	-	SELF EXTINGUISHING

colour may vary from one production lot to another.