

CORE PRODUCTS



0925

TABLE OF CONTENTS

EYEWEAR

FRAMELESS	06
HALF FRAME	10
FULL FRAME	15
SEALED/GOGGLES	17
OVER THE SPEC	23
READERS	25

GLOVES

SYNTHETIC	28
NITRILE	30
LATEX	34
POLYURETHANE	34
INSULATED DIPPED	35
LEATHER PALMS	36
LEATHER DRIVERS	37
ARC FLASH	39
INSULATED DRIVERS	39

WORKWEAR

COOLING	41
VESTS	41
AR/FR VESTS	44
SHIRTS	45
LIGHTWEIGHT SERIES	46
HOODIES	47
JACKETS	48
PARKAS	49

HEADGEAR

TYPE II	51
TYPE I	52
FACE SHIELDS/ ADAPTERS	56
SUNSHADES	57
BUMP CAP	57

WELDING

HELMETS	58
---------	----

HEARING

EARPLUGS	59
ELECTRONIC EARMUFF	60
CAP MOUNTED EARMUFF	60
PASSIVE EARMUFFS	60

CHARTS

EYEWEAR	61
GLOVES	68
HEADGEAR	78
WORKWEAR	79

PYRAMEX HAS WHAT YOU NEED

FULL PRODUCT LINE OFFERING

YOUR PPE SOLUTIONS

We recognize that quality safety equipment must be both effective and comfortable. That's why we offer a comprehensive line of PPE designed to work with you, not against you. Each product is independently tested to meet or exceed industry standards, ensuring your safety and peace of mind. With our extensive selection, you can trust that you have the right equipment for every job, every day.

- **Eye Protection:** 110+ Models
- **Head Protection:** 70+ Models
- **Hearing Protection:** 30+ Models
- **Hand Protection:** 130+ Styles
- **Workwear and Apparel:** 100+ Styles
- **Welding Protection:** 20+ Models




CORE PRODUCT SECTIONS

BROCHURE | PRODUCT SHEETS | CHARTS

We've hand-selected our top sellers for your easy viewing. From the Core Products landing page, you can download a PDF version of this brochure and comparison charts, along with access to product pages and product sheets to help you make informed decisions.



PRODUCT SHEETS



LANDING PAGE

CHARTS

WHAT'S NEW AND WHAT'S NEXT

INNOVATION DOESN'T SIT STILL - AND NEITHER DO WE.

We're always listening to your feedback and innovating to bring you new solutions that truly make a difference. From cutting-edge technologies to enhanced styles, we focus on developing products that respond to your needs.

Scan the QR Code to explore our **New Products** page at [Pyramex.com](https://pyramex.com).



WHY PYRAMEX

REAL PROTECTION STARTS WITH PEOPLE WHO CARE

FAMILY-OWNED THEN, FAMILY-OWNED NOW

Since 1991, we've been committed to delivering dependable safety solutions with a personal touch. We began with eyewear, revolutionizing the market with the first curved lens in safety eyewear, the Venture II®. As your needs evolved, we expanded into head protection, making our Ridgeline® series an industry icon. Today, we offer gloves, workwear, hearing protection, and more. Our goal is to always prioritize superior quality, unmatched service, and to be a trusted partner—because real protection starts with people who care.



SCAN HERE
TO LEARN MORE ABOUT WHO WE ARE



TRUST PYRAMEX AS YOUR PPE PARTNER

WE KNOW WHAT'S AT STAKE

Choose Pyramex for your PPE needs and experience a partnership built on trust, quality, and genuine care for your safety. Pyramex sets the standard for service by showing up with integrity, acting with purpose, and believing deeply in the work we do—because workers deserve PPE built by people who knows what's at stake.

YOU DESERVE:

Superior Quality: Pyramex eyewear and head protection are certified under the Safety Equipment Institute (SEI) program for CSA standards.

Exceptional Service: Enjoy fast responses, easy ordering, and caring people ready to assist you.

Trusted Expertise: We are an active member of the ANSI Z87 committee and ISEA, ensuring we stay informed and aligned with the latest safety standards. Our team also includes ISEA-certified Qualified Safety Sales Professionals (QSSP) who have completed in-depth training to enhance their knowledge and expertise in workplace safety and health.

Long-Term Relationships: We're not just order-takers—we're a true partner, genuinely invested in your goals, your success, and the challenges you face.

A Personal Touch: When you call, you connect with a knowledgeable Pyramex team member dedicated to your needs.



Customer Centric



Servant Leadership



Do the Right Thing



Compete with Urgency

CUSTOMIZE YOUR PPE

ENHANCE YOUR PPE WITH YOUR BRAND

Elevate your safety gear by adding your logo or your customer's logo to Pyramex eyewear, earmuffs, hard hats, and workwear. To kick off the order process, simply provide us with your vector artwork. Contact your sales representative for further details.

Look for the custom logo icon to identify products available for customization.



CUSTOM
LOGO

PAD PRINTING | SCREEN PRINTING | HEAT TRANSFER

We offer three distinct methods to bring your logos to life: Pad Printing, Screen Printing, and Heat Transfer. Our expert print shop will help determine the best method for your logo, ensuring your brand stands out while keeping your team safe.



SALES-MARKETING COLLATERAL

SUPPORT THAT HELPS YOU SUCCEED

We understand the importance of co-branding in building strong partnerships. That's why we offer a range of customizable promotional materials to help you showcase your brand alongside ours. From brochures to banners, our promotional materials are designed to enhance your visibility and strengthen your marketing efforts.

If you're interested in co-branding projects or want to learn more about our promotional materials, please reach out to your sales representative. We're here to support your success!



WE'RE HERE TO HELP

PHONE 800-736-8673 | FAX 877-PYRAMEX

305 Keough Drive, Piperton, TN 38017

help@pyramex.com

Pyramex.com

Live Web Chat available at Pyramex.com

@PyramexSafety

EYEWEAR



FULL EYEWEAR COLLECTION

PYRAMEX OFFERS OVER 110 EYEWEAR MODELS

STANDARDS

ANSI/ISEA Z87.1-2020 + High Impact

 Certified Model - CAN/CSA Z94.3-20

ASTM F2879-19 Standard Specification for Eye Protective Devices for Airsoft

MIL-PRF-32432 High Velocity Impact Standards



AIRSOFT



BALLISTIC



DROPLET AND
SPLASH TEST



DUST TEST



FINE DUST
TEST

D3: Droplet and Splash Test

Ideal for work environments with liquid exposure risks, such as labs, medical settings, or industrial cleaning tasks.

D4: Dust Test

Great for settings with general dust presence, such as construction sites, landscaping work, or other industrial environments.

D5: Fine Dust Test

Suited for tasks with airborne fine dust, like woodworking, masonry, or handling fine powders.

ANTI-FOG



ANTI-FOG
OPTIONS



H2X
OPTIONS



H2MAX
OPTIONS

H2MAX Anti-Fog Coating

The innovative technology behind H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. H2MAX passes ANSI/ISEA Z87.1-2020 standards, CE/UKCA standards for N and K.

H2X Anti-Fog Coating

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance.

Ztek®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



RUBBER
TIPS



H2X
OPTIONS



INFRARED
OPTIONS



READER
OPTIONS



CUSTOM
LOGO

Lens and Temples | 18 Variations

S2510S	Clear
S2510ST	Clear H2X AF
S2514S	1.5 IR Filter
S2515S	Coffee
S2520S	Gray
S2520ST	Gray H2X AF
S2530S	Amber
S2540S	Orange
S2550SF*	5.0 IR Filter
S2560S	Infinity Blue
S2560SF*	3.0 IR Filter
S2560ST	Infinity Blue H2X AF
S2565S	Purple Haze
S2570S	Silver Mirror
S2575S	Blue Mirror
S2580S	I/O Mirror
S2590S	Gold Mirror
S25ARCS	Arc – 1.5 IR Filter

Mini Ztek

Lens and Temples | 8 Variations

S2510SN	Clear
S2510SNT	Clear H2X AF
S2517SN	Pink
S2520SN	Gray
S2530SN	Amber
S2560SN	Infinity Blue
S2575SN	Blue Mirror
S2580SN	I/O Mirror



Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

Reader options on page 26.



ZTEK



MINI ZTEK

*Not approved for CAN/CSA Z94.3-20

Provoq®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



RUBBER
NOSE PIECE



RUBBER
TIPS



ANTI-FOG
OPTIONS



CUSTOM
LOGO

Lens and Temples | 11 Variations

S7210S	Clear
S7210ST	Clear AF
S7220S	Gray
S7220ST	Gray AF
S7230S	Amber
S7255S*	Multi-Color Mirror
S7260S	Infinity Blue
S7270S	Silver Mirror
S7275S	Blue Mirror
S7280S	I/O Mirror
S7280ST*	I/O Mirror AF



*Not approved for CAN/CSA Z94.3-20



SBGR96

Endeavor™ Plus

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



ADJUSTABLE
NOSE PIECE



CO-INJECTED
TEMPLES



DIELECTRIC



FOAM PADDED
OPTIONS



RUBBER
NOSE PIECE



H2X
OPTIONS



H2MAX
OPTIONS



CUSTOM
LOGO

Black and Gray Temples | 5 Variations

SBG9610S	Clear
SBG9610ST	Clear H2X AF
SBG9620S	Gray
SBG9620ST	Gray H2X AF
SBG9680S	I/O Mirror

Black and Green Temples | 4 Variations

SBGR9610S	Clear
SBGR9610ST	Clear H2X AF
SBGR9620S	Gray
SBGR9680S	I/O Mirror

Black and Gray Temples with Foam Padding | 2 Variations

SBG9610STMFP	Clear H2MAX AF
SBG9620STMFP	Gray H2MAX AF

Black and Green Temples with Foam Padding | 2 Variations

SBGR9610STMFP	Clear H2MAX AF
SBGR9620STMFP	Gray H2MAX AF



SBG with
Foam Padding



SBG96



SBP96

Black and Pink Temples | 2 Variations

SBP9610S	Clear
SBP9610ST	Clear H2X AF

i SBG9680S and SBGR9680S are not dielectric.



INTRUDER



S41 with
Foam Padding

Intruder®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



FOAM PADDED
OPTIONS



ANTI-FOG
OPTIONS



H2MAX
OPTIONS



READER
OPTIONS



CUSTOM
LOGO

Lens and Temples | 13 Variations

- S4110S Clear
- S4110ST Clear AF
- S4110STM Clear **H2MAX** AF
- S4110SUC* Uncoated Clear
- S4120S Gray
- S4120ST Gray AF
- S4120STM Gray **H2MAX** AF
- S4130S Amber
- S4160S Infinity Blue
- S4170S Silver Mirror
- S4175S* Blue Mirror
- S4180S I/O Mirror
- S4180ST* I/O Mirror AF

Foam Padded Frame | 3 Variations

- S4110STFP* Clear AF
- S4120STFP* Gray AF
- S4180STFP* I/O Mirror AF



SB41



SN41

Black Temples | 1 Variation

- SB4110S Clear



SR41

Blue Temples | 1 Variation

- SN4110S Clear

Red Temples | 1 Variation

- SR4110S Clear



MINI INTRUDER

i Reader options on page 26.

*Not approved for CAN/CSA Z94.3-20

Mini Intruder

ANSI/ISEA Z87.1-2020

Lens and Temples | 2 Variations

- S4110SN Clear
- S4120SN Gray

i Mini Intruder is about 8% smaller than the Intruder.

*Not approved for CAN/CSA Z94.3-20

Intruder and Mini Intruder Multi-Colors

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20

Multi-Color Temples | 2 Variations

- S4110SMP Clear (Intruder)
- S4110SNMP* Clear (Mini Intruder)

i Sold in dozen quantity only. Comes with six assorted colors: red, blue, green, purple, orange and black.





Atoka®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



RUBBER
TIPS



ANTI-FOG
OPTIONS



H2X
OPTIONS



CUSTOM
LOGO

Lens and Temples | 6 Variations

● S9110S	Clear
● S9110ST	Clear H2X AF
● S9120S	Gray
● S9120ST	Gray H2X AF
● S9180S	I/O Mirror
● S9180ST	I/O Mirror AF



Alair®

ANSI/ISEA Z87.1-2020



H2X
OPTIONS



CUSTOM
LOGO

Lens and Temples | 7 Variations

● S3210S	Clear
● S3210ST	Clear H2X AF
● S3220S	Gray
● S3260S	Infinity Blue
● S3270S	Silver Mirror
● S3275S	Blue Mirror
● S3280S	I/O Mirror



Legacy®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



H2MAX
OPTIONS



INFRARED
OPTIONS



CUSTOM
LOGO

Lens and Temples | 8 Variations

● S10910S	Clear
● S10910STM	Clear H2MAX AF
● S10920S	Gray
● S10920STM	Gray H2MAX AF
● S10925S	Light Gray
● S10925STM	Light Gray H2MAX AF
● S10950SF	5.0 IR Filter
● S10960SF	3.0 IR Filter



Neshoba™

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



H2X
OPTIONS



H2MAX
OPTIONS



CUSTOM
LOGO

Black Temples | 7 Variations

● S9710S	Clear
● S9710ST	Clear H2X AF
● S9710STM	Clear H2MAX AF
● S9720S	Gray
● S9720ST	Gray H2X AF
● S9720STM	Gray H2MAX AF
● S9780S	I/O Mirror

HALF FRAME



SB112

PMXSPEC®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



ADJUSTABLE
NOSE PIECE



CO-INJECTED
TEMPLES



RUBBER
NOSE PIECE



ANTI-FOG
OPTIONS



H2MAX
OPTIONS



CUSTOM
LOGO

Matte Black Frame | 3 Variations

- SB11210STM Clear **H2MAX** AF
- SB11220STM Gray **H2MAX** AF
- SB11225STM Light Gray **H2MAX** AF



SB112

Matte Black and Blue Frame | 1 Variation

- SB11265ST Blue Mirror AF



SB112

Shiny Black Frame | 1 Variation

- SB11295ST Spectrum Mirror AF



SBL112

Matte Black and Green Frame | 1 Variation

- SBL11257ST Green Mirror AF



TruFlex™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



ADJUSTABLE
NOSE PIECE



ADJUSTABLE
TEMPLES



VENTED
FRAME



ANTI-FOG
OPTIONS



H2X
OPTIONS



CUSTOM
LOGO

Black and Gray Frame | 3 Variations

- SBG11310DT Clear **H2X** AF
- SBG11320DT Gray **H2X** AF
- SBG11380DT I/O Mirror AF



SBG113

Gray and Lime Frame | 3 Variations


- SGL11310DT Clear **H2X** AF
- SGL11320DT Gray **H2X** AF
- SGL11380DT I/O Mirror AF



SGL113



LEARN MORE
ABOUT HOW THE TRUFLEX
IS A TRUE FIT FOR ALL





SB18

Venture II®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432



ADJUSTABLE
TEMPLES



BALLISTIC



RUBBER
NOSE PIECE



ANTI-FOG
OPTIONS



H2X
OPTIONS



INFRARED
OPTIONS



READER
OPTIONS



CUSTOM
LOGO

Black Frame | 15 Variations

SB1810S	Clear	SB1870S	Silver Mirror
SB1810ST	Clear H2X AF	SB1875S	Blue Mirror
SB1820S	Gray	SB1880S	I/O Mirror
SB1820ST	Gray H2X AF	SB1880ST	I/O Mirror AF
SB1830S	Amber	SB1890S	Gold Mirror
SB1835S	Rust Bronze		
SB1840S	Orange		
SB1850SF*	5.0 IR Filter		
SB1860S	Infinity Blue		
SB1860SF*	3.0 IR Filter		

Metallic Blue Frame | 3 Variations

SMB1810S*	Clear
SMB1820S*	Gray
SMB1880S*	I/O Mirror



SMB18



SSG18

Slate Gray Frame | 1 Variation

SSG1810S*	Clear
-----------	-------

i Reader options on page 26.

*Not approved for CAN/CSA Z94.3-20

Venture 3®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20 |
MIL-PRF-32432



ADJUSTABLE
NOSE PIECE



ADJUSTABLE
TEMPLES




CO-INJECTED
TEMPLES



BALLISTIC




VENTED
FRAME



H2X
OPTIONS



H2MAX
OPTIONS



CUSTOM
LOGO

Black Frame | 9 Variations

SB5710D	Clear	SB5730D	Amber
SB5710DT	Clear H2X AF	SB5760D	Infinity Blue
SB5710DTM	Clear H2MAX AF	SB5770D	Silver Mirror
SB5720D	Gray	SB5780D	I/O Mirror
SB5720DT	Gray H2X AF		



Sitecore™

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



ADJUSTABLE
TEMPLES




RUBBER
NOSE PIECE



RATCHETING
TEMPLES



H2MAX
OPTIONS



CUSTOM
LOGO

Black and Gray Frame | 6 Variations

SBG10110D	Clear
SBG10110DTM	Clear H2MAX AF
SBG10120D	Gray
SBG10120DTM	Gray H2MAX AF
SBG10130D	Amber
SBG10180D	I/O Mirror

Gray and Lime Frame | 5 Variations

SGL10110D	Clear
SGL10110DTM	Clear H2MAX AF
SGL10120D	Gray
SGL10120DTM	Gray H2MAX AF
SGL10180D	I/O Mirror



SGL101



SBG101

Rendezvous®

ANSI/ISEA Z87.1-2020 |
MIL-PRF-32432



ADJUSTABLE
NOSE PIECE



ADJUSTABLE
TEMPLES




BALLISTIC



RATCHETING
TEMPLES



H2X
OPTIONS



CUSTOM
LOGO

Black Frame | 6 Variations

SB2810S	Clear
SB2810ST	Clear H2X AF
SB2820S	Gray
SB2820ST	Gray H2X AF
SB2830S	Amber
SB2880S	I/O Mirror

Crystal Gray Frame | 1 Variation

SCG2810ST	Clear H2X AF
-----------	---------------------




SCG28



SB28

Ever-Lite®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



SBL86

Black Frame | 21 Variations

SB8610D	Clear
SB8610DT	Clear H2X AF
SB8610DTM	Clear H2MAX AF
SB8614D*	1.5 IR Filter
SB8620D	Gray
SB8620DT	Gray H2X AF
SB8620DTM	Gray H2MAX AF
SB8623D	Dark Gray
SB8623DT	Dark Gray H2X AF
SB8624D	Photochromic
SB8625DTM	Light Gray H2MAX AF
SB8630D	Amber

SB8650SF*	5.0 IR Filter
SB8660D	Infinity Blue
SB8660DT	Infinity Blue H2X AF
SB8660DTM	Infinity Blue H2MAX AF
SB8660SF*	3.0 IR Filter
SB8665D	Ice Blue Mirror
SB8680D	I/O Mirror
SB8680DT	I/O Mirror AF
SB86ARCS*	Arc — 1.5 IR Filter

Black and Lime Frame | 2 Variations

SBL8610DTM	Clear H2MAX AF
SBL8620DTM	Gray H2MAX AF



SBL86

i Reader options on page 25.


Photochromic lenses change from clear to dark after exposure to direct UV light. Lenses change from dark to clear after removal from UV light.



*Not approved for CAN/CSA Z94.3-20

Sustainable Ever-Lite®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



Black Frame | 2 Variations

ESB8610DTMBCB	Clear H2MAX AF
ESB8620DTMBCB	Gray H2MAX AF



LEARN MORE
ABOUT THE
SUSTAINABLE EVER-LITE

i Eco Guard: Made with 90% bio-based polycarbonate, reducing CO2 emissions by 33.7%, with 65.5% less from materials and 22.7% from packaging.



EARTH
SHIELD



PMXTREME®

ANSI/ISEA Z87.1-2020



INCLUDES STRAP



RUBBER NOSE PIECE



RUBBER TIPS



ANTI-FOG OPTIONS



READER OPTIONS



CUSTOM LOGO

Black Frame with Cord | 11 Variations

- SB6310SP Clear
- SB6310STP Clear AF
- SB6320SP Gray
- SB6320STP Gray AF
- SB6330SP Amber
- SB6345SP Ice Orange Mirror
- SB6360SP Infinity Blue
- SB6370SP Silver Mirror
- SB6375SP Blue Mirror
- SB6376SP Smoke Green Mirror
- SB6380SP I/O Mirror

Camo Frame with Cord | 2 Variations

- SCM6318STP Sandstone Bronze AF
- SCM6320STP Gray AF

Red Frame with Cord | 1 Variation

- SR6320SP Gray

Silver Frame with Cord | 2 Variations

- SS6310SP Clear
- SS6365SP Ice Blue Mirror



SCM63



SR63



SS63



SB63

Integra®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



ADJUSTABLE TEMPLES



ANTI-FOG OPTIONS



INFRARED OPTIONS



CUSTOM LOGO

Black Frame | 5 Variations

- SB410S Clear
- SB410ST Clear AF
- SB420S Gray
- SB450SF* 5.0 IR Filter
- SB460SF* 3.0 IR Filter

Blue Frame | 1 Variation

- SN410S Clear

Red Frame | 1 Variation

- SR410S Clear

Red, White and Blue Frame | 1 Variation

- SNWR410S Clear



SB4



SN4



SR4



SNWR4

*Not approved for CAN/CSA Z94.3-20

FULL FRAME

Goliath®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



Black Frame | 9 Variations

- SB5610D Clear
- SB5610DT Clear **H2X** AF
- SB5620D Gray
- SB5620DT Gray **H2X** AF
- SB5621D **Polarized** Gray
- SB5645D Ice Orange Mirror
- SB5665D Ice Blue Mirror
- SB5670D Silver Mirror
- SB5680D I/O Mirror

White Frame | 2 Variations

- SW5655D Sky Red Mirror
- SW5665D Ice Blue Mirror



SW56



SB56

Zone II®

ANSI/ISEA Z87.1-2020



Matte Black Frame | 4 Variations

- SB3310E Clear
- SB3320E Gray
- SB3365E Ice Blue Mirror
- SB3380E I/O Mirror



SB33

Silver Frame | 5 Variations

- SS3320E Gray
- SS3345E Ice Orange Mirror
- SS3365E Ice Blue Mirror
- SS3370E Silver Mirror
- SS3375E Blue Mirror



SS33

Exeter®

ANSI/ISEA Z87.1-2020



Glossy Black Frame | 5 Variations

- SB5110DT Clear **H2X** AF
- SB5120DT Gray **H2X** AF
- SB5133DT Shooter's Amber **H2X** AF
- SB5155DT Sky Red Mirror
- SB5175DT Blue Mirror AF





Velar™

SBRF104

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



CO-INJECTED
TEMPLES



RUBBER
NOSE PIECE

Black Frame | 3 Variations

-  SB10410D Clear
-  SB10420D Gray
-  SB10465D Ice Blue Mirror

Black and Red Frame | 1 Variation

-  SBRF10445D Ice Orange Mirror

White and Blue Frame | 1 Variation

-  SWBL10465D Ice Blue Mirror

White and Red Frame | 1 Variation

-  SWR10455D Sky Red Mirror



SB104



SWBL104



SWR104

Fyxate™

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



DIELECTRIC



FOAM PADDED
OPTIONS



INCLUDES
STRAP



RUBBER
NOSE PIECE



RUBBER
TIPS



H2X
OPTIONS



H2MAX
OPTIONS

Black Temples | 5 Variations

- SB10210S Clear
- SB10210ST Clear **H2X** AF
- SB10220S Gray
- SB10220ST Gray **H2X** AF
- SB10280S I/O Mirror

Lime Temples with Foam Padding | 2 Variations

- SBL10210STMFP Clear **H2MAX** AF
- SBL10220STMFP Gray **H2MAX** AF

Black Temples with Foam Padding | 3 Variations

- SB10210STMFP Clear **H2MAX** AF
- SB10220STMFP Gray **H2MAX** AF
- SB10225STMFP Light Gray **H2MAX** AF

i SB10280S is not dielectric.



SBL102 with
Foam Padding



SB102



SB102 with
Foam Padding

Proximity®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



CO-INJECTED
TEMPLES



FOAM PADDED



AF
ANTI-FOG
OPTIONS



H2X
OPTIONS



H2MAX
OPTIONS



CUSTOM
LOGO

Black Frame | 6 Variations

- SB9310ST Clear **H2X** AF
- SB9310STM Clear **H2MAX** AF
- SB9323ST Dark Gray **H2X** AF
- SB9323STM Dark Gray **H2MAX** AF
- SB9330ST Amber **H2X** AF
- SB9380ST I/O Mirror AF

Black and Lime Frame | 2 Variations

- SBL9310STM Clear **H2MAX** AF
- SBL9323STM Dark Gray **H2MAX** AF



SB93



SBL93



I-FORCE



I-FORCE SLIM

I-Force®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432 | ASTM F2879-19



AIRSOFT



BALLISTIC



DIELECTRIC



DUAL PANE LENS



FOAM PADDED



INCLUDES STRAP



VENTED FRAME



ANTI-FOG OPTIONS



H2X OPTIONS



CUSTOM LOGO

Black Frame | 4 Variations



SB7010SDT

Clear Dual Pane **H2X** AF



SB7020SDT

Gray Dual Pane **H2X** AF



SB7030SDT

Amber Dual Pane **H2X** AF



SB7080SDT

I/O Mirror Dual Pane AF

I-Force® Slim

Black Frame | 3 Variations



SB7010SDNT

Clear Dual Pane **H2X** AF



SB7020SDNT

Gray Dual Pane **H2X** AF



SB7080SDNT

I/O Mirror Dual Pane AF



I-Force Slim is about 6% smaller than the I-Force.

Interchangeable temple and strap.

Atrex™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



CO-INJECTED TEMPLES



FOAM PADDED OPTIONS



RUBBER NOSE PIECE



ANTI-FOG OPTIONS



CUSTOM LOGO

Black Frame | 3 Variations



SB10810DT

Clear AF



SB10820DT

Gray AF



SB10880DT

I/O Mirror AF

Pearl Gray Frame | 1 Variation



SPG10810DT

Clear AF

Red Frame | 1 Variation



SR10870D

Silver Mirror

Translucent Brown Frame | 1 Variation



STB10815DT

Coffee AF

Restraining Strap

108STRAP



SB108



SPG108



SR108



STB108

Crossover™

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



INCLUDES
STRAP



VENTED
FRAME



AF
ANTI-FOG
OPTIONS



H2X
H2X
OPTIONS



CUSTOM
LOGO

Black and Gray Frame | 3 Variations

- SBG10610DT Clear **H2X** AF
- SBG10620DT Gray **H2X** AF
- SBG10680DT I/O Mirror AF

Gray and Lime Frame | 1 Variation

- SGL10610DT Clear **H2X** AF



SBG106



SGL106

Isotope™

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20 |
MIL-PRF-32432



ADJUSTABLE
TEMPLES



BALLISTIC



DIELECTRIC



PASSES
D3
DROPLET AND
SPLASH TEST



PASSES
D4
DUST TEST



INCLUDES
STRAP



RUBBER
NOSE PIECE



H2MAX
H2MAX

Black Frame | 3 Variations

- GB9410STM Clear **H2MAX** AF
- GB9420STM Gray **H2MAX** AF
- GB9430STM Amber **H2MAX** AF

i Interchangeable temple and strap.



Highlander™ Plus

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20 |
MIL-PRF-32432



BALLISTIC



FOAM PADDED



INCLUDES
STRAP



VENTED
FRAME



AF
ANTI-FOG
OPTIONS



H2X
H2X
OPTIONS



CUSTOM
LOGO

Black and Gray Frame | 5 Variations

- SBG5010DT Clear **H2X** AF
- SBG5020DT Gray **H2X** AF
- SBG5030DT Amber **H2X** AF
- SBG5055DT Sky Red Mirror AF
- SBG5080DT I/O Mirror AF



V2G®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20 |
MIL-PRF-32432



BALLISTIC



FOAM PADDED



INCLUDES STRAP



RATCHETING TEMPLES



VENTED FRAME



ANTI-FOG OPTIONS



H2X OPTIONS



H2MAX OPTIONS



INFRARED OPTIONS



READER OPTIONS



CUSTOM LOGO

Black Frame | 8 Variations

- GB1810ST Clear **H2X** AF
- GB1810STM Clear **H2MAX** AF
- GB1820ST Gray **H2X** AF
- GB1820STM Gray **H2MAX** AF
- GB1830ST Amber **H2X** AF
- GB1850SFT* 5.0 IR Filter **H2X** AF
- GB1860SFT* 3.0 IR Filter **H2X** AF
- GB1880ST I/O Mirror AF



*Not approved for CAN/CSA Z94.3-20

i Interchangeable temple and strap.

V2G-Plus®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20 |
MIL-PRF-32432 | ASTM F2879-19



AIRSOFT



BALLISTIC



DIELECTRIC



PASSES
DROPLET AND SPLASH TEST



DUAL PANE LENS



H2X



CUSTOM LOGO

Black Body | 2 Variations

- GB6410SDT Clear Dual Pane **H2X** AF
- GB6420SDT Gray Dual Pane **H2X** AF



Torser™

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



DIELECTRIC



PASSES
DROPLET AND SPLASH TEST



PASSES
DUST TEST



PASSES
FINE DUST TEST



H2MAX



CUSTOM LOGO

Black Body | 2 Variations

- GB10010TM Clear **H2MAX** AF
- GB10025TM Light Gray **H2MAX** AF





Capstone® Shield

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432



BALLISTIC



DROPLET AND SPLASH TEST



DUAL PANE LENS



DUST TEST



OVER THE SPEC



H2X OPTIONS



INFRARED OPTIONS

Lens and Shield | 5 Variations

GG504TSHIELD	Clear H2X AF
GG504DTSHIELD	Clear Dual Pane H2X AF
GG504TSHIELDIR3*	3.0 IR Filter H2X AF
GG504TSHIELDIR5*	5.0 IR Filter H2X AF
GG524TSHIELD	Gray H2X AF

*Not approved for CAN/CSA Z94.3-20



i Goggles pass the D3: Droplet and Splash and D4: Dust tests when with vent caps on.

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is green tinted and does not contain the IR resin. IR options do not meet MIL-PRF-34232 ballistic rating.

Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles
// Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD



Disposable Capstone Shield Visors

VPACK6


Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments





G200 Series

ANSI/ISEA Z87.1-2020



Clear Body with Black Strap | 1 Variation

● G200T Clear **H2X** AF



G201 Series

ANSI/ISEA Z87.1-2020




Clear Body with Black Strap | 2 Variations

● G201 Clear
● G201T Clear AF



G205 Series

ANSI/ISEA Z87.1-2020




Clear Body with Black Strap | 2 Variations

● G205 Clear
● G205T Clear AF



G3 Series

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



Tinted Body with Black Strap | 2 Variations

● G304* Clear
● G304T Clear **H2X** AF


Tinted Body with Neoprene Strap | 1 Variation

● G304TN* Clear **H2X** AF



G4 Series

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20




Tinted Body with Black Strap | 1 Variation

● G404T Clear **H2X** AF



G7 Series

ANSI/ISEA Z87.1-2020



Gray Body with Black Strap | 2 Variations

● G704T Clear AF
● G724T Gray AF

*Not approved for CAN/CSA Z94.3-20



Cappture™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20

- DIELECTRIC
- OVER THE SPEC
- H2X
H2X
OPTIONS
- H2MAX
H2MAX
OPTIONS
- CUSTOM
LOGO

Lens and Temples | 3 Variations

- S9910ST Clear **H2X** AF
- S9910STM Clear **H2MAX** AF
- S9920ST Gray **H2X** AF

Cappture Pro

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20

- DIELECTRIC
- PASSES D3**
DROPLET AND
SPLASH TEST
- PASSES D4**
DUST TEST
- PASSES D5**
FINE DUST
TEST
- OVER THE
SPEC
- H2MAX

Rubber Gasket with Strap | 2 Variations

- GG9910TM Clear **H2MAX** AF
- GG9920TM Gray **H2MAX** AF



Cappture Plus

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20

- DIELECTRIC
- INCLUDES
STRAP
- OVER THE
SPEC
- H2MAX
H2MAX
- CUSTOM
LOGO

Rubber Gasket with Temples | 2 Variations

- S9910STM RG Clear **H2MAX** AF
- S9920STM RG Gray **H2MAX** AF



OTS®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



ADJUSTABLE
TEMPLES



OVER THE
SPEC



RATCHETING
TEMPLES



H2X
OPTIONS



IR
INFRARED
OPTIONS



CUSTOM
LOGO

Black Temples | 6 Variations

- S3510SJ Clear
- S3510STJ Clear **H2X** AF
- S3520SJ Gray
- S3550SFJ* 5.0 IR Filter
- S3560SFJ* 3.0 IR Filter
- S3580SJ I/O Mirror



OTS

OTS® XL

Black Temples | 3 Variations

- S7510SJ Clear
- S7510STJ Clear **H2X** AF
- S7520SJ Gray

i OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.



OTS XL

*Not approved for CAN/CSA Z94.3-20

Solo®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



OVER THE
SPEC



CUSTOM
LOGO

Lens and Temples | 3 Variations

- S510S Clear
- S510SJ* Clear Jumbo
- S520S* Gray

i Only S510SJ is designed to be used over prescription spectacles.



*Not approved for CAN/CSA Z94.3-20

Emerge®

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



Black Frame | 3 Variations

SB7910DRX	Clear	Rx
SB7910D15*	Clear	+1.5 Mag
SB7910D20*	Clear	+2.0 Mag

Translucent Gray Frame | 3 Variations

SG7910DRX	Clear	Rx
SG7910D15*	Clear	+1.5 Mag
SG7910D20*	Clear	+2.0 Mag



SG79



SB79

i Rx options accommodate a +3 to -3 diopter lens and must be presented to your optometrist in order to be fitted with prescription lenses.

Ask your Pyramex Rep about EmERGE IR options.

*Not approved for CAN/CSA Z94.3-20

Emerge® Plus

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



Translucent Gray Frame | 7 Variations

SG9810R15	Clear	+1.5 Mag
SG9810R20	Clear	+2.0 Mag
SG9810R25	Clear	+2.5 Mag
SG9810R30	Clear	+3.0 Mag
SG9820R15*	Gray	+1.5 Mag
SG9820R20*	Gray	+2.0 Mag
SG9820R25*	Gray	+2.5 Mag



*Not approved for CAN/CSA Z94.3-20

Ever-Lite® Readers

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



Black Frame | 7 Variations

SB8610R15TM	Clear H2MAX AF	+1.5 Mag
SB8610R20TM	Clear H2MAX AF	+2.0 Mag
SB8610R25TM	Clear H2MAX AF	+2.5 Mag
SB8610R30TM	Clear H2MAX AF	+3.0 Mag
SB8620R15TM	Gray H2MAX AF	+1.5 Mag
SB8620R20TM	Gray H2MAX AF	+2.0 Mag
SB8620R25TM	Gray H2MAX AF	+2.5 Mag



Venture II® Readers

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



ADJUSTABLE
TEMPLES



RUBBER
NOSE PIECE



H2X
OPTIONS



READER



CUSTOM
LOGO

Black Frame | 18 Variations

SB1810R10	Clear	+1.0 Mag	SB1830R15*	Amber	+1.5 Mag	SB1880R15	I/O Mirror	+1.5 Mag
SB1810R15	Clear	+1.5 Mag	SB1830R20*	Amber	+2.0 Mag	SB1880R20	I/O Mirror	+2.0 Mag
SB1810R15T	Clear H2X AF	+1.5 Mag	SB1830R25*	Amber	+2.5 Mag	SB1880R25	I/O Mirror	+2.5 Mag
SB1810R20	Clear	+2.0 Mag						
SB1810R20T	Clear H2X AF	+2.0 Mag						
SB1810R25	Clear	+2.5 Mag						
SB1810R25T	Clear H2X AF	+2.5 Mag						
SB1810R30	Clear	+3.0 Mag						
SB1820R15	Gray	+1.5 Mag						
SB1820R20	Gray	+2.0 Mag						
SB1820R25	Gray	+2.5 Mag						
SB1820R30	Gray	+3.0 Mag						



*Not approved for CAN/CSA Z94.3-20

Ztek® Readers

ANSI/ISEA Z87.1-2020 |
CAN/CSA Z94.3-20



RUBBER
TIPS



IR
INFRARED
OPTIONS



READER



CUSTOM
LOGO

Lens and Temples | 8 Variations

S2510R15	Clear	+1.5 Mag
S2510R20	Clear	+2.0 Mag
S2510R25	Clear	+2.5 Mag
S2514R15*	1.5 IR Filter	+1.5 Mag
S2514R20*	1.5 IR Filter	+2.0 Mag
S2520R15*	Gray	+1.5 Mag
S2520R20*	Gray	+2.0 Mag
S2520R25*	Gray	+2.5 Mag



i S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

*Not approved for CAN/CSA Z94.3-20

Intruder® Readers

ANSI/ISEA Z87.1-2020



READER




CUSTOM
LOGO

Lens and Temples | 3 Variations

S4110R15	Clear	+1.5 Mag
S4110R20	Clear	+2.0 Mag
S4110R25	Clear	+2.5 Mag



GLOVES



FULL GLOVE COLLECTION

PYRAMEX OFFERS OVER 130 GLOVE STYLES

STANDARDS

ANSI/ISEA 105

ANSI/ISEA 138-2019

NFPA 70E ARC FLASH

CE/UKCA EN 388:2016

CE/UKCA EN 407:2020

CE/UKCA EN ISO 21420:2020

GAUGE

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel.

10g

10-GAUGE

13g

13-GAUGE

15g

15-GAUGE

18g

18-GAUGE

GRAIN VS SPLIT LEATHER

Grain Leather

Taken from the outer layer of the hide + Provides products that are soft, smooth, and flexible.

Split Leather

Leather that remains after the outer layer has been removed + Coarser, more resistant to abrasion, and repels water more effectively.

LEATHER



Cowhide

Great Value + Durability



Goatskin

Strong + Comfortable



Pigskin

Soft + Breathable

DIPPED COATING



Latex

Flexibility in extreme temps + Tear resistant + Suited for wet and dry conditions



Nitrile

Latex alternative + Absorbs oil + Outstanding grip



Polyurethane

Value work glove + Low particulate shed + Touch sensitivity with dexterity



HPT

Soft coating repels liquids + Provides secure grip in wet or dry conditions



PMXTECK™

REDEFINING COMFORT IN
HAND PROTECTION

Explore all the gloves available
with **PMXTECK**.

SYNTHETIC | GENERAL PURPOSE



GL104HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 4
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 X



SYNTHETIC



PIGSKIN
LEATHER



ABRASION



PUNCTURE



HANGTAG

GL104HT

S – 3XL



GL105HT

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2
EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 X



SYNTHETIC



ABRASION



PUNCTURE



TOUCHSCREEN



HANGTAG

GL105HT

S – 3XL



CUT A6

GL105CHT

ANSI/ISEA 105 – CUT A6 | ABRASION 3 | PUNCTURE 4
EN388 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 2 |
CUT TDM-100 F



SYNTHETIC



ABRASION



CUT



PUNCTURE



TOUCHSCREEN



HANGTAG

GL105CHT

S – 3XL

SYNTHETIC | IMPACT UTILITY



IMPACT 1

GL202HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 5
ANSI/ISEA 138 – IMPACT 1
EN388 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 |
CUT TDM-100 X | IMPACT P



SYNTHETIC



PIGSKIN
LEATHER



ABRASION



IMPACT



PUNCTURE



HANGTAG

GL202HT

S – 3XL



GL204HT

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 5
EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 X | IMPACT P



SYNTHETIC



ABRASION



IMPACT



PUNCTURE



TOUCHSCREEN



HANGTAG

GL204HT

S – 3XL



CUT A6

GL204CHT

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4
EN388 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 F | IMPACT P



SYNTHETIC



ABRASION



CUT



IMPACT



PUNCTURE



TOUCHSCREEN



HANGTAG

GL204CHT

S – 3XL

i Available in an A5 cut option - GL202CHT [S-3XL]

SYNTHETIC | HIGH PERFORMANCE



IMPACT 2

GL805HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 3

ANSI/ISEA 138 – IMPACT 2

EN388 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 |

CUT TDM-100 X | IMPACT P



SYNTHETIC



PIGSKIN
LEATHER



ABRASION



IMPACT



PUNCTURE



HANGTAG

GL805HT

S – 3XL



CUT A2

IMPACT 2

GL806HT

ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 4

ANSI/ISEA 138 – IMPACT 2

EN388 – ABRASION 2 | CUT 1 | TEAR 4 | PUNCTURE 3 |

CUT TDM-100 X | IMPACT P



SYNTHETIC



ABRASION



CUT



IMPACT



PUNCTURE



HANGTAG

GL806HT

S – 3XL



CUT A5

IMPACT 2

GL807CHT

ANSI/ISEA 105 – CUT A5 | ABRASION 6 | PUNCTURE 4

ANSI/ISEA 138 – IMPACT 2

EN388 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 2 |

CUT TDM-100 F | IMPACT P



SYNTHETIC



ABRASION



CUT



IMPACT



PUNCTURE



HANGTAG

GL807CHT

S – 3XL



CORDED COTTON PALM



CUT A2

IMPACT 2

GOOD

GL808

ANSI/ISEA 105 – CUT A2 | ABRASION 2 | PUNCTURE 2

ANSI/ISEA 138 – IMPACT 2

EN388 – ABRASION 1 | CUT 2 | TEAR 4 | PUNCTURE 1 |

CUT TDM-100 B | IMPACT P



COTTON



SYNTHETIC



ABRASION



CUT



IMPACT



PUNCTURE

GL808

S – 2XL



CUT A2

IMPACT 1

BEST

GL803C

ANSI/ISEA 105 – CUT A2 | ABRASION 1 | PUNCTURE



GOOD

GL614

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2

EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 X



SMOOTH
NITRILE



13 GAUGE



ABRASION



PUNCTURE

GL614

S – 2XL



BETTER

GL615

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2

EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



MICRO-FOAM
NITRILE



15 GAUGE



ABRASION



PUNCTURE



HANGTAG
OPTIONS

GL615

S – 2XL

GL615HT

XL – 2XL (Hangtag)



BEST

GL601

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2

EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



MICRO-FOAM
NITRILE



15 GAUGE



ABRASION



PUNCTURE



DOTTED PALM
OPTIONS

GL601

XS – 3XL

GL601DP

XS – 3XL (Dotted Palm)



GL605

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2

EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



SANDY +
SMOOTH
NITRILE



15 GAUGE



ABRASION



PUNCTURE



WATER
RESISTANT

GL605

S – 2XL



GL617

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2

EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



MICRO-FOAM
NITRILE



15 GAUGE



ABRASION



PUNCTURE



DOTTED PALM
OPTIONS

GL617

S – 2XL

GL617DP

XS – 2XL (Dotted Palm)





GL618

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 X



GL618 S – 2XL



CUT A2

GL619C

ANSI/ISEA 105 – CUT A2 | ABRASION 6 | PUNCTURE 3
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 B




GL619C S – 2XL



CUT A3

GL606DPC

ANSI/ISEA 105 – CUT A3 | ABRASION 6 | PUNCTURE 4
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 C



GL606DPC XS – 3XL
GL606DPCVP S – 2XL (Vend Pack)



CUT A4

GOOD

GL620C

ANSI/ISEA 105 – CUT A4 | ABRASION 6 | PUNCTURE 3
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 D



GL620C S – 2XL



CUT A4

BETTER

GL613C

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 3
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 D



GL613C XS – 3XL



CUT A5

GL621C

ANSI/ISEA 105 – CUT A5 | ABRASION 6 | PUNCTURE 4
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 E



GL621C S – 2XL

i Now being offered with PMXTECK!
Mixed stock may be received.



GL622C

ANSI/ISEA 105 – CUT A6 | ABRASION 5 | PUNCTURE 4
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 F



MICRO-FOAM
NITRILE



18 GAUGE



ABRASION



CUT



PUNCTURE



TOUCHSCREEN

GL622C

S – 2XL

NITRILE | 18G IMPACT



GL613CB

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 3
ANSI/ISEA 138 – IMPACT 1
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 D | IMPACT P



MICRO-FOAM
NITRILE



18 GAUGE



ABRASION



CUT



PUNCTURE



IMPACT



TOUCHSCREEN



PMXTECK

GL613CB

S – 2XL



GL613CBZ

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 3
ANSI/ISEA 138 – IMPACT 3
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 D | IMPACT P



MICRO-FOAM
NITRILE



18 GAUGE



ABRASION



CUT



PUNCTURE



IMPACT



TOUCHSCREEN



PMXTECK

GL613CBZ

S – 2XL

NITRILE | 13G



CUT A4

GL603C5

ANSI/ISEA 105 – CUT A4 | ABRASION 4 | PUNCTURE 4
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 D



MICRO-FOAM
NITRILE



13 GAUGE



ABRASION



CUT



PUNCTURE



DOTTED PALM
OPTIONS



HANGTAG
OPTIONS

GL603C5

XS – 3XL

GL603DPC5

S – 2XL (Dotted Palm)



CUT A4

GL604C5

ANSI/ISEA 105 – CUT A4 | ABRASION 6 | PUNCTURE 3
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 D



SANDY
NITRILE



13 GAUGE



ABRASION



CUT



PUNCTURE

GL604C5

S – 2XL



CUT A6

GL608C

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 F



MICRO-FOAM
NITRILE



13 GAUGE



ABRASION



CUT



PUNCTURE



PMXTECK

GL608C

S – 2XL

NITRILE | 13G IMPACT



CUT A6

IMPACT 2

GL609C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 E | IMPACT P



SANDY
NITRILE



13 GAUGE



ABRASION



CUT



IMPACT



PUNCTURE



PMXTECK

GL609C

S – 3XL



CUT A6

IMPACT 2

GL610C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 E | IMPACT P



SANDY
NITRILE



13 GAUGE



ABRASION



CUT



IMPACT



PUNCTURE



TOUCHSCREEN



PMXTECK

GL610C

S – 3XL

LATEX



GL503

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 3

EN388 – ABRASION 3 | CUT 2 | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 X

EN407 – CONTACT HEAT 2



CRINKLE
LATEX



10 GAUGE



ABRASION



CONTACT
HEAT

GL503 S – 2XL

GL503VP L – XL (Vend Pack)



PUNCTURE



HANGTAG
OPTIONS



GL502

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 2

EN388 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



SANDY +
SMOOTH LATEX



13 GAUGE



ABRASION



PUNCTURE



WATER
RESISTANT

GL502

S – 2XL



GL508

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 3

EN388 – ABRASION 2 | CUT 1 | TEAR 3 | PUNCTURE 2 |
CUT TDM-100 X



FOAM LATEX



15-GAUGE



ABRASION



PUNCTURE

GL508

S – 2XL

POLYURETHANE | NON-CUT



GOOD

GL406

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2

EN388 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



POLYURETHANE



13 GAUGE



ABRASION



PUNCTURE

GL406

XS – 2XL



BETTER

GL401

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2

EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X



POLYURETHANE



13 GAUGE



ABRASION



PUNCTURE



HANGTAG
OPTIONS

GL401

XS – 3XL

GL401HT

2XL – 3XL (Hangtag)

GL401VP

S – 2XL (Vend Pack)

POLYURETHANE | CUT



CUT A2

GOOD

GL403C

ANSI/ISEA 105 – CUT A2 | ABRASION 2 | PUNCTURE 3
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |
CUT TDM-100 B



POLYURETHANE



13 GAUGE



ABRASION



CUT



PUNCTURE



PMXTECK

GL403C

S – 2XL



CUT A4

BETTER

GL402C5

ANSI/ISEA 105 – CUT A4 | ABRASION 3 | PUNCTURE 4
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
CUT TDM-100 D



POLYURETHANE



13 GAUGE



ABRASION



CUT



PUNCTURE




HANGTAG
OPTIONS

GL402C5

XS – 3XL

GL402C5HT

XS, 3XL (Hangtag)



INSULATED DIPPED



CUT A2

GL901

ANSI/ISEA 105 – CUT A2 | ABRASION 3 | PUNCTURE 2
EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X
EN511 – CONTACT COLD 2



INSULATED



HPT



ABRASION



CUT



PUNCTURE



WATER
RESISTANT

GL901

S – 2XL



CUT A2

GL505

ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 2
EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 |
CUT TDM-100 X
EN511 – CONTACT COLD 2



INSULATED



SANDY +
SMOOTH LATEX



ABRASION



CUT



PUNCTURE



WATER
RESISTANT

GL505

S – 2XL



CUT A4

GL507C

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 4
 EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 3 |
 CUT TDM-100 D
 EN511 – CONTACT COLD 2



INSULATED



SANDY +
SMOOTH LATEX



ABRASION



CUT



PUNCTURE



WATER
RESISTANT

GL507C

S – 2XL



CUT A5

GL506C

ANSI/ISEA 105 – CUT A5 | ABRASION 5 | PUNCTURE 4
 EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 3 |
 CUT TDM-100 E
 EN511 – CONTACT COLD 2



INSULATED



SANDY +
SMOOTH LATEX



ABRASION



CUT



PUNCTURE



WATER
RESISTANT

GL506C

S – 2XL



CUT A6

IMPACT 2

GL612C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4
 ANSI/ISEA 138 – IMPACT 2
 EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |
 CUT TDM-100 E | IMPACT P
 EN511 – CONTACT COLD 2



INSULATED



SANDY
NITRILE



ABRASION



CUT



IMPACT



PUNCTURE

GL612C

S – 2XL

i The GL901 has a 15G outer liner and 7G inner liner. The GL505, GL506C, GL507C, and GL612C have a 13G outer liner and 10G inner liner.

SELECT SPLIT LEATHER PALMS



GL1001W



COWHIDE
LEATHER



HANGTAG
OPTIONS

GL1001W

S – 2XL



GL1006W



COWHIDE
LEATHER

GL1006W

L – XL



GL1002W



COWHIDE
LEATHER



HANGTAG
OPTIONS

GL1002W

L – XL

GL1002WHT

L (Hangtag)



PREMIUM SPLIT LEATHER PALM



GL1010W

ANSI/ISEA 105 – CUT A2 | ABRASION 6 | PUNCTURE 5

ANSI/ISEA 105 – CONTACT HEAT 2



COWHIDE
LEATHER



ABRASION



CONTACT
HEAT



CUT



PUNCTURE

GL1010W

S – 2XL



Kevlar® stitching

PREMIUM GRAIN LEATHER PALMS



GL1003W



COWHIDE
LEATHER

GL1003W

L – XL



GL1004W



COWHIDE
LEATHER

GL1004W

L – XL

VALUE GRAIN DRIVERS



GL2001K



COWHIDE
LEATHER



H
T
HANGTAG
OPTIONS

GL2001K

S – 2XL

GL2001KHT

XL – 2XL (Hangtag)



GL2002K



COWHIDE
LEATHER



H
I
HIGH
VISIBILITY

GL2002K

S – 2XL



GL3011K



GOATSKIN
LEATHER

GL3011K

S – 2XL

SELECT GRAIN DRIVERS

PREMIUM SPLIT/GRAIN DRIVERS



GL2004K



COWHIDE
LEATHER

GL2004K

S – 3XL



GL2003K



COWHIDE
LEATHER

GL2003K

S – 2XL



HIGH
VISIBILITY



GL2005K



COWHIDE
LEATHER

GL2005K

S – 2XL



GL2008K



COWHIDE
LEATHER

GL2008K

S – 3XL



Kevlar® stitching

PREMIUM GRAIN CUT DRIVERS



GL3006CKB

ANSI/ISEA 105 – CUT A5 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2



GOATSKIN
LEATHER



ABRASION



CUT



IMPACT



PUNCTURE

GL3006CKB

S – 2XL



GL3007CK

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4



GOATSKIN
LEATHER



ABRASION



CUT



PUNCTURE

GL3007CK

S – 2XL



GL3003CKB

ANSI/ISEA 105 – CUT A7 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2



GOATSKIN
LEATHER



ABRASION



CUT



IMPACT



PUNCTURE

GL3003CKB

S – 2XL

PREMIUM GRAIN ARC FLASH DRIVERS



CUT A4

GL3002CK

ANSI/ISEA 105 – CUT A4 | ABRASION 4 | PUNCTURE 3
NFPA 70E ARC FLASH – CATEGORY 4 [49 cal/cm²]



ARC FLASH



GOATSKIN LEATHER



ABRASION



CUT



PUNCTURE

GL3002CK

S – 3XL



CUT A4

IMPACT 2

GL3009CKB

ANSI/ISEA 105 – CUT A4 | ABRASION 3 | PUNCTURE 3
ANSI/ISEA 138 – IMPACT 2
EN388 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 1 |
CUT TDM-100 E | IMPACT P
NFPA 70E ARC FLASH – CATEGORY 4 [47 cal/cm²]



ARC FLASH



GOATSKIN LEATHER



ABRASION



CUT



IMPACT



PUNCTURE



OIL AND WATER RESISTANT

GL3009CKB

S – 2XL



Kevlar® stitching



CUT A5

GL3010CK

ANSI/ISEA 105 – CUT A5 | ABRASION 4 | PUNCTURE 4
EN388 – ABRASION 1 | CUT X | TEAR 3 | PUNCTURE 2 |
CUT TDM-100 E
NFPA 70E ARC FLASH – CATEGORY 4 [41 cal/cm²]



ARC FLASH



GOATSKIN LEATHER



ABRASION



CUT



PUNCTURE



OIL AND WATER RESISTANT

GL3010CK

S – 2XL

INSULATED DRIVERS



CUT A5

IMPACT 2

GL3006CKFB

ANSI/ISEA 105 – CUT A5 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2



INSULATED



GOATSKIN LEATHER



ABRASION



CUT



IMPACT



PUNCTURE

GL3006CKFB

S – 2XL



GL2006K



INSULATED



COWHIDE LEATHER

GL2006K

S – 2XL



GL4003K



INSULATED




PIGSKIN LEATHER

GL4003K

S – 2XL

WORKWEAR



FULL WORKWEAR COLLECTION

PYRAMEX OFFERS OVER 100 WORKWEAR STYLES

STANDARDS

ANSI/ISEA 107-2020

AATCC 127 Waterproof Standard

CAN/CSA Z96-15

ASTM F1506 / NFPA 70E Arc Flash



WATERPROOF

BACKGROUND OPTIONS

The main difference between the colors comes when taking the complexity of the wearer's background into consideration. High-visibility lime is often perceived as brighter, making it ideal for urban environments where it stands out against concrete or other gray locations. On the other hand, high-visibility orange is commonly used for road work. It mimics the same orange used in recognizable traffic cones and road construction signs. It also stands out among the green in heavy foliage areas, making it perfect for hunters or outdoor enthusiasts. Black reflective work wear is intended for off-road use only, often indoors or in more controlled environments. An advantage it has over lime and orange is that the black fabric hides dirt, oil, and grease.

SINGLE VS. CONTRASTING TAPE

Reflective tape is used on high-visibility garments to help with their overall visibility. Its purpose is to reflect light, adding greater conspicuity to any garment. The more tape that exists against the fluorescent background, the more the garment will stand out. Contrasting tape allows for a high-visibility garment to stand out even more against a complex background by being an additional element likely to grab our attention.

UPF RATED

Ultraviolet Protection Factor is the rating system used for apparel. UPF gauges a fabric's effectiveness against Ultraviolet A (UVA) and Ultraviolet B (UVB) light. For example, a material with a UPF rating between 40 - 50+ will reduce your skin's UV radiation exposure by 97.5% to 98% in areas where the fabric covers the skin.



UPF RATED



UPF RATED

COOLING



Cooling Towels

Dimensions: 26" x 17"

- C140 Orange
- C160 Blue



C1 Series

Dimensions: 26" x 8.5"

- C260 Blue



C2 Series

CNB12PK Series Cooling Bandanas

- CNB12PKB Blue Paisley
- CNB12PKFLG American Flag
- CNB12PKR Red Paisley
- CNB12PKRB Royal Blue

VESTS



RV12 Series

NON-RATED



MESH MATERIAL



HOOK & LOOP



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

- RV1227 S - M, L - XL, 2XL - 3XL, 4XL - 5XL
- RV1235 S - M, L - XL, 2XL - 3XL, 4XL - 5XL
- RV1265 S - M, L - XL, 2XL - 3XL, 4XL - 5XL
- RV1270 S - M, L - XL, 2XL - 3XL, 4XL - 5XL



RCZ21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



MESH MATERIAL



ZIPPER CLOSURE



CUSTOM LOGO

POCKETS	
1 OUT	1 IN

- RCZ2110 M - 5XL
- RCZ2120 M - 5XL




RVZ21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



MESH MATERIAL



ZIPPER CLOSURE



CUSTOM LOGO

POCKETS	
1 OUT	1 IN

- RVZ2110 S - 5XL
- RVZ2120 S - 5XL



RVHL29 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID
MATERIAL



HOOK &
LOOP



CUSTOM
LOGO

POCKETS	
0 OUT	0 IN

RVHL2910 S – 3XL

RVHL2920 S – 3XL



RVZ22 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
1 OUT	1 IN

RVZ2210 S – 5XL

RVZ2220 S – 5XL



RVZ23 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
4 OUT	2 IN

RVZ2310 S – 5XL

RVZ2320 S – 5XL



RVZ24 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID & MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
4 OUT	2 IN

RVZ2410 S – 5XL

RVZ2420 S – 5XL



RVZ24CP Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID & MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
4 OUT	2 IN

RVZ2410CP S – 5XL

RVZ2411CP S – 5XL (TYPE O CLASS 1)

RVZ2420CP S – 5XL

RVZ2427CP S – 5XL (NON-RATED)

RVZ2435CP S – 5XL (NON-RATED)

RVZ2465CP S – 5XL (NON-RATED)



RVZ46B Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID & MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
5 OUT	2 IN

RVZ4610B S – 5XL



FITTED



NON-FITTED

RVZF61 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



SOLID & MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
7 OUT	2 IN



VIEW OUR
WOMEN'S PPE
COLLECTION

i Size small does not have a black bottom.



TABLET POCKET

RVZF6110

S – 2XL



RVZ31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
2 OUT	4 IN

RVZ3110

S – 5XL

RVZ3120

S – 5XL

RVZ36 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
4 OUT	0 IN

RVZ3610

S – 5XL

RVZ3620

S – 5XL

RVZ37B Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



SOLID & MESH
MATERIAL



ZIPPER
CLOSURE



CUSTOM
LOGO

POCKETS	
5 OUT	2 IN

RVZ3710B

S – 5XL

ARC RATED AND FLAME RESISTANT VESTS



RVHL50FR Series

ANSI/ISEA 107-2020 TYPE R CLASS 2 FR

ASTM F1506 / NFPA 70E CAT 1

ARC RATING (ATPV): 6.4 cal/cm²



ARC FLASH



FLAME RESISTANT



SOLID MATERIAL



HOOK & LOOP



REINFORCED D-RING SLOT



RVHL5010FR

S – 5XL



RVHL51FR Series

ANSI/ISEA 107-2020 TYPE R CLASS 3 FR

ASTM F1506 / NFPA 70E CAT 1

ARC RATING (ATPV): 6.4 cal/cm²



ARC FLASH



FLAME RESISTANT



SOLID MATERIAL



HOOK & LOOP



REINFORCED D-RING SLOT



RVHL5110FR

S – 5XL



RVZ52FR Series

ANSI/ISEA 107-2020 TYPE R CLASS 2 FR

ASTM F1506 / NFPA 70E CAT 1

ARC RATING (ATPV): 4.0 cal/cm²



ARC FLASH



FLAME RESISTANT



MESH MATERIAL



ZIPPER CLOSURE



REINFORCED D-RING SLOT



RVZ5210FR

S – 5XL



RVZ53FR Series

ANSI/ISEA 107-2020 TYPE R CLASS 3 FR

ASTM F1506 / NFPA 70E CAT 1

ARC RATING (ATPV): 4.0 cal/cm²



ARC FLASH



FLAME RESISTANT



MESH MATERIAL



ZIPPER CLOSURE



REINFORCED D-RING SLOT



RVZ5310FR

S – 5XL



RCLTS31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



- RCLTS3110 M – 5XL
- RCLTS3120 M – 5XL
- RCLTS3111 S – 5XL (TYPE O CLASS 1)
(CLASS 1 LEVEL 2)



RLTS31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



- RLTS3110 S – 6XL

i Available in non-striped version -
RLTS3110NS (M-5XL) NON-RATED



RLTS31B Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



- RLTS3110B M – 5XL
- RLTS3120B M – 5XL



RTS21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



- RTS2110 S – 5XL
- RTS2120 S – 5XL

i Available in non-striped version -
RTS2110NS (M-5XL) NON-RATED



RTS21B Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



- RTS2110B S – 4XL/5XL
- RTS2120B S – 4XL/5XL



RTS34 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



- RTS3410 S – 6XL
- RTS3420 S – 6XL

LIGHTWEIGHT SERIES FOR YEAR-ROUND WEAR



RLP1 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RLP110

S – 5XL



RLP1NS Series

NON-RATED



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RLP110NS

S – 5XL



RLPH1 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RLP110

S – 5XL

● RLP120

S – 5XL



RLPH1NS Series

NON-RATED



SOLID MATERIAL



UPF RATED



CUSTOM LOGO

POCKETS	
1 OUT	0 IN

● RLP110NS

S – 5XL

● RLP112NS

S – 5XL

● RLP120NS

S – 5XL



CELL PHONE POCKET

LIGHTWEIGHT SERIES 46



RCSZH33 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



- RCSZH3310 M – 5XL
- RCSZH3320 M – 5XL
- RCSZH3311 M – 5XL (TYPE O CLASS 1) (CLASS 1 LEVEL 2)



RSSH32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3




- RSSH3210 S – 5XL

i Available in tall size - RSSH32T (S-5XL)



RSZH32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



- RSZH3210 S – 5XL



RSZH34 Series

ANSI/ISEA 107-2020 TYPE O CLASS 1



- RSZH3411 S – 5XL



RCJ32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF



CUSTOM LOGO



POCKETS
4 OUT 1 IN

- RCJ3210 M – 5XL
- RCJ3220 M – 5XL



RJ31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF



CUSTOM LOGO



POCKETS
5 OUT 3 IN

- RJ3110 S – 5XL
- RJ3120 S – 5XL

i Available in heated option - RJ31H (S-5XL)



RJ32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF



CUSTOM LOGO



POCKETS
4 OUT 1 IN

- RJ3210 S – 6XL
- RJ3220 S – 5XL

i Available in tall size - RJ3210T (S-5XL)



RJ40 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127



SOLID MATERIAL



ZIPPER CLOSURE



WATERPROOF



CUSTOM LOGO



POCKETS
5 OUT 4 IN

- RJ4010 S – 5XL



RCP32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



SOLID
MATERIAL



ZIPPER
CLOSURE



WATERPROOF



CUSTOM
LOGO

POCKETS	
4 OUT	1 IN

- RCP3210 M – 5XL
- RCP3220 M – 5XL



RP31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127



SOLID
MATERIAL



ZIPPER
CLOSURE



WATERPROOF



CUSTOM
LOGO

POCKETS	
5 OUT	3 IN

- RP3110 S – 5XL
- RP3120 M – 5XL



RPB36 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3
ANSI/ISEA 107-2020 AATCC 127



SOLID
MATERIAL



ZIPPER
CLOSURE



WATERPROOF




CUSTOM
LOGO

POCKETS	
10 OUT	4 IN

- RPB3610 M – 5XL

HEADGEAR



FULL HEADGEAR COLLECTION

PYRAMEX OFFERS OVER 70 HEADGEAR MODELS

STANDARDS

ANSI/ISEA Z89.1-2014 (R2019) (Hard Hats)

ANSI/ISEA Z87.1-2020 (Brackets and Face Shields)

ANSI/ISEA Z87.1-2020 + (Polycarbonate Face Shields)

 Certified Model - **CAN/CSA Z94.1-15 (R2024)**



SL SERIES

TYPE I VS TYPE II


We offer two types of head protection: Type I and Type II. While many job sites now require Type II protection, we understand that transitioning from familiar headgear can be challenging. Our commitment to developing head protection that exceeds expectations in both comfort and functionality aims to help ease this transition.

Type I

Protects against force of impact resulting from a blow to the top of the head only. Designed to offer protection from objects and blows that come from above and strike the top of a helmet.

Type II

Protects against force of impact resulting from a blow to the top or sides of the head. Designed to offer protection from objects and blows that come from the front, back, sides, and top.



 Ask your Pyramex Rep about accessories for your headgear.

SL T2™ Safety Helmet

ANSI/ISEA Z89.1-2014 TYPE II
EN 12492:2012



DURABLE
ABS SHELL



COMFORTABLE
PADDING



ACCESSORY
COMPATIBLE



RATCHET
SUSPENSION



VENTED
OPTIONS



CUSTOM
LOGO

Ratchet Suspension | 8 Variations

-  HPT261110 White
-  HPT261112 Gray
-  HPT261111 Black
-  HPT261120 Red
-  HPT261162 Light Blue
-  HPT261130 Yellow
-  HPT261131 Hi-Vis Lime
-  HPT261140 Orange

Vented Ratchet Suspension | 8 Variations

-  HPT261110V White
-  HPT261112V Gray
-  HPT261111V Black
-  HPT261120V Red
-  HPT261162V Light Blue
-  HPT261130V Yellow
-  HPT261131V Hi-Vis Lime
-  HPT261140V Orange



VENTED



NON-VENTED

VISORS



HPT2HV10T
Clear H2MAX AF



HPT2HV20T
Gray H2MAX AF



HPT2PV
Visor Protector

FACE SHIELDS



HPT2FV10
Polycarbonate
H2MAX AF



HPT2FVM60
Wire Mesh

SUN PROTECTION



HPT2BRIM
Front Brim



HPT2CNS130
Neck Shade



HPXR7SHADE30
Sun Shade

REPLACEMENTS



HPT2RPAD
Replacement
Padding



HPT2RSTRAP
Replacement
Strap



HPT2CLIPS
Visor Clips

WELDING



WHHADP
Welding Helmet Adapter

HEARING



CM6010
Cap Mounted Earmuff



TOOLS AT YOUR FINGERTIPS

Learn more by using the How-To Videos, Collection Page and Accessories Manual.



SL T2 Helmets meet the ANSI/ISEA Z89.1-2014 (R2019) Type II Standard and EN 12492:2012 Energy Absorption and Retention clauses.. Vented meet Class C and Non-Vented Class E. Visors and Polycarbonate Face Shield meet ANSI/ISEA Z87.1-2020 + High Impact Protection. PC Face Shield also meets D3 Splash and Droplet Protection. Mesh Face Shield meets ANSI/ISEA Z87.1-2020. HPXR7SHADE30 rated UPF 50+. CM6010 Earmuff meets ANSI/ASA S3.19-1974 with an NRR of 22dB.

NEW!

ABS SHELL WITH
HALO FOAM

VENTED

ACCESSORY
COMPATIBLE

6-POINT RATCHET

AIR CHANNELS

NON-VENTED

CHIN STRAP WITH
QUICK-RELEASE BUCKLE



Ridgeline T2® Full Brim

ANSI/ISEA Z89.1-2014 TYPE II
CAN/CSA Z94.1-15 TYPE II



DURABLE
ABS SHELL



COMFORTABLE
PADDING



ACCESSORY
COMPATIBLE



RATCHET
SUSPENSION



VENTED
OPTIONS



Mips

6-Point Ratchet | 9 Variations

- HPT256110 White
- HPT256111 Black
- HPT256113 Slate Gray
- HPT256120 Red
- HPT256130 Yellow
- HPT256131 Hi-Vis Lime
- HPT256135 Green
- HPT256141 Hi-Vis Orange
- HPT256160 Blue

Vented 6-Point Ratchet | 9 Variations

- HPT256110V White
- HPT256111V Black
- HPT256113V Slate Gray
- HPT256120V Red
- HPT256130V Yellow
- HPT256131V Hi-Vis Lime
- HPT256135V Green
- HPT256141V Hi-Vis Orange
- HPT256160V Blue

6-Point Ratchet with Mips® | 3 Variations

- HPT256110M White
- HPT256116M White Graphite Pattern
- HPT256117M Black Graphite Pattern

Vented 6-Point Ratchet with Mips® | 3 Variations

- HPT256110VM White
- HPT256116VM White Graphite Pattern
- HPT256117VM Black Graphite Pattern

i 6-point suspension can be converted to 4-point.
May be worn with or without chin strap.


6-Point Ratchet Hydro Dipped | 2 Variations

- HPT256116 White Graphite Pattern
- HPT256117 Black Graphite Pattern

Vented 6-Point Ratchet Hydro Dipped | 2 Variations

- HPT256116V White Graphite Pattern
- HPT256117V Black Graphite Pattern

LENS



RIDGE10STM
Clear H2MAX AF



RIDGE20STM
Gray H2MAX AF

ADAPTER



HHABW
Dielectric Full Brim Adapter

SWEAT BANDS



HPRBANDR
Replacement Band



HPTRBAN
Gray Terry Cloth



HPTRBANBL
Blue Terry Cloth

SUN PROTECTION



HPESHAD10
Neck Shade




HPXR7SHAD30
Sun Shade

HEARING



CMFB6010
Cap Mounted Earmuff

COOLING



CPH160
Hard Hat Cooling Pad



CNS140
Evaporative Neck Shade



Ridgeline XR7®

ANSI/ISEA Z89.1-2014 TYPE I



6-Point Ratchet | 7 Variations

- HP76110 White
- HP76113 Slate Gray
- HP76120 Red
- HP76130 Yellow
- HP76131 Hi-Vis Lime
- HP76140 Orange
- HP76160 Blue

6-Point Ratchet Hydro Dipped | 2 Variations

- HP76116 White Graphite Pattern
- HP76117 Black Graphite Pattern

i Reflective stickers included inside the Ridgeline XR7 box.

Ridgeline XR7® safety helmets meet the following standards: ANSI/ISEA Z89.1-2020 Type 1 and EN 12492 Shock Absorption (Clause 4.2.1.1-Vertical; 4.2.1.2-Front; 4.2.1.3-Side; 4.2.1.4-Rear)



Ridgeline® Cap Style

ANSI/ISEA Z89.1-2014 TYPE I

CAN/CSA Z94.1-15 TYPE I



NON-VENTED



HYDRO DIPPED

4-Point Ratchet | 16 Variations

- HP44110 White
- HP44110C White
- HP44111 Black
- HP44112 Gray
- HP44113 Slate Gray
- HP44120 Red
- HP44130 Yellow
- HP44130C Yellow
- HP44131 Hi-Vis Lime
- HP44131C Hi-Vis Lime
- HP44135 Green
- HP44141 Hi-Vis Orange
- HP44160 Blue
- HP44162 Light Blue
- HP44165C Dark Blue
- HP44170 Pink

Vented 4-Point Ratchet | 8 Variations

- HP44110V White
- HP44112V Gray
- HP44120V Red
- HP44130V Yellow
- HP44131V Hi-Vis Lime
- HP44135V Green
- HP44141V Hi-Vis Orange
- HP44160V Blue

6-Point Ratchet | 7 Variations

- HP46110 White
- HP46120 Red
- HP46130 Yellow
- HP46131 Hi-Vis Lime
- HP46135 Green
- HP46141 Hi-Vis Orange
- HP46160 Blue

4-Point Ratchet Hydro Dipped | 11 Variations

- HP44116 Matte White Graphite Pattern
- HP44116C Matte White Graphite Pattern
- HP44116S Shiny White Graphite Pattern
- HP44117 Matte Black Graphite Pattern
- HP44117C Matte Black Graphite Pattern
- HP44117S Shiny Black Graphite Pattern
- HP44118 Matte Copper Pattern
- HP44121 Matte Red Pattern
- HP44122 Matte Blue Pattern
- HP44123 Matte Silver Pattern
- HP44124 Matte Lime Pattern

Vented 4-Point Ratchet Hydro Dipped | 2 Variations

- HP44116SV Shiny White Graphite Pattern
- HP44117V Matte Black Graphite Pattern



i Ask your Pyramex Rep about Ridgeline® Bump Cap options.



i HP44110C | HP44116C | HP44117C | HP44130C | HP44131C | HP44165C

Ridgeline Cap Style with side clips to meet CSA standards.



NON-VENTED



VENTED



HYDRO DIPPED

Ridgeline® Full Brim

ANSI/ISEA Z89.1-2014 TYPE I
CAN/CSA Z94.1-15 TYPE I



ABS
MATERIAL



VENTED
OPTIONS



ACCESSORY
COMPATIBLE



CUSTOM
LOGO

4-Point Ratchet | 11 Variations

HP54110	White
HP54111	Black
HP54112	Gray
HP54113	Slate Gray
HP54120	Red
HP54130	Yellow
HP54131	Hi-Vis Lime
HP54135	Green
HP54141	Hi-Vis Orange
HP54160	Blue
HP54170	Pink

Vented 4-Point Ratchet | 8 Variations

HP54110V	White
HP54111V	Black
HP54113V	Slate Gray
HP54130V	Yellow
HP54131V	Hi-Vis Lime
HP54135V	Green
HP54141V	Hi-Vis Orange
HP54160V	Blue

6-Point Ratchet | 5 Variations

HP56110	White
HP56120	Red
HP56130	Yellow
HP56135	Green
HP56160	Blue

4-Point Ratchet Hydro Dipped | 9 Variations

HP54116	Matte White Graphite Pattern
HP54116S	Shiny White Graphite Pattern
HP54117	Matte Black Graphite Pattern
HP54117S	Shiny Black Graphite Pattern
HP54118	Matte Copper Pattern
HP54121	Matte Red Pattern
HP54122	Matte Blue Pattern
HP54123	Matte Silver Graphite Pattern
HP54124	Matte Lime Graphite Pattern

Vented 4-Point Ratchet Hydro Dipped | 1 Variation

HP54117V	Matte Black Graphite Pattern (Vented)
----------	---------------------------------------



Universal slots only available on vented options.

SL Series Cap Style

ANSI/ISEA Z89.1-2014 TYPE I
CAN/CSA Z94.1-15 TYPE I



HIGH DENSITY
POLYETHYLENE



LOW
PROFILE



REVERSE
ORIENTATION



ACCESSORY
COMPATIBLE



CUSTOM
LOGO

4-Point Ratchet | 13 Variations

HP14110	White
HP14111	Black
HP14112	Gray
HP14120	Red
HP14130	Yellow
HP14131	Hi-Vis Lime
HP14135	Green
HP14140	Orange
HP14141	Hi-Vis Orange
HP14160	Blue
HP14162	Light Blue
HP14165	Dark Blue
HP14170	Pink

6-Point Ratchet | 7 Variations

HP16110	White
HP16120	Red
HP16130	Yellow
HP16135	Green
HP16140	Orange
HP16141	Hi-Vis Orange
HP16160	Blue



4-Point Snap Lock | 7 Variations

HP14010	White
HP14020	Red
HP14030	Yellow
HP14031	Hi-Vis Lime
HP14035	Green
HP14040	Orange
HP14060	Blue

6-Point Snap Lock | 5 Variations

HP16010	White
HP16020	Red
HP16030	Yellow
HP16035	Green
HP16040	Orange

SL Series Full Brim

ANSI/ISEA Z89.1-2014 TYPE I
CAN/CSA Z94.1-15 TYPE I



HIGH DENSITY
POLYETHYLENE



CUSTOM
LOGO

4-Point Ratchet | 10 Variations

HP24110	White
HP24111	Black
HP24120	Red
HP24130	Yellow
HP24131	Hi-Vis Lime
HP24135	Green
HP24140	Orange
HP24141	Hi-Vis Orange
HP24160	Blue
HP24162	Light Blue

6-Point Ratchet | 6 Variations

HP26110	White
HP26120	Red
HP26130	Yellow
HP26135	Green
HP26140	Orange
HP26160	Blue



FACE SHIELDS AND ADAPTERS



Polyethylene Face Shield

ANSI/ISEA Z87.1-2020

S1010

i Shown with HGBR - sold separately.



Polycarbonate Face Shield

ANSI/ISEA Z87.1-2020 +

S1020

S1020HS Half Shield

i Shown with HGBR - sold separately.



Ridgeline® Ratchet Headgear

ANSI/ISEA Z87.1-2020

HGBR

i HGBR accommodates a wide variety of face shields.



Ridgeline® Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHABCMR

i Shown with Ridgeline® hard hat and CM6010 earmuff - sold separately.



SL Series Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHABCMS

i Shown with SL Series hard hat and CM6010 earmuff - sold separately.

Aluminum Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHA



Aluminum Full Brim Adapter

ANSI/ISEA Z87.1-2020

HHA



i Ask your Pyramex Rep about additional face shield and headgear brackets.

SUNSHADES



HPESHADE

NON-RATED



UPF RATED

● HPESHADE10 Hi-Vis Lime



HPSHADE Series

NON-RATED



UPF RATED

- HPSHADE10 White
- HPSHADE30 Hi-Vis Lime
- HPSHADE40 Hi-Vis Orange
- HPSHADE60 Blue



RIDGELINE

HPXR7SHADE

NON-RATED



UPF RATED

● HPXR7SHADE30 Hi-Vis Lime

i HPXR7SHADE also fits the SL T2™.

BUMP CAP



Baseball Bump Cap

NON-RATED



ABS MATERIAL

- HP50011 Black
- HP50031 Hi-Vis Lime
- HP50041 Hi-Vis Orange
- HP50065 Navy

i ABS material in bump cap shell only.



WELDING



FULL WELDING COLLECTION
PYRAMEX OFFERS OVER 20
WELDING OPTIONS

STANDARDS

ANSI/ISEA Z87.1-2020+

EN 160 16321

CAN/CSA Z94.3-20

AUTO-DARKENING HELMETS

Auto-darkening helmets are designed for maximum efficiency and maximum safety. They are designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries. These helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e. 5-8 and 9-13), except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium coin battery for WHAM30 and Duracell® DL2032 for WHAM10.

IR EYEWEAR

IR options available in: Ztek, Venture II, Ever-Lite, Integra, V2G, Capstone Shield, OTS. See Eyewear section for more details.



WELDING HELMETS

LEADHEAD®



WHAM30 Series

ANSI/ISEA Z87.1-2020 + | CAN/CSA Z94.3-20

-  WHAM3030AE* American Eagle
-  WHAM3030FL Flame
-  WHAM3030FM Fire Metal
-  WHAM3030GB Glossy Black

*Not approved for CAN/CSA Z94.3-20



WHAM1020 Series

ANSI/ISEA Z87.1-2020 + | EN ISO 16321

-  WHAM1020MB Matte Black




WHHADP

Welding Helmet Adapter

i WHHADP Welding Helmet Hard Hat Adapter is shown with a SL T2 – sold separately. The WHHADP can be used with Pyramex hard hats and safety helmets to attach the WHAM30, WHAM1020.

Ask your Pyramex Rep about the Leadhead accessories and replacement parts.

HEARING



FULL HEARING COLLECTION
PYRAMEX OFFERS OVER 30
HEARING MODELS

STANDARDS

ANSI/ASA S3.19-1974

CE/UKCA EN 352:2020

CAN/CSA Z94.2-14 (R2019)

NRR (ANSI)

Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

SNR (CE/UKCA)

Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).



VENTUREGEAR

LEARN MORE
ABOUT THE FULL VENTURE GEAR® LINE

EARPLUGS



NRR 32dB

SNR 38dB

DP1000

ANSI/ASA S3.19-1974 |
CE/UKCA EN 352:2020



DISPOSABLE
EARPLUGS



NRR 31dB

SNR 37dB

DP1001

ANSI/ASA S3.19-1974 |
CE/UKCA EN 352:2020



DISPOSABLE
EARPLUGS



NRR 30dB

SNR 37dB

DPD1001

ANSI/ASA S3.19-1974 |
CE/UKCA EN 352:2020



DISPOSABLE
EARPLUGS



METAL
DETECTABLE

ELECTRONIC EARMUFF



NRR 26dB



Amp BT™

ANSI/ASA S3.19-1974



AUX
JACK



BLUETOOTH
CAPABILITY



RAPID NOISE
SUPPRESSION

- VGPME30BT Black
- VGPME31BT Desert Tan

i Amp BT™ is a VG packaged product.

CAP MOUNTED EARMUFF



NRR 22dB

CM60 Series

ANSI/ASA S3.19-1974



DIELECTRIC



CUSTOM
LOGO

- CM6010 Gray

i Fits Cap Style hard hats - sold separately. Ask your Pyramex Rep about Full Brim options.



PASSIVE EARMUFFS



NRR 23dB



NRR 27dB



NRR 25dB

SNR 27dB



NRR 24dB

PPM1 Series

ANSI/ASA S3.19-1974 | CAN/CSA Z94.2-14



DIELECTRIC



CUSTOM
LOGO

- PPM110 Black

PM30 Series

ANSI/ASA S3.19-1974



CUSTOM
LOGO

- PM3010 Black
- PM3011 Gray
- PM3022 OD Green
- PM3031 Hi-Vis Lime

PM80 Series

ANSI/ASA S3.19-1974 |
CE/UKCA EN 352:2020



CUSTOM
LOGO

- PM8010 Gray
- PM8031 Hi-Vis Lime
- PM8041 Hi-Vis Orange

PM90 Series

ANSI/ASA S3.19-1974



CUSTOM
LOGO

- PM9010 Black