



Head-to-Toe PPE



HAND PROTECTION • HI-VISIBILITY PROTECTION • BACK PROTECTION • DISPOSABLE CLOTHING • RAIN PROTECTION
FOOT PROTECTION • EYE PROTECTION • HEAD PROTECTION • RESPIRATORS & DUST MASKS
HEARING PROTECTION • HEAT PROTECTION • TRAFFIC SAFETY

OUR STORY

CORDOVA SAFETY PRODUCTS



From our humble beginnings in 1994 as a glove importer working in a garage in Cordova, Tennessee, Cordova Safety Products has grown into a full range, head-to-toe supplier of industrial and retail personal protective equipment (PPE). After years of steady and consistent growth, repeatedly earning a place on Inc. Magazine's list of Fastest Growing Privately Owned Companies in America, we were acquired by Bunzl Distribution. We are now proudly a part of their growing North America PPE division, dedicated to developing strong brands and delivering profitable growth to our distributor partners. Operating out of a 600,000 square-foot warehouse on 39 acres in Memphis, Tennessee, our facility includes warehousing with 32-foot ceilings, 95 dock doors & more than 60,000 square feet of administrative space. From our Memphis headquarters and our distribution center in Rancho Cucamonga, California, we can effectively supply products to our distributors across the US, Mexico and South America. We are preferred suppliers to the Affiliated Distributors (AD), Distributor Partners of America (DPA), The United Group (TUG) and STAFDA. At Cordova Safety Products, we take pride in our consistent pursuit of one objective: **customer satisfaction.**

If you are a current Cordova customer, we sincerely thank you for your business and promise to continue working hard to strengthen our relationship. If you are not yet a customer, we hope this catalog will demonstrate why so many PPE distributors consider Cordova trusted source for quality products.

For more information about our company, our products and our knowledgeable sales team, please visit our website:

www.cordovasafety.com | 1.800.458.8763



TABLE OF CONTENTS

BODY PROTECTION

ANSI/ISEA Standards	6
Hi-Visibility Protection	
Safety Vests.....	7
T-Shirts.....	16
Pants & Leg Gaiters	20
Jackets.....	22
Back Protection	24
Disposable Protection	
Defender™ Products.....	26
C-MAX™ Coveralls.....	29
Polypropylene Coveralls.....	30
Vinyl & Polyethylene Aprons & Sleeves.....	31
PVC & Denim.....	32
Hair & Beard Covers.....	33
Rain Protection	
Reptyle®	35
StormFront™.....	36
RipTide™.....	37
Renegade™.....	37
Defiance-FR™.....	38
Apex-FR™.....	39
Foot Protection	
Rubber Boots	41
PVC & Hazmat Boots	42

ABOVE THE NECK PROTECTION

Eye Protection	44
Head Protection	59
Head Protection Accessories.....	63
Respirators & Dust Masks	66
Hearing Protection	67
Cold Snap® Cooling Relief	68

TRAFFIC SAFETY

Traffic Safety & Barricade Tape	71
--	-----------

HAND PROTECTION

Glove Standards	74
High Performance Cut Resistant Gloves	
Machinist®.....	77
Tactyle™.....	79
iON Chill & Flex™.....	80
Monarch™ Engineered Fiber Shell	81
HPPE/Steel/Glass	82
Kevlar/Aramid/Steel.....	85
Arm Protection.....	87
Halo®.....	88
Machine Knit Gloves	
Conquest® Nitrile Coated.....	89

Nitrile Coated.....	90
Polyurethane Coated.....	92
Natural Rubber Latex Coated.....	94
Insulated Coated.....	95
Screen Coated.....	97
Machine Knit Shells.....	98
Thermal Liners.....	99

Activity Gloves

OGRE® Activity & Impact.....	101
Pit Pro™ Activity	104

Leather Gloves

All About Leather.....	106
------------------------	-----

Leather Drivers

Cowhide Grain & Split	107
Pigskin.....	109
Deerskin & Goatskin.....	110
Cut Resistant.....	111
Insulated.....	112

Leather Palms

Grain.....	113
Shoulder & Side-Split Cowhide.....	114
Insulated.....	116
FreezeBeater®.....	117

Leather Welding Gloves

Cotton Gloves

Hi-Visibility.....	121
Double-Palm Canvas.....	122
Cotton Canvas & Dotted.....	123
Hot Mill.....	124
Terry.....	125
Jersey & Inspector	126

Supported Gloves

Supported & Unsupported Terminology.....	128
Degradation Chart.....	129
Nitrile.....	130
Neoprene.....	131
Latex.....	132
PVC.....	133
Insulated PVC.....	134

Unsupported Gloves

Neoprene.....	135
Nitrile.....	136
Latex.....	137

Disposable Gloves

Nitrile.....	139
Latex & Vinyl.....	140

INDEX & INFORMATION

Index	141
Notes	145
Our Services	147

OUR SERVICES

Imprinting

Our imprinting services are designed to make you stand out! We can take your logo and imprint it on gloves, eyewear, vests, shirts, sweatshirts, jackets, rainwear, helmets and more.

VendPack

We offer vendpack services on all gloves and sleeves. In addition to imprinting, we can fold, wrap, roll, lay flat and heat seal these products for easy vending machine access.

Sales to Qualified Distributors Only

For 25 years, our distributor-only sales policy has been the foundation of our trust with customers.

One-Stop PPE Shop

You'll find everything you need to outfit your workers with personal protective equipment for head-to-toe safety. There's no need to shop anywhere else.

Convenient Shipping & Confidential Drop Shipments

We have distribution centers in Memphis, TN, and Rancho Cucamonga, CA, ready to get your products where they need to go.

Reasonable Pre-Paid Minimums

Import & Domestic Private Labeling

Select from our wide range of existing brands or private-label your own.

Specialty Product Development

If we don't have what you need, we can find it. If we can't find it, it doesn't exist, and we can work with you to make it happen.

Generous Sampling Program

See something you like? Request a sample. We'll be happy to send it your way.

Satisfaction Guaranteed

If any of our products do not meet or exceed the standard of the originally sampled item, we invite you to return it for a full refund.

Call **800-458-8763** for your custom quotes and more information on any of these services.

Email: sales@cordovaisc.com

BODY PROTECTION



CORDOVA
SAFETY PRODUCTS



BODY PROTECTION ANSI/ISEA STANDARDS

Types: High Visibility Safety Apparel (HVSA) types are designated by the work environment in which the wearer is performing a task. Apparel includes, but is not limited to, clothing such as vests, jackets, pants, shirts, rain wear and coveralls.

Type O (Off-road): Type O HVSA provides daytime and nighttime visual conspicuity enhancement for workers in occupational environments which pose struck-by hazards from moving vehicles, equipment and machinery, but which will not include exposure to traffic on public access roadway rights-of-way or roadway temporary traffic control (TTC) zones.

Type R (Roadway): Type R HVSA provides daytime and nighttime visual conspicuity enhancement for workers in occupational environments which include exposure to traffic (vehicles using the roadway for purposes of travel) from public access roadway rights-of-way, or roadway temporary traffic control (TTC) zones or from work vehicles and construction equipment within a roadway temporary traffic control (TTC) zone.

Performance Classes: Performance Classes present within each type of HVSA (High Visibility Safety Apparel) are specified in terms of the minimum area of high-visibility materials to be incorporated. Performance Classes provide a range of design options corresponding with the needs of the user in the expected risk environment.

Performance Class 1 (Type O): Provides the minimum amount of high-visibility materials required to differentiate the wearer visually from non-complex work environments, in scenarios in which the struck-by hazards will not be approaching at roadway speeds, and therefore operative detection and identification distances in the work environment can be shorter than in other situations without compromising safety.

Performance Class 2 (Type R): Provides for the use of additional amounts of high-visibility materials, which may allow design opportunities to define the human form more effectively. Performance Class 2 HVSA have the potential to provide longer detection and identification distances, and increased conspicuity performance compared to Performance Class 1 HVSA. **NOTE: Performance Class 2 HVSA is considered a minimum practice for HVSA in roadway rights-of-way and temporary traffic control (TTC) zones.**

Performance Class 3 (Type R): Offers the greater visibility to the wearer in both complex backgrounds and through a full range of body movements by mandatory placement of background, retroreflective and combined-performance materials on sleeves and pant legs (if present). Regardless of the area of materials used, a sleeveless garment or vest alone shall not be considered Performance Class 3.

Supplemental Class E: Pants, bib overalls, shorts, and gaiters shall be designated Class E. Class E items shall not be worn alone for the purposes of meeting HVSA PPE requirements. When a Class E item is worn with Performance Class 2 or Class 3, the overall classification shall be Performance Class 3.

Minimum Areas of Visible Materials

Garment Type	Performance Class	Background Material	Retroreflective or combined Performance Materials	Minimum Width Retroreflective Material
Type O Off-road and Non-Roadway Use	Class 1	0.14 m ² (217 in ²)	0.10 m ² (155 in ²)	25 mm (1 in.)
Type R Roadway and Temporary Traffic Control Zones	Class 2	0.50 m ² (775 in ²)	0.13 m ² (201 in ²)	25 mm (1 in.) 35 mm (1.38 in.)
	Class 3	0.80 m ² (1240 in ²)	0.20 m ² (310 in ²)	25 mm (1 in.) 50 mm (2 in.)
Supplemental Items Pants, Overalls, Shorts, Rain Pants and Gaiters	Class E	0.30 m ² (465 in ²)	0.07 m ² (109 in ²)	25 mm (1 in.) 50 mm (2 in.)



HIGH-VISIBILITY SAFETY VESTS

CORDOVA SAFETY PRODUCTS provides a wide selection of hi-vis safety vests, jackets, and shirts to keep you safe and seen inside and out, no matter the weather.

MODACRYLIC FR VESTS

COR-BRITE®

Modacrylic Safety Vests

Modacrylic fabrics are inherently flame resistant. Safety vests made with Modacrylic fabric offer high visibility and protection against arc flash.



VMFR201

COR-BRITE® Modacrylic Vests

- FR Hook & Loop (#VMFR201) or Zipper Closure
- Lime Modacrylic Mesh
- Heat Applied Reflective Tape
- D-Ring Access
- 3 Pockets: 1 Inside Lower, 1 Outside Chest, 1 Outside Lower



VMFR301

COR-BRITE® Modacrylic Vests

- FR Hook & Loop (#VMFR301) or Zipper Closure
- Lime Modacrylic Mesh
- Heat Applied Reflective Tape
- D-Ring Access
- 3 Pockets: 1 Inside Lower, 1 Outside Chest, 1 Outside Lower



FLAME RESISTANT TERMINOLOGY

NFPA 70E National Fire Protection Association Standard for Electrical Safety in the workplace.

ASTM F1506 Standard Performance Specification for Flame Resistant Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc & Related Thermal Hazards.

ARC FLASH An undesired electric discharge where a flashover of electric current leaves its intended path and through the air between conductors or from a conductor to a ground. The results are often violent and when a human is in close proximity to the arc flash, serious injury and even death can occur.

ARC RATING The value attributed to materials that describes their performance to exposure to an electrical arc discharge. The arc rating is expressed in cal/cm² and is derived from the determined value of the arc thermal performance value (ATPV).

HAZARD RISK CATEGORY (HRC)

Hazard/Risk categories specified under NFPA 70E. The HRC is used to determine the necessary arc rating of a garment worn during a given job task.

BODY PROTECTION: HI-VISIBILITY MODACRYLIC FR SAFETY VESTS

HI-VISIBILITY SELF-EXTINGUISHING VESTS

COR-BRITE®

Self-Extinguishing Vests

Self-extinguishing vests are polyester vests that are treated with a flame retardant. These vests provide protection against incidental sparks. These garments are not flame resistant as defined by ANSI/ISEA 107-2020 Section 105. Not designed for Arc Flash.

Applications: For use with the likelihood of sparks, incidental contact with hot machinery, and non-arc flash applications.



All Cordova® Cor-Brite® Vests and Shirts are now packaged in smaller polybags to accommodate vending machines and to reduce plastics.

We are proud to confirm that we have reduced our packaging in our Hi-Vis categories by 40%.

Services: Imprinting Up to 6 Colors
Vend-Packing Gloves & Sleeves
Private Label Branding & Glove Tagging



COR-BRITE® Self-Extinguishing Vests | #VB3201FR*

- ① 5 Point Breakaway Design
- ② 2-Tone Reflective Tape
- ③ Clear Badge Holder
- ④ Dual Mic Tabs
- ⑤ 4 Pockets: 2 Outside Chest, 2 Inside Lower



Hook & Loop Positioned at Front of Shoulder for added Support and Easy Access

Self-Extinguishing Vest | #VB221PFR*

- NFPA 701, Hook & Loop Closure
- 5-PT Breakaway Design
- 2" Reflective Tape
- 2 Pockets: 1 Outside Lower, 1 Inside Chest Pocket with Hook & Loop Closure



WARNING: This garment is not flame resistant as defined by ANSI/ISEA 107-2015 Section 105. Not designed for Arc Flash

HI-VISIBILITY SURVEYOR'S VESTS

COR-BRITE®

Type R, Class 2 Surveyor's Vests

Surveyor's vests offer convenient features for use in the field, including multiple pockets for equipment, mic tabs, and clear badge holders.



COR-BRITE® Heavy-Duty Surveyor Vests | #VS296 (Lime)



- 1 Lime Mesh Polyester with Gray Nylon Trim
- 2 Non-Conductive Snap Closures
- 3 Large Back Pouch for Tablet or Surveyor's Plans
- 4 Dual Mic Tabs, Carabiner Holes
- 5 D-Ring Pass Through
- 6 Clear Badge Holder
- 7 8 Pockets: 4 Outside 4 Inside



VS272P



VS273P

COR-BRITE® Surveyor Vests

- Orange (#VS272P) or Lime (#VS273P) Polyester Mesh Fabric
- 2", Two-Tone Reflective Tape
- Clear Badge Holder
- Zipper Closure
- 6 Pockets: 2 Inside Lower, 2 Outside Lower, 2 Outside Chest



VS270P



VS271P

COR-BRITE® Surveyor Vests

- Orange (#VS270P) or Lime (#VS271P) Polyester Mesh Fabric
- Non-Conductive Zipper Closure
- 2" Silver Reflective Tape
- 6 Pockets: 2 Inside Lower, 2 Outside Chest, 2 Outside Lower (Outside Pockets include Hook & Loop Closures)



BODY PROTECTION: HI-VISIBILITY SURVEYOR'S VESTS

COR-BRITE® Surveyor Vests | #VS280 (Orange)



- ① Solid Front Fabric & Polyester Mesh Back
- ② Non-Conductive Zipper Closure
- ③ 2" Reflective Tape
- ④ Dual Mic Tabs
- ⑤ 11 Pockets: 8 Outside, 3 Inside
(Accommodates Pad/Pen, Radio/Phone & Flashlight)
- **#VS281**: Lime Color



COR-BRITE® Surveyor Vests

- Orange (**#VS285**) or Lime (**#VS286**) Solid Front Fabric & Polyester Mesh Back, Non-Conductive Zipper Closure
- 2-Tone Contrasting Reflective Tape
- Multiple Pockets for Pad/Pen, Radio/Phone & Flashlight
- Mic Tabs on each Shoulder



COR-BRITE® Safety Vest #V3200

- Orange Polyester Mesh Fabric, Zipper Closure
- 2" Reflective Tape on 4.5" Contrasting Background Tape
- 6 Pockets: 2 Inside Lower, 2 Outside Chest, 2 Outside Lower
- All Pockets Include Hook & Loop Closures, Clear Badge Holder
- **#V3201** : Lime Color



COR-BRITE® Ladies Surveyor Vests

- Lime (**#VW273P**) Polyester Mesh Back, Zipper Closure
- 2-Tone Reflective Tape
- 2 Outside Lower Pockets
- 1 Mic Tab and ID Holder



COR-BRITE® Safety Vest #V3000

- Orange Polyester Mesh Fabric, Zipper Closure
- 2-Inch Reflective Tape
- 3 Pockets: Two Inside Lower, One Outside Chest
- All Pockets Include Hook & Loop Closures, Clear Badge Holder
- **#V3001** : Lime Color



HI-VISIBILITY SAFETY VESTS

Type R, Class 2 Safety Vests


CORDOVA SAFETY PRODUCTS Class 2, Type R, hi-vis safety vests are equipped with a variety of different reflective striping and features, including expandable vests for adjustable fit, multiple pockets and different ratings.



Ladies

COR-BRITE® Mesh Vests | #VW211P (Lime)

- Ladies Lime Mesh Vest
- Hook & Loop Closure, Mic Tab, ID Holder
- 2" Silver Reflective Tape
- 2 Outside Lower Pockets



COR-BRITE® Mesh Vests

- Orange (#VZ250P) or Lime (#VZ251P) Polyester Mesh Fabric
- Non-Conductive Zipper Closure
- 2-Tone Contrasting Reflective Tape
- Pockets: 1 Inside Pocket



COR-BRITE® Mesh Vests

- Orange (#VZ240P) or Lime (#VZ241P) Polyester Mesh Fabric
- Non-Conductive Zipper Closure
- 2" Reflective Tape
- Pockets: 1 Inside Lower



COR-BRITE® Mesh Vests

- Orange (#VZ260P) or Lime (#VZ261P) Polyester Mesh Fabric
- Non-Conductive Zipper Closure
- 2" Reflective Tape
- Pockets: 1 Inside Lower, 1 Outside Chest



COR-BRITE® Mesh Vests

- Orange (#V210P) or Lime (#V211P) Polyester Mesh Fabric
- Hook & Loop Closure
- 2" Silver Reflective Tape
- No Pockets





COR-BRITE® Mesh Vests

- Orange (#V220) or Lime (#V221) Solid Fabric
- Hook & Loop Closure
- 2" Silver Reflective Tape
- No Pockets



COR-BRITE® Expandable Vests

- Orange (#VS290P) or Lime (#VS291P) Polyester Mesh Fabric
- 2-Tone Contrasting 4.5" Reflective Tape
- Pockets: 5 Outside, 2 Inside
- Dual Mic Tabs & Clear Badge Holder
- Sizes: S/XL, 2XL/5XL



COR-BRITE® Mesh Vest | #V241P

- Lime Polyester Mesh Fabric
- Hook & Loop Closure
- 2" Silver Reflective Tape
- Pockets: 1 Inside Lower



COR-BRITE® Mesh Vests | #VZB241P (Lime)

- Lime Mesh Vest
- Zipper Closure, One Mic Tab, ID Holder
- 2" Silver Reflective Tape
- 2 Outside Lower Pockets



COR-BRITE® 5-Point Breakaway Vests

- Orange (#VB230P) or Lime (#VB231P) Polyester Mesh Fabric
- Hook & Loop Closure, 2" Reflective Tape
- Pockets: 1 Outside Lower, 1 Inside Lower with Hook & Loop Closure



COR-BRITE® Class 3 Vests

- Orange (#V3000) or Lime (#V3001) Polyester Mesh Fabric
- Non-Conductive Zipper Closure, 2" Reflective Tape
- Pockets: 2 Inside Lower, 1 Outside Lower, 1 Outside Chest with 4-Division Pen Pocket (all pockets include Hook & Loop Closures)



NON-RATED SAFETY VESTS

COR-BRITE®

Non-Rated Safety Vests

CORDOVA SAFETY PRODUCTS non-rated safety vests make sure you are safe and seen. These vest are for general-purpose use including event management, parking lot attendants, and crossing guards.



Non-Rated Safety Vests

- Orange (#V100*) or Lime (#V101*) Polyester Mesh Fabric
- Hook & Loop Closure
- No Reflective Tape
- One Size Fits Most



Non-Rated Safety Vests

- Orange (#V120L*) or Lime (#V121W*) Polyester Mesh Fabric
- Hook & Loop Closure
- 2" Reflective Gloss Tape
- One Size Fits Most




Non-Rated Safety Vests

- Orange (#V110L*) or Lime (#V111W*) Polyester Mesh Fabric
- Hook & Loop Closure
- 1" Reflective Gloss Tape
- One Size Fits Most



COR-BRITE® Mest Vest | #VZB242P (Lime)

- Black Mest Vest
- Zipper Closure, One Mic Tab, ID Holder
- 2 Tone Reflective Tape
- 2 Outside Lower Pockets



⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

BODY PROTECTION: HI-VISIBILITY NON-RATED SAFETY VESTS



HIGH-VISIBILITY **SAFETY APPAREL**

CORDOVA SAFETY PRODUCTS provides a wide selection of hi-vis safety jackets, t-shirts, and pants to keep you safe and seen inside and out, no matter the weather.

HI-VISIBILITY T-SHIRTS

Comfort Stretch Shirts

CORDOVA SAFETY PRODUCTS provides a variety of hi-vis t-shirts to be sure you are safe and seen. Our COR-BRITE™ line of hi-vis apparel features both Comfort-Stretch fabric and Birdseye mesh fabric. Comfort-Stretch is an ultralight polyester/spandex blend and is equipped with segmented reflective tape. The Birdseye mesh fabric provides moisture-wicking that draws moisture away from the skin to accelerate cooling. It is available with or without reflective tape.



COR-BRITE® HI-VIS APPAREL



COR-BRITE® T-Shirt | #V461

- Ultralight Lime Polyester/Spandex Stretch Fabric
- Perforated Panels in High Perspiration Areas
- Segmented Reflective Tape



COR-BRITE® Long Sleeve Shirt | #V561

- Ultralight Lime Polyester/Spandex Stretch Fabric
- Perforated Panels in High Perspiration Areas
- Segmented Reflective Tape



COR-BRITE® Long Sleeve T-Shirt | #V611

- Ultralight Lime Polyester/Spandex
- Long Sleeves, Attached Hood
- 2-Inch Silver Reflective Tape



COR-BRITE® T-Shirt | #V471

- Ultralight Lime Polyester/Spandex Stretch Fabric
- Gray V-Neck & Side Panels
- Segmented Reflective Tape



COR-BRITE® Long Sleeve Shirt | #V571

- Ultralight Lime Polyester/Spandex Stretch Fabric
- Gray V-Neck & Side Panels
- Segmented Reflective Tape



COR-BRITE®

HI-VIS APPAREL



COR-BRITE® Short Sleeve Shirt

- Orange (#V130) or Lime (#V131)
- Birdseye Mesh Fabric
- Moisture Wicking
- Chest Pocket
- Non-Rated



COR-BRITE® Long Sleeve Shirts

- Orange (#V140) or Lime (#V141)
- Birdseye Mesh Fabric
- Moisture Wicking
- Chest Pocket
- Non-Rated



COR-BRITE® Sleeveless Shirts | #V421

- Orange (#V420) or Lime (#V421)
- Birdseye Mesh Fabric
- Moisture Wicking
- 2" Silver Reflective Tape
- Chest Pocket



COR-BRITE® Short Sleeve Shirts

- Orange (#V410) or Lime (#V411)
- Birdseye Mesh Fabric
- Moisture Wicking
- 2" Silver Reflective Tape
- Chest Pocket



COR-BRITE®

HI-VIS APPAREL



COR-BRITE® Long Sleeve Shirts

- Orange (#V510) or Lime (#V511)
- Birdseye Mesh Fabric
- Moisture Wicking
- 2" Silver Reflective Tape
- Chest Pocket



COR-BRITE® Short Sleeve Shirts

- Orange (#V430) or Lime (#V431)
- Birdseye Mesh Fabric
- Moisture Wicking
- 2" Silver Reflective Tape
- Chest Pocket



COR-BRITE® Short Sleeve Shirt

- Orange (#V450) or Lime (#V451)
- Moisture Wicking Mesh Fabric
- 2" Silver Reflective Tape
- Black Front Panels
- Chest Pocket



COR-BRITE® Long Sleeve Shirt | #V501

- Lime Birdseye Mesh Fabric
- Moisture Wicking
- 2" Silver Reflective Tape
- Black Front Panels
- Chest Pocket



BODY PROTECTION: HI-VISIBILITY MOISTURE WICKING BIRDSEYE FABRIC SHIRTS

COR-BRITE®

HI-VIS APPAREL



Ladies



COR-BRITE® Polyester Shirt | #VW461 (Lime)

- Lime (#VW461) Birdseye Polyester Mesh Back, Hook & Loop Closure
- 2" Silver Segmented Tape
- Hook & Loop Closure



COR-BRITE® Polyester Shirt | #VSB151

- Black Birdseye Polyester Shirt
- One Mic Tab, Short Sleeves
- Segmented Two-Tone Reflective Tape
- Chest Pocket
- Non-Rated

M-4XL



COR-BRITE® Polyester Shirt | #VSB161

- Black Birdseye Polyester Shirt
- One Mic Tab, Long Sleeves
- Segmented Two-Tone Reflective Tape
- Chest Pocket
- Non-Rated

M-4XL

BODY PROTECTION: HI-VISIBILITY POLYESTER SHIRTS

HI-VISIBILITY PANTS & LEG GAITERS

Hi-Vis Pants & Leg Gaiters

Hi-Vis pants and gaiters provide an extra level of visibility. Pair with a hi-vis shirt or jacket for full-body coverage.

COR-BRITE® HI-VIS APPAREL



COR-BRITE® Leg Gaiters

- Orange (#VLG100) or Lime (#VLG101)
- 3 Hook & Loop Straps
- Elastic at Both Ends
- Mesh with Silver Reflective Tape

CLASS ONE SIZE
E FITS MOST



COR-BRITE® Leg Gaiters

- Orange (#VLG200) or Lime (#VLG201)
- 3 Hook & Loop Straps
- Elastic at Both Ends
- Mesh with 2-Tone Reflective Tape

CLASS ONE SIZE
E FITS MOST



COR-BRITE® Pants | #P101

- Lime
- Elastic/Drawstring Waist
- 2" Silver Reflective Tape
- Hook & Loop Closures at Ankles
- Back Pocket with Hook & Loop Closure
- Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL

CLASS
E

COR-BRITE®

HI-VIS APPAREL

SJ400



COR-BRITE® Hooded Sweatshirts

- Orange (#SJ400) or Lime (#SJ401) Sweatshirt Jacket
- 300g Polyester Fleece Fabric
- 2" Reflective Tape & Mic Tabs
- Black Knit Wrists & Pouch Pocket
- Side Chest Pocket with Zipper
- #SJ501H: Lime, 2" Heat-Applied Reflective Tape



COR-BRITE® HI-VIS APPAREL



SJ601

SJ501H

COR-BRITE® Hooded Sweatshirts | #SJ601

- Type R, Class 3, Lime
- 280-Gram Polyester Fleece Fabric
- Detachable Hood
- Zipper Closure, Two Front Pockets
- Vertical Zip Chest Pocket
- Use as Zip-In Liner for #PK401 Parka

COR-BRITE® Hooded Sweatshirts | #SJ501H

- Type R, Class 3, Lime
- 300-Gram Polyester Fleece Fabric
- Birdseye Polyester Lined Hood
- Zipper Closure & Zipper Chest Pocket
- 2-Inch, Heat-Applied Reflective Tape
- Black Knit Wrists & Pouch Pockets, Mic Tabs
- #SS201H: Heat-Applied Reflective Tape Sweatshirt



HI-VISIBILITY REPTYLE®



Reptyle® Work Wear

The CORDOVA SAFETY PRODUCTS brand Reptyle® work jackets feature wind and weather-proof shells with interior liners and hoods to address a variety of outdoor applications.



Reptyle® Quilted Bib Pants | BIB401

- Lime, PU-Coated Quilted Lining Polyester Shell, Snap Fly
- Adjustable Suspenders
- Adjustable Hook & Loop at Ankles
- Reflective Segmented Stripes, 2 Chest Pockets

*Zip in the SJ601 COR-BRITE® sweatshirt for added warmth (sold separately)
See page 101.*



Reptyle® 3-in-1 Bomber Jackets

- Orange (#J300) or Lime (#J301) PU-Coated 300-Denier Polyester Shell
- Zip-Out Fleece Jacket
- Concealed, Detachable Hood
- 2" Reflective Tape, Mic Tabs & Badge Holder
- 8 Pockets: Chest, Cell Phone, Inside/Outside, Pencil



Reptyle® Parka Jacket | #PK401

- PU-Coated 300-Denier Polyester Shell
- Waterproof, Double Zippers & Storm Flap
- Hi-Vis Lime with 2-Inch, Segmented Reflective Tape
- Concealed/Detachable Hood
- 10 Pockets, Hook & Loop Wrist Closures, Dual Mic Tabs



BODY PROTECTION: HI-VISIBILITY REPTYLE WORK WEARS

HI-VISIBILITY JACKETS

Hi-Vis Jackets

COR-BRITE® from CORDOVA SAFETY PRODUCTS provide the warmth, comfort and protection in colder weather that you need to be safe and seen. Our low-pilling fleece fabric resists abrasion for longer wear.



Reptyle® Quilted Bomber Jackets

- Lime (#J221) PU-Coated 300-Denier Polyester Shell
- Attached, Black Quilted Lining
- Concealed, Attached Hood
- 2" Reflective Tape & Mic Tabs
- 7 Pockets: Chest, Cell Phone, Inside/Outside



Reptyle® 2-Piece Rain Suit | #SPR3GSB

- Lime & Black PU Coated Waterproof Polyurethane/Polyester Fabric
- Two Vertical Reflective Stripes & Two Horizontal Stripes on Body & Sleeves
- Attached Drawstring Hood, Zipper Front Closure and Hook & Loop Wrist Closures
- Two Lower Flap Pockets
- Two Horizontal Reflective Stripes



Reptyle® Insulated Jacket #J350

- Lime, PU Coated, 100 Denier Polyester Shell
- Breathable/Waterproof, Segmented Tape
- Concealed, Attached Hood
- Quilted Lining, Interior Silver Warming Panel
- 4 Zippered Pockets, Black Front Panel, Badge Holder



BACK PROTECTION BACK SUPPORT BELTS

Back Support Belts

CORDOVA'S back support belts are designed to provide relief from lower back pain and reduce repetitive back strain and discomfort.



Back Support Belt | #SB

- Smooth-Glide, Adjustable Clips
- Tapered Abdominal Support Panels
- Quick-Adjust, Elastic Outer Panels
- 1.25" Extra-Wide Elastic Suspenders

S-3XL



Breakaway Back Support Belt | #BSB01

- Smooth-Glide, Adjustable Clips
- Tapered Abdominal Support Panels
- Quick-Adjust, Elastic Outer Panels
- 1.25" Extra-Wide Breakaway Suspenders

S-3XL



Hi-Vis Back Support Belt | #SB100

- Smooth-Glide, Adjustable Clips
- Tapered Abdominal Support Panels
- Quick-Adjust, Elastic, Hi-Vis Yellow Outer Panels
- 1.25" Extra-Wide Breakaway Suspenders

S-3XL



Hi-Vis Back Support Belt | #SB200

- Smooth-Glide, Adjustable Clips
- Tapered Abdominal Support Panels
- Quick-Adjust, Elastic, Hi-Vis Orange Outer Panels
- 1.25" Extra-Wide Breakaway Suspenders

S-3XL

WAIST & BELT SIZING

WAIST SIZE	BELT SIZE
25"-30"	SMALL
30"-34"	MEDIUM
34"-38"	LARGE
38"-42"	X-LARGE
42"-46"	2X-LARGE
46"-52"	3X-LARGE

BODY PROTECTION: BACK SUPPORT BELTS



DISPOSABLE PROTECTION

CORDOVA SAFETY PRODUCTS supplies a variety of disposable protection apparel for applications such as asbestos and lead abatement, environmental cleanups, food processing, inspection and more.

DISPOSABLE PROTECTION DEFENDER™

DEFENDER™ premium, protective clothing is constructed of tough, composite fabric that combines breathable microporous film and soft non-woven polyolefin. It provides an effective barrier against particulates, aerosols, and liquids while maintaining comfort. It is designed for work environments where hazardous and non-hazardous liquid and dry particulate contaminants may be present.

Applications: Agriculture, Mold Remediation, Asbestos & Lead Abatement, Laboratories, Environmental Cleanups, Pesticides, Food Processing, Sanitation Engineering, Inspection, Pharmaceutical Manufacturing, Clinics & Hospitals.



DEFENDER™ Features

- Serged Seams
- Zipper Front
- Anti-Static
- ANSI/ISEA 101-Compliant Sizing
- ASTM 1670 Blood Penetration: Pass



CP



CPH



CPHB

DEFENDER™ Coveralls



ITEM NO.	COLLAR	WRISTS	ANKLES	HOOD	BOOTS
CP	X	OPEN	OPEN		
CPE	X	ELASTIC	ELASTIC		
CPH		ELASTIC	ELASTIC	X	
CPHB		ELASTIC	ELASTIC	X	X



CPS18

CPA28

DEFENDER™ Apron & Sleeve

- DEFENDER™ Apron (#CPA28)
24" x 46", Bib-Style
- DEFENDER™ Sleeve (#CPS18)
18" Length, Elastic at Both Ends



CPE

DISPOSABLE PROTECTION DEFENDER II™

DEFENDER II™ premium protective clothing is a lighter, cooler version of the original. Constructed of slightly lighter weight microporous fabric, DEFENDER II™ apparel provides durable protection in work environments where hazardous & non-hazardous liquid and dry particulate contaminants may be present.

Applications: Agriculture, Mold Remediation, Asbestos & Lead Abatement, Laboratories, Environmental Cleanups, Pesticides, Food Processing, Sanitation Engineering, Inspection, Pharmaceutical Manufacturing, Clinics & Hospitals.



DEFENDER II™ Features

- Serged Seams
- Zipper Front
- Anti-Static
- Elastic Waist
- ANSI/ISEA 101-Compliant Sizing
- ASTM 1670 Blood Penetration: Pass



MP100



MP200



MP400

DEFENDER II™ Coveralls



ITEM NO.	COLLAR	WRISTS	ANKLES	HOOD	BOOTS	CASE/PACK
MP100	X	OPEN	OPEN			25/EA
MP200	X	ELASTIC	ELASTIC			25/EA
MP300		ELASTIC	ELASTIC	X		25/EA
MP400		ELASTIC	ELASTIC	X	X	25/EA



MPLAB100



MPLAB200

DEFENDER II™ Lab Coats



ITEM NO.	WRISTS	FRONT	POCKETS	CASE/PACK
MPLAB100	OPEN CUFFS	SNAPS		30/EA
MPLAB200	X	SNAPS	3	30/EA



MP300

BODY PROTECTION: DEFENDER II™ DISPOSABLE PRODUCTS



DEFENDER II™ Apron & Sleeve

- DEFENDER II™ Apron (#MPA100)
24" x 46", Bib-Style, 100 each
- DEFENDER II™ Sleeve (#MPS100)
18" Length, Elastic at Both Ends
200 each



MPS100



DEFENDER II™ Shoe Cover | #MPSCL

- Elastic Closure
- No Tread
- One Size Fits Most
- 200 Each



SHOE & SHOE COVER SIZING

SHOE SIZE	SHOE COVER SIZE
8.5 - 10	L
10.5 - 12	XL
13 +	2XL

BODY PROTECTION: DEFENDER II™ & DEFENDER FR™ DISPOSABLE PRODUCTS



DEFENDER FR™

DEFENDER FR™ disposable coveralls are designed to prolong the life of primary FR garments by providing a secondary level of protection against sparks, splashes, and spills. They are chemically treated to meet the flame resistance requirements of NFPA 701-2010 and provide protection in work environments where hazardous and non-hazardous liquids and dry particulate contaminants may be present.

Applications: (Refineries, Mining, Utilities, Welding, Plant Visitors, Laboratories, Steel Mills, Grinding Foundries, Clinics & Hospitals)



FRC150

DEFENDER FR™ Coveralls | #FRC400

- Elastic Wrists & Back
- Hood & Boots
- Self-Extinguishing Coverall



FRC400

DEFENDER FR™ Coveralls | #FRC150

- Elastic Wrists & Back
- Self-Extinguishing Coverall
- Collar with Covered Zip Front



ITEM #	COLLAR	WRISTS	ANKLES	HOOD	BOOTS	SIZE
FRC150	X	ELASTIC	OPEN			M-5XL
FRC400		ELASTIC	ELASTIC	X	X	L-5XL

DISPOSABLE PROTECTION C-MAX™

CORDOVA'S C-MAX™ protective coveralls are made with durable, breathable SMS fabric. SMS is composed of three layers of polypropylene material. One layer of melt-blown polypropylene is sandwiched between two layers of spun-bonded polypropylene to provide outstanding protection against splashes and particulates. This unique fabric give the C-MAX™ coverall excellent abrasion and liquid resistance, making them suitable for work environments where hazardous and non-hazardous liquid and dry particulate contaminants may be present.

Applications: Asbestos & Lead Abatement, Food Processing, Spray Painting, Tank Cleaning, Mold Remediation Laboratories, Clinics & Hospitals.



C-MAX™ Features

- Serged Seams
- Zipper Front
- Elastic Waist

Certification/Rating

- ANSI/ISEA 101 Compliant Sizing



C-MAX™ Coveralls



ITEM NO.	LAB COAT	WRISTS	ANKLES	HOOD	BOOTS	SIZE
SMS100	X	OPEN	OPEN			M-4XL
SMS200	X	ELASTIC	ELASTIC			M-4XL
SMS300		ELASTIC	ELASTIC	X		M-4XL
SMS400		ELASTIC	ELASTIC	X	X	M-5XL
SMS900	X	ELASTIC	ELASTIC			M-4XL
SMS910		ELASTIC	ELASTIC	X	X	M-4XL
SMSLAB	X			X	X	M-5XL

BODY PROTECTION: C-MAX™ DISPOSABLE COVERALLS

DISPOSABLE PROTECTION POLYPROPYLENE

CORDOVA polypropylene disposable coveralls are available in three fabric weights that provide varying levels of breathability and workplace protection where hazardous and non-hazardous dry particulate contaminants may be present. All feature a zipper front and comply with ANSI/ISEA 101 sizing standard.

Applications: Laboratories, Food Preparation, Inspection, Assembly Operations, Spray Painting.



CORDOVA™ Polypropylene Coveralls



ITEM NO.	WEIGHT	COLLAR	WRISTS	ANKLES	HOOD	BOOTS	SIZE
COE	ECONOMY	X	ELASTIC	ELASTIC			L-3XL
COEH	ECONOMY		ELASTIC	ELASTIC	X		L-4XL
COEHB	ECONOMY		ELASTIC		X	X	L-3XL
CO35	STANDARD	X	ELASTIC	ELASTIC			S-4XL
COHB35	STANDARD		ELASTIC		X	X	L-4XL
CO55	HEAVY	X	ELASTIC	ELASTIC			L-4XL
COHB55	HEAVY		ELASTIC		X	X	L-4XL

C035



Polypropylene Lab Coat | #LC55

- Heavyweight Fabric
- Collar & Snap Button Front
- 3 Pockets: 1 Chest, 2 Side
- Open Wrist
- **#LC55EP**: 2 Side Pockets, Elastic Wrists
- **#LC25**: Industry Weight, No Pockets, Elastic Wrists



Polypropylene Shoe Cover | #SC40

- Blue, Non-Skid Soles
- Latex-Free
- Case Pack: 400 each
- **#CPESCXL PE**: Blue, Waterproof



Polypropylene Gown | #PPGOWN100

- Yellow Spunbonded Fabric
- Open Back with Neck & Waist Ties
- Elastic at Wrist



BODY PROTECTION: POLYPROPYLENE DISPOSABLE COVERALLS

DISPOSABLE PROTECTION VINYL & POLYETHYLENE

Our disposable vinyl aprons and sleeves are available in 4-8 mil thicknesses for use in a variety of applications. Polyethylene aprons and sleeves are available in 1.25-2.0 mil thickness.

Applications: Laboratories, Food Preparation, Inspection, Assembly Operations, Spray Painting.



PA2846



RA06B51*



RS06C*

Polyethylene Aprons and Sleeves

- Die-Cut Aprons
- Elastic at Both Ends (Sleeves)



ITEM NO.	STYLE	MIL	COLOR	SIZE	PACKAGED
PA2846	APRON	1.25 MIL	WHITE	28" x 46"	1000/Case
PA1000	APRON	1.25 MIL	WHITE	28" x 46"	100/Polybag, 1000/Case
PA2A	APRON	2 MIL	WHITE	28" x 46"	500/Case
PS18W	SLEEVES	1.25 MIL	WHITE	18" L	1000/Case
PS18B	SLEEVES	1.25 MIL	BLUE	18" L	1000/Case
PS18C	SLEEVES	1.25 MIL	CLEAR	18" L	1000/Case
PS18W2	SLEEVES	1.25 MIL	WHITE	18" L	2000/Case

Vinyl Aprons and Sleeves

- Tied Strings (Aprons)
- Elastic at Both Ends (Sleeves)
- Sewn Edges (Aprons)



ONE SIZE
FITS MOST

ITEM NO.	STYLE	MIL	COLOR	SIZE
RA04B48*	APRON	4 MIL	BLUE	36" x 48"
RA06C48*	APRON	6 MIL	CLEAR	36" x 48"
RA06B48*	APRON	6 MIL	BLUE	36" x 48"
RA06B51*	APRON	6 MIL	BLUE	36" x 51"
RA08C48*	APRON	8 MIL	CLEAR	36" x 48"
RA08B48*	APRON	8 MIL	BLUE	36" x 48"
RS04B*	SLEEVES	4 MIL	BLUE	18" L
RS06C*	SLEEVES	6 MIL	CLEAR	18" L
RS06B*	SLEEVES	6 MIL	BLUE	18" L
RS06C*	SLEEVES	8 MIL	CLEAR	18" L
RS08B*	SLEEVES	8 MIL	BLUE	18" L

RA08C48

⚠️ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DISPOSABLE PROTECTION PVC & DENIM

Get repeated uses out of the heavyweight aprons and sleeves from CORDOVA SAFETY PRODUCTS.

Applications: Automotive Manufacturing, Assembly Operations, Shipping & Receiving.

BODY PROTECTION: DISPOSABLE HEAVYWEIGHT APRONS & SLEEVES



Adjustable Attached Tie



Split Leg Tie



StormFront™ Apron | #RA35Y*

- .35mm
- Yellow PVC/Polyester
- Attached Ties
- 35" W x 46" L



Commander™ Apron | #RNA01

- .50mm, Black Neoprene/Nylon
- Split-Leg Design
- Self-Extinguishing: ASTM D6413
- 34.5" W x 44" L



DA2T

Denim Aprons & Sleeves



ITEM NO.	GROMMETS	POCKETS	SIZE
DA0	X		28" x 36"
DA1	X	1 CHEST	28" x 36"
DA2	X	1 CHEST, 1 WAIST	28" x 36"
DA2T	SEWN-IN DENIM TIES	1 CHEST, 1 WAIST	28" x 36"


ITEM NO.	DESCRIPTION	SLEEVE ENDS	SIZE
DS18	DENIM SLEEVE	ELASTIC AT BOTH ENDS	18" L

⚠ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DISPOSABLE PROTECTION HAIR & BEARD COVERS

All CORDOVA hair and beard covers comply with FFDCA Guidelines for Food Contact 21 CFR, Parts 170-199.

Applications: Food Processing, Bakeries, Food Service, Electronics, Assembly, Warehousing



Polypropylene Bouffant Caps

- Pleated Models Available
- Latex Free
- Yellow, Green, Red, Blue, or White



ITEM NO.	COLOR	SIZE	DESCRIPTION	CASE PACK
BC19	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19"		500/EA
BC19/10	<input type="checkbox"/>	19"		1000/EA
PBC19/10	<input type="checkbox"/>	19"	PLEATED	1000/EA
BC21	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	21"		500/EA
BC21/10	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	21"		1000/EA
PBC21/10	<input type="checkbox"/> <input type="checkbox"/>	21"	PLEATED	1000/EA
BC24	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24"		500/EA
BC24/10	<input type="checkbox"/> <input type="checkbox"/>	24"		1000/EA
PBC24/10	<input type="checkbox"/> <input type="checkbox"/>	24"	PLEATED	1000/EA

HN19BR/10



Nylon Hair Nets

- Latex Free
- Brown, White, Blue, Black



ITEM NO.	COLOR	SIZE	CASE PACK
HN19/10	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19"	1000/EA



Beard Covers

- Latex Free
- Blue & White



ITEM NO.	COLOR	MATERIAL	CASE PACK
BR1/10	<input type="checkbox"/>	POLYPROPYLENE	1000/CASE
BR1/5	<input type="checkbox"/>	POLYPROPYLENE	500/CASE
BR200	<input type="checkbox"/>	POLYPROPYLENE	500/CASE
BN/10	<input type="checkbox"/>	NYLON	1000/CASE

Head/Beard Cover

- Blue #PPHOODB100 or White #PPHOODW100 Polypropylene
- 10 GSM Fabric
- 100 pieces per bag



Spray Sock | #SSOCK

- 100% Cotton
- Serged Seams
- 100 Pieces/Case



COLOR KEY

<input type="checkbox"/> WHITE	<input type="checkbox"/> BLUE
<input type="checkbox"/> BLACK	<input type="checkbox"/> GREEN
<input type="checkbox"/> BROWN	<input type="checkbox"/> RED
	<input type="checkbox"/> YELLOW

COLOR CODES

BOUFFANT CAPS
W = White G = Green
B = Blue Y = Yellow
R = Red

BEARD COVERS¹ & HAIR NETS
W = White BR = Brown
BLUE = Blue BLACK = Black



RAIN PROTECTION

CORDOVA SAFETY PRODUCTS supplies a wide-selection of rain protection gear, from rain suits to ponchos, in a variety of lengths, sizes, and price ranges. Boots are also available.

RAIN PROTECTION REPTYLE™



Reptyle® rain suits feature a hi-vis lime, polyurethane/polyester fabric with 2-inch Reflective Tape. Jackets offer attached drawstring hoods and adjustable wrist closures.

2-Piece Rain Suit | #SPR3GS**



Attached Hood with Drawstring



Hook & Loop Wrist Closures



Elastic Waist with Drawstring



Snap Closures at Ankles



Zipper Closure with Protective Collar



REPTYLE® 2-Piece Rain Suit | #SPR3GSB

1. 2-PC Rain Suit: Jacket & Pants
2. Waterproof Polyurethane/Polyester Fabric
3. Jacket: Two Vertical Reflective Stripes & Black Bottom Sleeve
4. Two Horizontal Stripes on Body & Sleeves
5. Zipper Front Closure and Hook & Loop Wrist Closures
6. Two Lower Flap Pockets. Pants: Elastic Waist & Black Bottom Pants
7. Two Horizontal Reflective Stripes

M-5XL



HOOK & LOOP

TYPE R
CLASS 3


⚠️ ** WARNING: Cancer - www.P65Warnings.ca.gov

RAIN PROTECTION STORMFRONT™

STORMFRONT™

STORMFRONT™ FR™
FLAME RESISTANT

StormFront™ rain gear is our most popular rain brand of rain protection. It is constructed of yellow or lime, .35mm PVC/Polyester fabric and is available as rain suits or separate jackets and pants. Also available in hi-vis and self-extinguishing



StormFront™ 3-PC Rain Suit | #RS353Y*

- 3-PC Rain Suit: Jacket & Bib Pants
- Detachable Hood with Drawstring
- Ventilated Cape Back & Underarms
- 2 Flapped Pockets
- Storm Fly Front + Zipper & Snap Buttons
- Bib-Style Pants + Suspenders & Snap Fly

S-7XL



StormFront-FR™ 3-PC Rain Suit | #R9023FR*

- 3-PC Rain Suit
- Yellow, 0.35 mm. PVC/Polyester Fabric
- Self-Extinguishing
- Detachable Hood with Drawstring
- Corduroy Collar
- Ventilated Cape Back & Underarms
- Two Flapped Pockets
- Storm Fly Front with Zipper & Snap Buttons
- Bib-Style Pants with Suspenders & Snap Fly

M-7XL



StormFront™ 2-PC Rain Jacket | #RJ352Y*

- 2-PC Rain Jacket: Jacket & Hood
- Detachable Hood with Drawstring
- Ventilated Cape Back & Underarms
- 2 Flapped Pockets
- Storm Fly Front + Zipper & Snap Buttons

S-4XL

RAIN WEAR SIZE CHART

RAIN WEAR SIZE	JACKET SIZE	PANTS SIZE
Small	34-36	28-30
Medium	38-40	32-34
Large	42-44	36-38
X-Large	46-48	40-42
2X-Large	50-52	44-46
3X-Large	54-56	48-50
4X-Large	58-60	52-54
5X-Large	62-64	56-58
6X-Large	66-68	60-62
7X-Large	70-72	64-66

⚠️ *WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

RAIN PROTECTION RIPTIDE™ & RENEGADE™

RIPTIDE™ RENEGADE™ Raincoats

All RipTide™ and Renegade™ rain gear features .35mm PVC/polyester fabric for rain protection. They also come equipped with detachable hoods with drawstrings, corduroy collars for comfort, and ventilated cape backs and/or underarms for cooling.



Renegade™ 2-PC Rain Coat: 60-Inch | #RC35B60*


- 2-PC Rain Coat, Black
- 1 Flapped Pocket
- Detachable Hood with Drawstring
- Ventilated Cape Back & Underarms
- #RC35Y60*: Yellow (S-3XL)
- #R9632FRC*: Black, Self-Extinguishing (M-5XL)

S-5XL

Renegade™ Rain Coat: 49-Inch | #RC35Y*

- 2-PC Rain Coat, Yellow
- 2 Flapped Pockets

S-5XL



RipTide™ 2-PC Rain Suit | #HV353Y*

- #HV353Y*: Hi-Vis Yellow, #HV353G*: Hi-Vis Green
- 2-PC Rain Suit: Jacket & Bib Pants
- Detachable Hood with Drawstring
- Corduroy Collar
- Ventilated Cape Back & Underarms
- 2 Flapped Pockets
- Storm Fly Front + Zipper & Snap Buttons
- Bib-Style Pants + Suspenders & Snap Fly

S-6XL



* WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

RAIN PROTECTION DEFIANCE-FR™

DEFIANCE FR™


DEFIANCE-FR™ rain gear is constructed of yellow, .28 mm PVC/Nylon fabric. It is self-extinguishing per ASTM D6413 and not designed for Arc Flash. This two-piece rain coat features a 60-inch length, detachable hood with drawstring and storm-fly front with snap buttons, and one flapped pocket.



Defiance FR™ 3-PC Rain Suit | #R8023FR*

- 3-PC Rain Suit: Jacket & Bib Pants
- Detachable Hood with Drawstring
- Storm Fly Front + Zipper & Snap Buttons
- Bib-Style Pants + Suspenders & Snap Fly

SE S-5XL



Defiance FR™ 2-PC Rain Coat: 60-Inch | #R8622FRC*

- Detachable Hood with Drawstring
- Storm Fly Front + Zipper & Snap Buttons
- 1 Flapped Pocket
- 60" Length

SE S-3XL



RAIN PROTECTION APEX-FR™




CORDOVA SAFETY PRODUCTS chemical suits are self-extinguishing per ASTM D6413. They are not designed for Arc Flash. They are equipped with an attached hood with drawstring, storm-fly front with zipper, and inner sleeves with elastic wrist closures.

CHEMICAL PERMEATION: ASTM F739-07

CHEMICAL	BREAKTHROUGH TIME
Sulfuric Acid (98%)	150 minutes
Nitric Acid (70%)	420 minutes

Apex-FR™ 2-PC Chemical Suit | #RS452G*

- Green, 45 Mil Thickness
- Attached Hood with Drawstring
- Storm Fly Front + Zipper
- Bib-Style Pants + Suspenders
- ASTM D6413



SE **M-7XL**



Rain Poncho | #RP10B*

- Attached Hood with Drawstring
- Snap Buttons at Side
- .10 mm Single-Ply PVC Fabric
- Also available in Orange (**RP10O**), and Clear (**RP10C**)

**ONE SIZE
FITS MOST**



⚠ *WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FOOT PROTECTION

CORDOVA SAFETY PRODUCTS offers a variety of boots designed to keep feet safe and dry. Choose from over-the-shoe or over-the-sock in rubber or PVC.



FOOT PROTECTION RUBBER BOOTS

Rubber Boots

CORDOVA SAFETY PRODUCTS rubber boots are heavy-duty and ozone resistant. They feature tough, ribbed soles for traction and are snag, cut, and abrasion-resistant.

Applications: Protection against acids, alcohols, and most water-based chemicals.



Slush Boots | #BYS

- Hi-Vis Yellow Rubber Uppers
- Cotton-Lined
- Black Ribbed Soles, Plain Toe
- Top Strap & Buckle Adjustments
- Over Shoe Style

**Order 2 Sizes Larger*



Steel-Toe Boots | #BST

- Cotton-Lined, Black & Yellow Uppers
- Black Ribbed Soles
- ASTM F2413 Steel Toe & Shank
- Over Sock Style



Hip Boots | #BH

- Cotton-Lined, Black Uppers
- Black Ribbed Soles, Plain Toe
- Thigh Adjustment Straps
- Over Sock Style



Steel-Toe Hip Boots | #BHS

- Cotton-Lined, Black Uppers
- Black Ribbed Soles
- Thigh Adjustment Straps
- ASTM F2413 Steel Toe & Shank
- Over Sock Style



FOOT PROTECTION PVC & HAZMAT BOOTS



PVC & HAZMAT Boots

PVC Boots resist solvents, animal fats, light acids, alcohols and oil-based chemicals. They feature cut-off bands for height adjustment, punch-out holes for easy hanging, and kick-off spurs for quick removal.




Black Steel Toe PVC Boots | #PB22*

- Cotton-Lined, Black Steel Toe Uppers
- EVA Insoles, Black Soles
- ASTM F2413 Steel Toe
- Over Sock Style



Black PVC Boots | #PB23*

- Cotton-Lined, Black Uppers
- EVA Insoles, Black Soles
- Over Sock Style



Yellow Steel Toe PVC Boots | #PB33*

- Cotton-Lined, Yellow Steel Toe Uppers
- EVA Insoles, Black Soles
- Meets ASTM 2413-05
- Over Sock Style



HAZMAT BOOT SIZING

SHOE SIZE	OVER SHOE SIZING
6.5 - 8	S
8 - 9.5	M
9.5 - 11	L
11 - 12.5	XL
12.5 - 14	2XL
14+	3XL

Fits over existing footwear. Slip-Resistant Textured Soles.
Component materials meet all Federal Regulations for Food Contact Applications.



Hazmat-Nuke Boots | #LBC10

- UnLined, Yellow Color
- Textured/Ribbed Sole
- Natural Rubber Latex
- Over Shoe Style



* **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov
 †† **WARNING:** This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

BODY PROTECTION: PVC & HAZMAT BOOTS

ABOVE THE NECK
PROTECTION



CORDOVA
SAFETY PRODUCTS





EYE PROTECTION

CORDOVA SAFETY PRODUCTS provides a wide-ranging selection of eye protection, including safety glasses, safety goggles, and eyewear accessories. Select from several different styles and brands.

ABOVE THE NECK PROTECTION

EYE PROTECTION MACHINIST® LITE

MACHINIST®

CORDOVA'S MACHINIST® LITE safety glasses offer outstanding durability and extreme comfort. They feature a scratch-resistant, wrap-around, polycarbonate lens, pre-curved temples with TPR for comfort and hang holes for convenience. MACHINIST LITE safety glasses meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All Cordova safety glasses are safe for food contact.



MACHINIST® LITE | #EML10S

- Clear, Ultralight, Sleek Design
- Scratch-Resistant Polycarbonate Lens
- Curved Temples with TPR
- **#EML10ST** : Clear/Anti-Fog



MACHINIST® LITE, Gray | #EML20S

- Gray, Ultralight, Sleek Design
- Scratch-Resistant Polycarbonate Lens
- Curved Temples with TPR
- **#EML20ST** : Gray/Anti-Fog



MACHINIST® LITE | #EML50S

- Indoor-Outdoor, Ultralight, Sleek Design
- Scratch Resistant Polycarbonate Lens
- Curved Temples with TPR
- **#EML50ST** : Indoor-Outdoor/Anti-Fog



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

EYE PROTECTION MACHINIST® PRO

MACHINIST®

CORDOVA'S MACHINIST® PRO Precision Protection at a lower price than similar eyewear. They offer an Anti-Fog scratch-resistant, wrap-around, polycarbonate lens and shiny, sleek black nylon frame. They are light weight with comfortable TPR nosepiece and temples. The temples are folding and pre-curved. MACHINIST® PRO safety glasses meet ANSI Z87.1+ Standards and provide 99.9% UV protection. Cord included with all MACHINIST® PRO models.



MACHINIST® PRO, Clear | #EMP10S

- Dual Lens Construction
- Scratch-Resistant Polycarbonate Lens
- Bayonet Temples with TPR
- **#EMP10ST** : Clear/Anti-Fog



MACHINIST® PRO, Gray | #EMP20S

- Dual Lens Construction
- Scratch-Resistant Polycarbonate Lens
- Bayonet Temples with TPR
- **#EMP20ST** : Gray/Anti-Fog



MACHINIST® PRO, Light Blue | #EMP15S

- Dual Lens Construction
- Scratch-Resistant, Polycarbonate Lens
- Bayonet Temples with TPR



MACHINIST® PRO | #EMP50S

- Indoor-Outdoor, Dual Lens Construction
- Scratch-Resistant, Polycarbonate Lens
- Bayonet Temples with TPR
- **#EMP50ST** : Indoor-Outdoor/Anti-Fog



MACHINIST® PRO | #EMP60S

- Blue Mirror, Dual Lens Construction
- Scratch-Resistant, Polycarbonate Lens
- Bayonet Temples with TPR



MACHINIST® PRO | #EMP70S

- Smoke Mirror, Dual Lens Construction
- Scratch-Resistant, Polycarbonate Lens
- Bayonet Temples with TPR



MACHINIST® PRO | #EMP10S15

- Diopter 1.5, Dual Lens Construction
- Scratch-Resistant, Polycarbonate Lens
- Bayonet Temples with TPR
- **#EMP10S20** : Diopter 2.0
- **#EMP10S25** : Diopter 2.5



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

ABOVE THE NECK PROTECTION: MACHINIST® EYE PROTECTION

EYE PROTECTION JACKAL™

Jackal

CORDOVA'S Jackal™ safety glasses offer a single, wrap-around lens, a soft gel nose piece and temples, a light-weight, durable design and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



Clear | #EGF10S†

- Clear Single Wrap-Around Lens with Clear Frosted Frame
- #EGF10S†: Clear/Anti-Fog



Light Blue | #EGF15S†

- Light Blue Single Wrap-Around Lens with Blue Frosted Frame



Gray | #EGF20S†

- Gray Single Wrap-Around Lens with Gray Frosted Frame
- #EGF20S†: Gray/Anti-Fog



Indoor-Outdoor | #EGF50S†

- Indoor-Outdoor Single Wrap-Around Lens with Clear Frosted Frame
- #EGF50S†: Indoor-Outdoor/Anti-Fog



Blue Mirror | #EGF60S†

- Blue Mirror Single Wrap-Around Lens with Gray Frosted Frame



Silver Mirror | #EGF70S†

- Silver Mirror Single Wrap-Around Lens with Gray Frosted Frame



Orange | #EGF95S†

- Orange Mirror Single Wrap-Around Lens with Orange Frosted Frame



EYE PROTECTION DOBERMAN™



CORDOVA'S Doberman™ safety glasses offer a single, wrap-around lens, bayonet temple design, matching soft gel nose piece and temples, and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



Clear | #ENB10S†

- Clear Wrap-Around Lens
- Black Frame
- #ENB10S†: Clear/Anti-Fog



Gray | #ENB20S†*

- Gray Wrap-Around Lens
- Black Frame
- #ENB20S†: Gray/Anti-Fog



Light Blue | #ENF15S†

- Light Blue Wrap-Around Lens
- Frosted Blue Frame
- #ENF15S†: Light Blue/Anti-Fog



Amber | #ENB30S†

- Amber Wrap-Around Lens
- Frosted Amber Frame



Silver Mirror | #ENB70S†

- Silver Mirror Wrap-Around Lens
- Black Frame



Indoor-Outdoor | #ENB50S†

- Indoor-Outdoor Wrap-Around Lens
- Black Frame
- #ENB50S†: Indoor-Outdoor/Anti-Fog



Blue Mirror | #ENB60S†

- Blue Mirror Wrap-Around Lens
- Black Frame



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

EYE PROTECTION CATALYST™

CATALYST™

CORDOVA'S Catalyst™ safety glasses offer a shiny, nylon frame, a dual, wrap-around lens, a bayonet temple design, thermo-plastic temples and nose piece, and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



Amber | #EOB30S†

- Dual, Amber, Wrap-Around Lens
- Shiny Black Nylon Temples



Clear | #EOB10S†

- Dual, Clear, Wrap-Around Lens
- Shiny Black Nylon Temples
- #EOB10S†: Clear/Anti-Fog



Gray | #EOB20S†

- Dual, Gray, Wrap-Around Lens
- Shiny Black Nylon Temples
- #EOB20S†: Gray/Anti-Fog



Indoor-Outdoor | #EOB50S†

- Dual, Indoor-Outdoor, Wrap-Around Lens
- Shiny Black Nylon Temples



Blue Mirror | #EOB60S†

- Dual, Blue Mirror, Wrap-Around Lens
- Shiny Black Nylon Temples



Silver Mirror | #EOB70S†

- Dual, Silver Mirror, Wrap-Around Lens
- Shiny Black Nylon Temples



Orange | #EOB90S†

- Dual, Orange, Wrap-Around Lens
- Shiny Black Nylon Temples



EYE PROTECTION

DANE™

DANE™

CORDOVA'S Dane™ safety glasses offer a single, wrap-around lens, a bayonet temple design, an integrated nose piece, and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



Clear | #EL10S†

- Single, Clear, Wrap-Around Lens
- Clear, Frosted Frame
- #EL10S†: Anti-Fog



Clear Diopters | #EBL10S10*†

- Single, Clear, Wrap-Around Lens
- 1.0 Diopter, Clear, Frosted Frame
- #EBL10S15†: 1.5 Diopter, #EBL10S20†: 2.0 Diopter, #EBL10S25†: 2.5 Diopter



Gray | #EL20S†

- Single, Gray, Wrap-Around Lens
- Gray, Frosted Frame
- #EL20S†: Anti-Fog



Brown | #EL25S†

- Single, Brown, Wrap-Around Lens
- Brown, Frosted Frame



Amber | #EL30S†

- Single, Amber, Wrap-Around Lens
- Amber, Frosted Frame



Indoor-Outdoor | #EL50S†

- Single, Indoor-Outdoor, Wrap-Around Lens
- Clear, Frosted Frame



Blue Mirror | #EL60S†

- Single, Blue Mirror, Wrap-Around Lens
- Black Matte Frame



Silver Mirror | #EL70S†

- Single, Silver Mirror, Wrap-Around Lens
- Black Matte Frame



Rainbow Mirror | #EL80S†

- Single, Rainbow Mirror, Wrap-Around Lens
- Black Matte Frame



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

ABOVE THE NECK PROTECTION: DANE™ EYE PROTECTION

EYE PROTECTION BULLDOG™



CORDOVA'S Bulldog™ safety glasses offer a single wrap-around lens, a spatula temple design, integrated nose piece, and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



Light Blue | #EHF15S†

- Dual, Light Blue, Wrap-Around Lens
- Light Blue, Frosted Frame



Clear | #EHF10S†

- Dual, Clear, Wrap-Around Lens
- Clear, Frosted Frame
- #EHF10S†: Anti-Fog
- #EO4F10†: Uncoated



Gray | #EHB20S†

- Dual, Gray, Wrap-Around Lens
- Black Frame
- #EHB20S†: Anti-Fog
- #EO4B20†: Uncoated



Amber | #EHB30S†

- Dual, Amber, Wrap-Around Lens
- Amber, Frosted Frame



Indoor-Outdoor | #EHB50S†

- Dual, Indoor-Outdoor, Wrap-Around Lens
- Black Frame



Silver Mirror | #EHB70S†

- Dual, Silver Mirror, Wrap-Around Lens
- Black Frame



Rainbow Mirror | #EHB80S†

- Dual, Rainbow Mirror, Wrap-Around Lens
- Black Frame



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

EYE PROTECTION BULLDOG™

Bulldog Framers™ & Pro Framers™

CORDOVA'S Bulldog Framers™ safety glasses incorporate a soft, polyurethane foam seal for added protection against dust and debris. CORDOVA'S Bulldog Pro Framers™ glasses feature an EVA, closed-cell, foam seal for added protection against dust and debris and ventilation for fog control. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



EHF10-FST†



EHB50-FST†

Bulldog Framers™

- Soft Polyurethane Foam Seal
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection



STYLE #	LENS	FRAME
EHF10-FST†	CLEAR/ANTI-FOG	FROSTED
EHB20-FST†	GRAY/ANTI-FOG	BLACK
EHB50-FST†	INDOOR-OUTDOOR/ANTI-FOG	BLACK

Pro Framers™ EVA Foam Seal



EHB50-CCFST†



EHF10-CCFST†



EHB20-CCFST†



EHB50-CCFST†

Bulldog Pro Framers™

- EVA Closed-Cell Foam Seal
- Vented for Fog Control
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection



STYLE #	LENS	FRAME
EHF10-CCFST†	CLEAR/ANTI-FOG	BLACK
EHB20-CCFST†	GRAY/ANTI-FOG	BLACK
EHB50-CCFST†	INDOOR-OUTDOOR/ANTI-FOG	BLACK

† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

EYE PROTECTION BULLDOG™



Bulldog Readers™ offer 1.0 to 2.5 diopters while meeting ANSI Z87.1+ Standards and provide 99.9% UV protection.

Bulldog Pups™ offer the same protection as Bulldog™ safety glasses, but in a smaller size. All safety glasses are safe for food contact.



EHF10S20†



EHB20S10†



Bulldog Readers™

- Magnifying Lens Inserts
- Available in Four Strengths
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

STYLE #	LENS	FRAME
EHF10S10†	CLEAR/1.0 DIOPTER	FROSTED CLEAR
EHF10S15†	CLEAR/1.5 DIOPTER	FROSTED CLEAR
EHF10S20†	CLEAR/2.0 DIOPTER	FROSTED CLEAR
EHF10S25†	CLEAR/2.5 DIOPTER	FROSTED CLEAR
EHB20S10†	GRAY/1.0 DIOPTER	BLACK
EHB20S15†	GRAY/1.5 DIOPTER	BLACK
EHB20S20†	GRAY/2.0 DIOPTER	BLACK
EHB20S25†	GRAY/2.5 DIOPTER	BLACK




EPHB20S†



EPHB50S†



EPHF15S†



Smaller Sizes

- Smaller Version of Regular Bulldog™ Eyewear
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

STYLE #	LENS	FRAME
EPHF10S†	CLEAR	CLEAR
EPHF10ST†	CLEAR/ANTI-FOG	BLA CLEAR CK
EPHF15S†	LIGHT BLUE	LIGHT BLUE
EPHB20S†	GRAY	BLACK
EPHB50S†	INDOOR-OUTDOOR	BLACK

† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

DIOPTER LENSES



EYE PROTECTION BOXER™

BOXER™

CORDOVA'S Boxer™ safety glasses offer extendable temples, a dual, wrap-around lens design, matte nylon frame, and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All safety glasses are safe for food contact.



Clear | #EKB10S[†]

- Clear, Dual Wrap-Around Lens
- Black, Extendable Temples
- #EKB10S[†]: Clear/Anti-Fog



Blue | #EKB15S[†]

- Blue, Dual Wrap-Around Lens with Matte Black Frame
- Black, Extendable Temples



Gray | #EKB20S[†]

- Gray, Dual Wrap-Around Lens
- Black, Extendable Temples
- #EKB20S[†]: Gray/Anti-Fog



Amber | #EKB30S[†]

- Amber, Dual Wrap-Around Lens
- Black, Extendable Temples



Indoor-Outdoor | #EKB50S[†]

- Indoor-Outdoor, Dual Wrap-Around Lens
- Black, Extendable Temples



Extendable Temples



Silver Mirror | #EKB70S[†]

- Silver Mirror, Dual Wrap-Around Lens
- Black, Extendable Temples



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

ABOVE THE NECK PROTECTION: BOXER™ EYE PROTECTION

EYE PROTECTION AKITA™

AKITA™

CORDOVA'S Akita™ safety glasses offer extendable ratcheting temples, a dual, wrap-around lens design, matte nylon frame, and a scratch-resistant polycarbonate lens. They meet ANSI Z87.1+ and provide 99.9% UV protection. All safety glasses are safe for food contact.




Clear | #EFB10S†

- Clear, Dual Wrap-Around Lens
- Black, Extendable, Ratcheting Temples



Gray | #EFB20S†

- Gray Dual Wrap-Around Lens
- Black, Extendable, Ratcheting Temples



Extendable Temples



Amber | #EFB30S†

- Amber, Dual Wrap-Around Lens with Matte Black Frame
- Black, Extendable, Ratcheting Temples



Indoor-Outdoor | #EFB50S†

- Indoor-Outdoor, Dual Wrap-Around Lens
- Extendable, Ratcheting Temples



Ratcheting Temples

† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

EYE PROTECTION RETRIEVER & RETRIEVER II™

RETRIEVER™

CORDOVA'S Retriever and Retriever II™ glasses offer extendable temples, integrated side shields, a nylon frame with brow guard, and a scratch-resistant polycarbonate lens. The Retriever II™ provides ratcheting temples. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection. All glasses are safe for food contact.



Retriever & Retriever II™

- Extendable Temples (Retriever™)
- Extendable, Ratcheting Temples (Retriever II™)
- Integrated Side Shields
- Nylon Frame with Brow Guard
- Scratch Resistant Polycarbonate Lens
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection



Extendable Temples



Ratcheting Temples

BRAND	STYLE #	LENS	FRAME
RETRIEVER™	EJB10S†	CLEAR	BLACK
RETRIEVER™	EJB10ST†	CLEAR/ANTI-FOG	BLACK
RETRIEVER™	EJB20S†	GRAY	BLACK
RETRIEVER™	EJBIRUV3†	GREEN 3.0 FILTER	BLACK
RETRIEVER™	EJNWR10S†	CLEAR	RED, WHITE & BLUE
RETRIEVER™	EJNWR10ST†	CLEAR/ANTI-FOG	RED, WHITE & BLUE
RETRIEVER™	EJNWR20S†	GRAY	RED, WHITE & BLUE
RETRIEVER™	EJN10S†	CLEAR	BLUE
RETRIEVER II™	EMB10S†	CLEAR	BLACK
RETRIEVER II™	EMB20S†	GRAY	BLACK
RETRIEVER II™	EMNWR10S†	CLEAR	RED, WHITE & BLUE

† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

ABOVE THE NECK PROTECTION

EYE PROTECTION SLAMMER & SLAMMER II™

SLAMMER™

CORDOVA'S Slammer and Slammer II™ glasses are designed to fit over prescription glasses. They provide a wrap-around style with brow guard, integrated side shields, and uncoated or coated (scratch-resistant) lens. They meet ANSI Z87.1+ Standards and provide 99.9% UV protection.



- Wrap-Around Style with Brow Guard
- Integrated/Vented Side Shields
- Designed to fit over prescription glasses
- Uncoated or Coated (Scratch Resistant)
- Jumbo Sizes Available
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

Slammer & Slammer II™



BRAND	STYLE #	LENS	SIZE
SLAMMER™	EC10S†	CLEAR, UNCOATED	STANDARD
SLAMMER™	EC10SH†	CLEAR, COATED	STANDARD
SLAMMER™	EC10SX†	CLEAR, UNCOATED	JUMBO
SLAMMER™	EC20S†	GRAY, UNCOATED	STANDARD
SLAMMER™	EC20SX†	GRAY, UNCOATED	JUMBO
SLAMMER II™	EOTG10ST†	CLEAR, ANTI-FOG	LOW-PROFILE
SLAMMER II™	EOTG20ST†	GRAY, ANTI-FOG	LOW-PROFILE
SLAMMER II™	EOTG50ST†	INDOOR-OUTDOOR, ANTI-FOG	LOW-PROFILE

ABOVE THE NECK PROTECTION: SLAMMER & SLAMMER II™ EYE PROTECTION

† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

EYE PROTECTION GOGGLES & DS-1™ GOGGLES

DS-1™

DUST/SPLASH GOGGLES

CORDOVA'S goggles provide a scratch-resistant polycarbonate lens, a clear PVC frame, an elastic strap, and perforated or indirect ventilation. CORDOVA'S DS-1™ goggles provide scratch-resistant polycarbonate lens, a soft and flexible compact frame, an elastic strap, and indirect ventilation. Both goggle types meet ANSI Z87.1+ Standards and provide 99.9% UV protection.



Clear, Perforated | #GD10†

- Clear PVC Frame
- Elastic Straps
- Perforated Ventilation
- ANSI D3 & D4 Rated
- **#GD10T**: Anti-Fog



Clear, Indirect Ventilation | #GI10†

- Clear PVC Frame
- Elastic Straps
- Indirect Ventilation
- ANSI D3-D5 Rated
- **#GI10T**: Anti-Fog



iON™, Flexible PVC Frame | #GDI20T

- Polycarbonate Gray Lens, Anti-Fog
- Adjustable Elastic Strap
- Indirect Ventilation
- 99.9% UV Protection
- Anti-Scratch Coating
- **#GDI10T** : Clear, Anti-Fog
- **#GDI50** : Non Anti-Fog, Indoor/Outdoor



Clear DS-1™ Splash/Dust Goggles | #GDS10†

- Soft, Flexible, Compact Frame
- Indirect Ventilation System
- Adjustable Elastic Straps
- **#GDS10T**: Clear, Anti-Fog
- **#GDS20**: Gray, **#GDS20T**: Anti-fog
- **#GDS50T**: Indoor/Outdoor, Anti-fog



Eyeglass Cords

- Black Eyeglass Cord
- **#EC001**: Cotton, Rubber Slide
- **#EC002**: Nylon, Rubber Loops

ANSI RATINGS

RATING	MATERIAL
D3	LIQUIDS
D4	DUST
D5	FINE DUST

† WARNING: Reproductive Harm - www.P65Warnings.ca.gov

ABOVE THE NECK PROTECTION: GOGGLES & DS-1™ GOGGLES



HEAD PROTECTION

CORDOVA SAFETY PRODUCTS supplies a full line of hard hats and accessories. Select from full brim, cap style, and bump caps and 4- or 6-point ratchet or pin-lock suspensions in a variety of colors. Most are available in vented.

CAP STYLE


DUO-SAFETY™ HARD HATS

Duo-Safety™ hard hats are constructed with high density polyethylene and meet ANSI/ISEA Z89.1 standards and are rated Class E & Class G.

With a sleek, low-profile design, Duo-Safety™ helmets are available in both Cap Style and Full-Brim models, pinlock and ratchet suspension. Made in the USA, all helmets include a cushioned brow pad and vertical height adjustment.

4-Point vs 6-Point Ratchet Suspension

- 1 4-Point Ratchet Suspension
- 2 6-Point Ratchet Suspension



Ratchet Cap Style Hard Hats

- High-Density Polyethylene Construction
- Vertical Height Adjustment
- 4- or 6-Point Ratchet Suspension
- Accessory Slot
- Cushioned Brow Pad



STYLE #	COLOR	SUSPENSION	STYLE #	COLOR	SUSPENSION
H24R1*	WHITE	4-POINT	H26R1*	WHITE	6-POINT
H24R2*	YELLOW	4-POINT	H26R2*	YELLOW	6-POINT
H24R3*	ORANGE	4-POINT	H26R3*	ORANGE	6-POINT
H24R4*	RED	4-POINT	H26R4*	RED	6-POINT
H24R5*	BLUE	4-POINT	H26R5*	BLUE	6-POINT
H24R6*	HI-VIS GREEN	4-POINT	H26R6*	HI-VIS GREEN	6-POINT
H24R7*	BLACK	4-POINT	H26R7*	BLACK	6-POINT
H24R8*	HI-VIS ORANGE	4-POINT	H26R8*	HI-VIS ORANGE	6-POINT
H24R9*	FOREST GREEN	4-POINT	H26R9*	FOREST GREEN	6-POINT
			H26R10*	DOVE GRAY	6-POINT

H24R6V*



Vented Ratchet Cap Style Hard Hats

- Vented, High-Density Polyethylene Construction
- 4-Point Ratchet Suspension
- Cushioned Brow Pad
- Vertical Height Adjustment

AVAILABLE COLORS

- WHITE #H24R1V* □ YELLOW #H24R2V* □ ORANGE #H24R3V*
- RED #H24R4V* ■ BLUE #H24R5V* ■ HI-VIS GREEN #H24R6V*



† WARNING: Reproductive Harm - www.P65Warnings.ca.gov



Ratchet Full Brim Hard Hats

- High-Density Polyethylene Construction
- 4-Point Ratchet Suspension
- Cushioned Brow Pad
- Vertical Height Adjustment



CLASS
E

CLASS
G



STYLE #		COLOR	SUSPENSION
H34R1*	□	WHITE	4-POINT
H34R2*	■	YELLOW	4-POINT
H34R3*	■	ORANGE	4-POINT
H34R4*	■	RED	4-POINT
H34R5*	■	BLUE	4-POINT
H34R6*	■	HI-VIS GREEN	4-POINT
H34R7*	■	BLACK	4-POINT
H36R1*	□	WHITE	6-POINT
H36R2*	■	YELLOW	6-POINT
H36R6*	■	HI-VIS GREEN	6-POINT



Vented Ratchet Full Brim Hard Hats

- High-Density Polyethylene Construction
- 4- or 6-Point Ratchet Suspension
- Vertical Height Adjustment
- Cushioned Brow Pad



CLASS
C

STYLE #		COLOR	SUSPENSION
H34R1V*	□	WHITE	4-POINT
H34R2V*	■	YELLOW	4-POINT
H34R3V*	■	ORANGE	4-POINT
H34R4V*	■	RED	4-POINT
H34R5V*	■	BLUE	4-POINT
H34R6V*	■	HI-VIS GREEN	4-POINT
H34R10V*	■	DOVE GRAY	4-POINT



Full Brim Hard Hats

- High-Density Polyethylene Construction
- 4-Point Ratchet Suspension
- Cushioned Brow Pad
- Vertical Height Adjustment



CLASS
E

CLASS
G

AVAILABLE COLORS

□ WHITE
#H34S1*

■ YELLOW
#H34S2*

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov



Vented Bump Caps

- Vented, High-Density Polypropylene
- 4-Point Plastic Suspension with Pinlock
- Low-Risk Environments Only
- Available in Multiple Colors



STYLE #		COLOR
HBCUSA1*	□	WHITE
HBCUSA2*	■	YELLOW
HBCUSA3*	■	ORANGE
HBCUSA4*	■	RED
HBCUSA5*	■	BLUE
HBCUSA6*	■	HI-VIS GREEN
HBCUSA7*	■	BLACK
HBCUSA8*	■	HI-VIS ORANGE
HBCUSA9*	■	FOREST GREEN
HBCUSA10*	■	DOVE GRAY

⚠️ *WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

DUO-SAFETY™ BUMP CAPS

These Duo-Safety™ bump caps offer 4-point, pinlock, plastic suspension in a variety of colors and are proudly made in the USA. They are vented providing important heat ventilation to the wearer. Bump caps are designed to protect in low-risk environments.



STAND OUT!

With Hard Hat Logos

- Up to 4 Colors
- MOQ : 40 Hard Hats

Call 800-458-8763 or email us at sales@cordovaisc.com to learn more



HEAD PROTECTION ACCESSORIES

Hard Hat Liners & Accessories

Whether you need to shield your face from heat and debris, or keep your head cool or warm **CORDOVA SAFETY PRODUCTS** offers a variety of hard hat liners and accessories tailored to your application needs.

HARD HAT ACCESSORIES

Duo-Safety™ hard hat brackets are designed to attach protective face shields to **CORDOVA SAFETY PRODUCTS**-brand Duo-Safety™ cap-style hard hats. The brackets are constructed of high-density polyethylene and are dielectric, brim-mounted, and equipped with a latex-free strap. The face shields are available in polyester, polycarbonate or Tritan™ for a variety of applications.



Duo Safety™ Hard Hat Brackets & Face Shields

- High-Density Polyethylene Construction
- Latex Free Strap
- Dielectric, Band Mounted

STYLE #	FITS
HBKT1*	CAP STYLE HELMETS
HBKT2*	FULL BRIM HELMETS

- 8"H x 15"W x 4"D
- Includes Multiple Attachment Slots

STYLE #	TYPE	USES
HFS1*	GENERAL PURPOSE POLYESTER	PROVIDES PROTECTION AGAINST WATER SPRAY & CLEANING AGENTS
HFS2*	FULL BRIM POLYCARBONATE	ANSI Z87.1+ IMPACT PROTECTION, MADE FROM VIRGIN MATERIALS
HFS3*	TRITAN™	ANSI Z87.1+ IMPACT PROTECTION, CHEMICAL & HEAT PROTECTION



Face Shield | #PFS100*

- Protection Against Splashes & Sprays
- Can Be Worn with Glasses, Goggles, Face Masks
- Foam Brow Pad & Latex-Free Strap
- ANSI Anti-Fog & Droplet/Splash Rated

*Tritan™ is a trademark of Eastman Chemical.

⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov





COR-BRITE™ Hi-Vis Neck Shades

- Orange (#VHB100) or Lime (#VHB101) Self-Extinguishing Treated Polyester Mesh, Contrasting Trim Detail
- Attached Storage Pouch
- Mounting Sleeve Secures to Brim
- Fits Cap-Style and Full-Brim Hard Hats

SE ONE SIZE
FITS MOST



COR-BRITE™ Hi-Vis Neck Shade

- Hi-Vis Orange (#VNS100) or Lime (#VNS101)
- Self-Extinguishing Treated Polyester Mesh
- Contrasting Trim Detail
- Fits Cap-Style and Full-Brim Hard Hats

ONE SIZE
FITS MOST



Ratchet Suspension Replacement | #RA4PT

- 4-PT Ratchet Suspension
- Replacement Part
- Designed for Duo Safety™ hard hats
- **#RA6PT**: 6-PT Ratchet Suspension



Chin Strap Replacement | #ES42

- Adjustable Elastic Chin Strap
- Replacement Part
- Fits Cap-Style and Full-Brim Hard Hats
- Sold 25 per polybag



Terry Brow Pads

- 100% Cotton
- Snap Adjustments
- Machine Washable
- **#HBP100**: Navy Blue
- **#HBP200**: White



Hard Hat Liner | #HL100

- Standard Length
- Black Polar Fleece
- Single Wash FR Treated
- Balaclava/Helmet Liner



Hard Hat Liner | #HL200

- Standard Length
- Blue Fleece Lining
- 2-Layer Navy Cotton Twill Helmet Liner
- Hook & Loop Helmet Straps
- Single Wash FR Treated



Hard Hat Liner | #HL250

- Shoulder Length
- Blue Fleece Lining
- 2-Layer Navy Cotton Twill Helmet Liner
- Hook & Loop Helmet Straps
- Single Wash FR Treated



Hard Hat Liner | #HL150HV

- 220g, Stretch Polar Fleece
- Breathable Mesh Nose & Mouth Panel
- Standard Length
- Single Wash FR Treated
- One Size Fits Most



Hard Hat Liner | #HL150B

- 220g, Stretch Polar Fleece
- Breathable Mesh Nose & Mouth Panel
- Standard Length
- Single Wash FR Treated
- One Size Fits Most



Hard Hat Liner | #HL300

- Standard Length
- 3-Layer Black Polyester Quilted Helmet Liner, Foam & Fleece Lining
- Hook & Loop Helmet Straps
- Single Wash FR Treated



Hard Hat Liner | #HL350

- Shoulder Length
- 3-Layer Black Polyester Quilted Helmet Liner, Foam & Fleece Lining
- Hook & Loop Helmet Straps
- Single Wash FR Treated



Spray Sock | #SSOCK

- Spray Sock/Painters Sock
- 100% Cotton
- Serged Seams
- One Size Fits Most



Hard Hat Liner | #HL450

- Shoulder Length
- 3-Layer Black Polyester Quilted Helmet Liner, Foam & Sherpa Lining
- Hook & Loop Helmet Straps
- Single Wash FR Treated



Hard Hat Liner | #HL500

- Shoulder Length
- 2-Layer Navy Cotton Twill Helmet Liner, Blue Fleece Lining
- Hook & Loop Helmet Straps
- Removable Zip Sides
- 10-Wash FR Treated



Balaclava, HRC2 | #HL150NVFR

- Flame Resistant, HRC2-Rated
- Single-Layer Cotton Fabric Coating
- One Size Fits Most
- Arc Rating ATPV=8-10 cal/cm²

RESPIRATORY PROTECTION RESPIRATORS, MASKS & SHIELDS

Respirators and General Hygiene Masks

CORODVA SAFETY PRODUCTS has the respiratory protection products you need to stay safe. This includes valved & non-valved NIOSH-approved face masks, KNX95 face masks, and masks for general hygiene use, such as ear loop and dust masks. NIOSH-approved N95 Respirators provide a minimum of 95% filtration efficiency against solid and liquid aerosols that do not contain oils.



Valved Particulate Respirator | #NX95V

- Valved Design
- Adjustable Aluminum Nose Piece
- Polyethylene Nose Pad
- 2 Latex-Free Straps
- 10 per box, 12 boxes per case



Ear Loop Mask | #ELM100

- 3-Ply Pleated Construction
- Adjustable Flat Nose Piece
- Latex-Free Ear Loops
- 50 Pieces Per Dispenser / 40 Dispensers Per Box



Particulate Respirator | #NX95

- Adjustable Aluminum Nose Piece
- Polyethylene Nose Pad
- 2 Latex-Free Straps
- 20 per box, 12 boxes per case



Nuisance/Dust Mask | #CDM2

- Adjustable Aluminum Nose Piece
- 1 Elastic Strap
- 50 per box, 20 boxes per case
- NOT NIOSH Approved



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HEARING PROTECTION ENCORE™

Encore™
HEARING PROTECTION

The CORDOVA SAFETY PRODUCTS-brand Encore™ line of ear plugs offer a soft, comfortable fit with or without the convenience of a cord to keep them together and around your neck.

Applications: For hearing protection between 27Db - 33Db.



Metal Detectable Earplugs | #EPFCMD01*

- Blue, Cone-Shaped, Metal-Detectable Foam Earplugs
- Blue, Metal-Detectable PVC Cord
- 100 Pairs/Box
- Meets ANSI S3

 Noise Reduction Rating
(32dB)



Metal Detectable Earplugs | #EPRCMD01*

- Metal-Detectable, TPR Earplugs
- Blue, 4 Flange-Shaped
- Blue, Metal-Detectable PVC Cord
- 100 Pairs/Box
- Meets ANSI S3.19-1974

 Noise Reduction Rating
(27Db)



Reusable Earplugs | #EPRU01*

- Hi-Vis Lime, TPR Earplugs
- 4 Flange-Shaped
- 100 Pairs/Box

 Noise Reduction Rating
(27Db)



Reusable Earplugs | #EPRC01*

- Hi-Vis Lime, TPR Earplugs
- 4 Flange-Shaped
- Blue Textile Cord
- 100 Pairs/Box
- Meets ANSI S3

 Noise Reduction Rating
(27Db)



Disposable Earplugs | #EPFC01*

- Corded Orange Foam Polyurethane (PU)
- Noise Reduction Rating: 33 Decibels
- 100 Pairs/Box
- Meets ANSI S3.19-1974

 Noise Reduction Rating
(33dB)



Disposable Earplugs | #EPFU01*

- Orange Foam Polyurethane (PU)
- Noise Reduction Rating: 33 Decibels
- 200 Pairs/Box


 Noise Reduction Rating
(33dB)

 * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



COOLING RELIEF **COLD SNAP®**

The CORDOVA SAFETY PRODUCTS Cold Snap® brand of cooling towels, bands and bandanas provides hours of cooling relief.



CT100 CT200 CT300 CT400 CT500

Cold Snap® Cooling Towels

- 33.5"L x 13"W
- Absorbent PVA material accelerates cooling process
- Stays cool for hours
- Reusable: Rinse, wring, fold & store in tube
- Machine or hand wash, air dry
- Anti-microbial treated to prevent mildew & odor



CB100 CB200 CB300 CB400 CB500

Cold Snap® Cooling Bands

- 29.4"L x 4"W
- Absorbent PVA material accelerates cooling process
- Stays cool for hours
- Reusable: Rinse, wring, fold & store in tube
- Machine or hand wash, air dry
- Anti-microbial treated to prevent mildew & odor



Cold Snap® Cooling Head Bands | #CHB100

- 34"L x 2"W, 2-Pack
- Absorbent PVA material accelerates cooling process
- Stays cool for hours
- Reusable: Rinse, wring, fold & store in tube
- Machine or hand wash, air dry
- Anti-microbial treated to prevent mildew & odor

COLD SNAP®



STEP 1
Soak
with water



STEP 2
Wring out
excess water



STEP 3
Snap & Shake
to activate



ABSORBENT



LONG-LASTING



REUSABLE



WASHABLE



ANTI-MICROBIAL



CBAN100 CBAN200 CBAN300

Cold Snap® Cooling Bandanas

- 38"L x 2"W
- 100% Cotton with Water-Activated Polymers
- Long-Lasting Cooling Relief
- Cooling Beads Expand When Wet
- Machine or Hand Wash, Air Dry
- Available in Blue, American Flag, & Digital Camo Prints



REUSABLE



LONG-LASTING



WASHABLE



WATER ACTIVATED



COOLING BEADS



100% COTTON



CT100

CHHP100



MOISTURE-WICKING COOLING STRETCH FABRIC



MULTI-USE COOLING FACE COVER



**WEAR DRY OR WET FOR MAXIMUM COOLING
UPF 50+ PROTECTION
ONE SIZE FITS MOST**

WEAR MANY DIFFERENT WAYS



PROTECTS FROM

TRAFFIC SAFETY & BARRICADE TAPE

CORDOVA SAFETY PRODUCTS offers several varieties of barricade tape to meet your industrial application needs and keep people safe from hazards.

Barricade Tape

- High Strength
- Non-Toxic, Lead Free
- Remains Flexible in Cold Weather
- UV Resistant
- Non-Flammable
- 1000' per roll, 12 rolls per case

CAUTION CAUTION CAUTION CAUTION CAUTION

STYLE #	COLOR	THICKNESS	LEGEND
T15101	YELLOW	1.5 MIL	CAUTION
T20101	YELLOW	2.0 MIL	CAUTION
T20103	YELLOW	2.0 MIL	CAUTION / CUIDADO
TR60103	YELLOW	6 MIL REINFORCED	CAUTION/ CUIDADO
T25101	YELLOW	2.5 MIL	CAUTION
T30101	YELLOW	3.0 MIL	CAUTION

CAUTION DO NOT ENTER CAUTION DO NOT ENTER CAUTION

STYLE #	COLOR	THICKNESS	LEGEND
T15102	YELLOW	1.5 MIL	CAUTION DO NOT ENTER
T20102	YELLOW	2.0 MIL	CAUTION DO NOT ENTER
T25102	YELLOW	2.5 MIL	CAUTION DO NOT ENTER
T30102	YELLOW	3.0 MIL	CAUTION DO NOT ENTER

DANGER DO NOT ENTER DANGER DO NOT ENTER DANGER

STYLE #	COLOR	THICKNESS	LEGEND
T15211	RED	1.5 MIL	DANGER
T20213	RED	2.0 MIL	DANGER / PELIGRO
TR60213	RED	6 MIL REINFORCED	DANGER / PELIGRO
T25211	RED	2.5 MIL	DANGER
T30211	RED	3.0 MIL	DANGER

DANGER DO NOT ENTER DANGER DO NOT ENTER DANGER

STYLE #	COLOR	THICKNESS	LEGEND
T15212	RED	1.5 MIL	DANGER DO NOT ENTER
T20212	RED	2.0 MIL	DANGER DO NOT ENTER
T25212	RED	2.5 MIL	DANGER DO NOT ENTER
T30212	RED	3.0 MIL	DANGER DO NOT ENTER

DANGER DO NOT ENTER DANGER DO NOT ENTER DANGER

STYLE #	COLOR	THICKNESS	LEGEND
T20214	RED	2.0 MIL	DANGER HYDROBLASTING
T20315	WHITE	2.0 MIL	DANGER ASBESTOS



Safety Cones



NEW!

28" PVC Safety Cone | #CTC28RB

- 28-Inch Safety Cone
- Fluorescent Orange PVC with Black Base
- Base Weight 3.6 lbs., Total Weight: 7.0 lbs.
- Handle Grip
- Recessed 6-Inch & 4-Inch Reflective Collars
- Meets MUTCD Standards
- 6 each per case
- 6 cartons per layer, 3 layers max
- Total: 108/EA
- **#CTC36RB** : 36-Inch Safety Cone



NEW!

12" PVC Safety Cone | #CTC12

- 12-Inch Safety Cone
- Fluorescent Orange PVC
- Total Weight: 1.2 lbs.
- 20 each per carton
- 6 cartons per layer, 5 layers max
- Total: 600/EA



NEW!


18" PVC Safety Cone | #CTC18R

- 18-Inch Safety Cone
- Fluorescent Orange PVC with Black Base
- Base Weight 1.7 lbs., Total Weight: 3.2 lbs.
- Handle Grip
- 6-Inch Reflective Collar
- Meets MUTCD Standards
- 10 each per carton
- 5 cartons per layer, 4 layers max
- Total: 200/EA

Polyethylene Safety Fence

- Orange Polyethylene Construction
- Remains Flexible in Severe Conditions
- Chemical and UV Resistant
- Oval Pattern

STYLE #	WEIGHT	PATTERN	ROLL SIZE
SF1201	10.0 LBS	OVAL	4 FEET x 100 FEET



HAND
PROTECTION



CORDOVA[®]
SAFETY PRODUCTS



ANSI GLOVE STANDARDS

Cut Resistance (ANSI/ISEA 105): To determine cut resistance, a test sample is cut by a straight-edge blade, under load, that moves along a straight path. The sample is cut five times, each under three different loads, and the data is used to determine the required load to cut through the test sample at a distance of 2mm (0.8 inches). Test scores are expressed in Levels and in the number of grams (load). The higher the number of grams, the more cut resistant the material.



≥ 200
WEIGHT
(GRAMS)

Maintenance, Material Handling, Small Parts Assembly, Warehouse



≥ 6000
WEIGHT
(GRAMS)

Automotive Demolition, Heavy Equipment Maintenance, High-Grip Applications, Oil & Gas, Pulp & Saw Mills, Sheet Metal Handling, Welding

Abrasion Resistance (ANSI/ISEA 105): Abrasion Resistance is measured as number of rotations on a friction machine before abrasion occurs.



109-499
ABRASION
RESISTANCE
(CYCLES)

Paper/Cardboard Cuts, Light Material Handling, Parts Assembly



20,000+
ABRASION
RESISTANCE
(CYCLES)

Oil & Gas, Mining, Heavy Duty Construction, Demolition, Manufacturing, Metal Fabrication

Puncture Resistance (ANSI/ISEA 105): Puncture resistance is determined by the max force that it takes, exerted from a probe, to puncture the fabric.



10-19
PUNCTURE
RESISTANCE
(NEWTONS)

Paper/Cardboard Cuts, Light Material Handling, Parts Assembly



150+
PUNCTURE
RESISTANCE
(NEWTONS)


Oil & Gas, Mining, Heavy Duty Construction, Demolition, Manufacturing, Metal Fabrication

Impact Protection (ANSI/ISEA 105):

This standard specifically focuses on the back of the hand by measuring the dissipating impact from the knuckles and fingers.



ANSI/ISEA 105 Example:



HAND PROTECTION GLOVE STANDARDS

GLOVE SIZING



METHOD 1

- Print this sizing gauge at 100% (printer setting must be set to “fit to page” to be accurate).
- Place the side of your index finger next to the red line as shown in the diagram to the right. The number closest to your hand will be the recommended glove size for you.

SIZE

5 XXS

6 XS

7 SM

8 MD

9 LG

10 XL

11 XXL

12 XXXL


METHOD 2

- Using a measuring tape, measure the circumference of your hand just below the knuckles. Refer to the chart below to determine your size.




MEASUREMENT	GLOVE SIZE
5"	XXS
6"	XS
7"	SM
8"	MD
9"	LG
10"	XL
11"	XXL
12"	XXXL

Glove Standards: Two standards are in place to quantify the physical properties of hand protection. ANSI/ISEA 105 is a voluntary US standard that specifies test methods and provides performance ranges for many different properties including chemical resistance, cut resistance, puncture resistance and abrasion resistance. CE/EN 388 is a mandatory European standard that dictates test methods and performance ranges for gloves that provide protection against mechanical risks (abrasion, cut, tear and puncture).



Cut Resistance (ANSI/ISEA 105): To determine cut resistance, a test sample is cut by a straight-edge blade, under load, that moves along a straight path. The sample is cut five times, each under three different loads, and the data is used to determine the required load to cut through

the test sample at a distance of 2mm (0.8 inches). Test scores are expressed in Levels and in the number of grams (load). The higher the number of grams, the more cut resistant the material.



ANSI/ISEA CLASSIFICATIONS FOR CUT RESISTANCE

NEW CLASSIFICATIONS	
LEVEL	WEIGHT (GRAMS)
A1	≥ 200
A2	≥ 500
A3	≥ 1000
A4	≥ 1500
A5	≥ 2200
A6	≥ 3000
A7	≥ 4000
A8	≥ 5000
A9	≥ 6000

	0	1	2	3	4	5
a. Abrasion (cycles)	< 100	100	500	2000	8000	---
b. Blade Cut (factors)	< 1.2	1.2	2.5	5.0	10.0	20.0
c. Tear (newtons)	< 10	10	25	50	75	---
d. Puncture (newtons)	< 20	20	60	100	150	---



HIGH-PERFORMANCE **CUT-RESISTANCE**

High-performance gloves are machine knit and comprised of high-strength yarns that provide increased levels of dexterity, abrasion and cut-resistance. Most feature coatings to increase durability and grip. They can offer up to four times the cut resistance of traditional leather gloves, along with improved comfort, increased tactile sensitivity.

HIGH-PERFORMANCE CUT-RESISTANCE

MACHINIST®

HPPG TECHNOLOGY MACHINIST®

MACHINIST® gloves address the need for strength and durability for a variety of applications. Created with a high-performance, 13-gauge HPPE/glass fiber shell, they offer longer life and increased dexterity.

Applications: Machining, Materials Handling, Assembly, Glass Handling, Construction and Demolition, Oil & Gas.



MACHINIST® Nitrile Foam | #3734

- Salt & Pepper, HPPE/Glass Fiber Shell
- Black, Foam Nitrile Palm Coating
- PPG-Approved for Glass Handling
- Touchscreen Fingertips



MACHINIST® Sandy Nitrile | TPR #3734TPR*

- Salt & Pepper, HPPE/Glass Fiber Shell
- Black, Sandy Nitrile Palm Coating
- Nitrile-Reinforced Thumb Crotch
- TPR Protectors & Touchscreen Fingertips



MACHINIST® Polyurethane | #3734PU**

- Salt & Pepper, HPPE/Glass Fiber Shell
- Gray, Polyurethane Palm Coating
- Touchscreen Fingertips



MACHINIST® Crinkle Latex | #3734NR††

- Salt & Pepper, HPPE/Glass Fiber Shell
- Black, Crinkle Finish Latex Palm Coating



MACHINIST® Sandy Nitrile | #3734SN

- Salt & Pepper, HPPE/Glass Fiber Shell
- Black, Sandy Nitrile Palm Coating
- Nitrile-Reinforced Thumb Crotch



MACHINIST® ICE | #3734ICE

- Salt & Pepper, HPPE/Glass Fiber Shell
- Full, Smooth Nitrile Coating; Sandy Nitrile Palm
- Two Layer Insulated Construction



MACHINIST® MAX | #3734MAX

- Two-Layer Insulated Shell, HPPE Glass
- ¾ Foam Nitrile Coating
- TPR Protectors



MACHINIST® XTRA | #3734XTRA

- Two-Layer Insulated Shell, HPPE Glass
- ¾ Foam Nitrile Coating



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
 ⚠ WARNING: Cancer - www.P65Warnings.ca.gov

†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

The HPPG² offers ANSI Cut Level protection with 15-18 gauge HPPG shells, free from glass or steel fibers.

The touch screen capability allows seamless use of digital devices, while the sanitized antimicrobial treatment keeps hands hygienic. With five coating options available, users can choose the best fit for their specific needs, ensuring optimal performance and safety in various environments. HPPG² gloves are the perfect blend of protection, comfort and versatility.



MACHINIST[®] HPPG² NITRILE | #3744

- Hi-Vis Green HPPG² Fiber Shell
- Black Foam Nitrile Palm Coating
- Touchscreen Fingertips



MACHINIST[®] HPPG² NITRILE | #3744MFN

- Dark Gray HPPG² Fiber Shell
- Black MicroFoam Nitrile Palm Coating
- Touchscreen Fingertips



MACHINIST[®] HPPG² | #3744PU

- Blue HPPG² Fiber Shell
- Black Polyurethane Palm Coating
- Touchscreen Fingertips



MACHINIST[®] HPPG² Eco-PU | #3744WPU

- Black HPPG² Fiber Shell
- Black Eco-PU (Water-Based Polyurethane) Palm Coating
- Touchscreen Fingertips



MACHINIST[®] HPPG² SANDY | #3744SN

- Gray/Orange HPPG² Fiber Shell
- Black Sandy Nitrile Palm Coating
- Touchscreen Fingertips



MACHINIST[®] ICE | #3744ICE

- Blue, 2-Layer HPPG² Insulated Shell
- 15-Gauge, Sandy Nitrile Palm Coating
- Touchscreen Fingertips



** WARNING: Cancer - www.P65Warnings.ca.gov

HAND PROTECTION: HPPE / STEEL / GLASS CUT-RESISTANCE

MACHINE-KNIT TACTYLE™

TACTYLE CR

Cordova Tactyle™ CR gloves are finely engineered high performance gloves designed to offer the perfect balance of tactile dexterity and cut resistance. We use 18- & 21-gauge machine knit shells constructed of HPPG™, HPPE/ Stainless Steel and HPPE/Tungsten Steel along with durable Tuf-Cor™ Nitrile to produce gloves that offer a wide range of physical properties to address multiple end uses.



TACTYLE™ CR | #6675

- 18-Gauge HPPG² Shell, No glass or steel
- ¾ Tuf-Cor™ Nitrile Coating
- Reinforced Thumb Crotch
- Touchscreen Fingertips



TACTYLE™ CR | #6680

- 21-Gauge HPPE/Tungsten Steel Shell
- Tuf-Cor™ Nitrile Coating
- Reinforced Thumb Crotch
- Sanitized Treatment®



TACTYLE™ CR | #6685

- 18-Gauge HPPE/Steel Shell
- Tuf-Cor™ Nitrile Coating
- Reinforced Thumb Crotch
- Touchscreen Fingertips



TACTYLE™ CR | #6690

- 18-Gauge HPPE/Tungsten Steel Shell
- Tuf-Cor™ Nitrile Coating
- Reinforced Thumb Crotch
- Touchscreen Fingertips



HIGH-PERFORMANCE CUT-RESISTANCE ION CHILL & FLEX™



ION™ high-performance gloves provide excellent dexterity and tactility. They are available in a variety of colors and coatings, and they provide up to ANSI A4 level cut resistance.

Applications: High Cut & Abrasion Tasks, Recycling Operations, Metal Fabrication, Plastic Extrusion, Glass Handling.



CORDOVA
SAFETY PRODUCTS



We protect and beautify the world™

High performance gloves by **CORDOVA SAFETY PRODUCTS** provide excellent dexterity and tactility and are available in a variety of colors, coatings, and cut-resistance levels.

Several CORDOVA glove models have been tested by **PPG** (Pittsburgh Plate Glass), a global supplier of paints, coatings, optical products, specialty materials, glass and fiber glass, and are acceptable for use with **PPG Solarban®** and **Sungate®** coated glass products.

Behavior testing of the gloves indicated show minimal to no marking when handling glass products.



ION™ | #3701**

- Sapphire Blue, HPPE Shell
- Black, Sandy Nitrile Palm Coating



ION™ | #3702

- Mandarin Orange, HPPE/Glass Shell
- Black, Sandy Nitrile Palm Coating




ION™ | #3703††

- Aqua, HPPE/Glass Shell
- Blue, Crinkle-Finish Latex Palm Coating



ION™ | #3704**

- Hi-Vis Yellow, HPPE/Glass Shell
- Hi-Vis Yellow, PU Palm Coating



ION FLEX™ | #3993††

- Red, Nylon Shell
- Gray, Crinkle Latex Palm Coating



ION CHILL™ | #3888††

- Hi-Vis Orange, Thermal, Terry Shell
- Brushed, Loop-In, Acrylic Interior
- Brown, Sandy Latex Palm Coating



** WARNING: Cancer - www.P65Warnings.ca.gov
†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

HAND PROTECTION: ION™ CUT-RESISTANCE

HIGH-PERFORMANCE CUT-RESISTANCE MONARCH™ ENGINEERED FIBER



MONARCH™ High Performance gloves and sleeves are made with an engineered fiber that provides outstanding abrasion resistance, cut resistance, and contact heat resistance. Available in a variety of weights, colors, and coatings, they are easy to launder and are unaffected by chlorine bleach and UV light.

Applications: CORDOVA offers a wide range of MONARCH™ products to address a variety of industrial applications. Consult a sales representative for the one that's right for you.



MONARCH™ Sub Zero | #3740**††

- Hi-Vis Green, 7-gauge Engineered Fiber Shell
- Black, Micro-foam, Latex Palm Coating
- Thermal Brushed Interior



MONARCH™ | #3751**

- Gray, 13-gauge Engineered Fiber Shell
- Gray, PU Palm Coating
- #3752: Black Shell



MONARCH™ -HCT | #3755

- Gray 13-gauge Engineered Fiber Shell
- Black HCT™ Nitrile Palm Coating



MONARCH™ | #3757*

- Gray 10-gauge Engineered Fiber Shell
- Split-Cowhide Leather Palm



MONARCH™ -NRL | #3758††

- Black 13-gauge Engineered Fiber Shell
- Black, Natural Rubber Latex Palm Coating



MONARCH™ | #3759

- Gray 13-gauge Engineered Fiber Shell
- 2-Sided Nitrile Dots & Fingertips
- #3770 : Cut-Resistant Liner



⚠️ ** WARNING: Cancer - www.P65Warnings.ca.gov
†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

HIGH-PERFORMANCE CUT-RESISTANCE HPPE / STEEL / GLASS

HPPE / Steel / Glass Gloves

High Performance Polyethylene (HPPE) has a tensile strength 15x stronger than steel on an equal weight basis. Hand and arm protection made with HPPE is lightweight, comfortable and abrasion and cut resistant. Tests have shown that gloves made with HPPE fibers have up to 20x the abrasion resistance of gloves made with spun Aramid yarns. HPPE fiber can be combined with glass fiber and/or steel fiber to provide higher cut protection levels.

Applications: High Cut & Abrasion Tasks, Recycling Operations, Metal Fabrication, Plastic Extrusion, Glass Handling.



Threshold™, HPPE/Glass/Steel | #3731

- Gray, HPPE/Steel/Glass Fiber Shell
- Gray Polyurethane Palm Coating




COMMANDER™ | #3732

- Gray, HPPE/Steel/Glass Shell
- Black, Sandy Nitrile Palm Coating
- Touchscreen Fingertips




COMMANDER™ FOAM | #3732F

- Orange, HPPE/Steel/Glass Shell
- Black, Foam, Nitrile Palm Coating
- Nitrile Thumb Crotch
- Touchscreen Fingertips



COMMANDER™ HV | #3732HV

- Hi-Vis Yellow, HPPE/Steel/Glass Shell
- Black, Sandy Nitrile Palm Coating



COMMANDER IMPACT™ | #7749*

- Hi-Vis Yellow, HPPE/Steel/Glass Shell
- 2-Layer, Red, Sandy Nitrile Palm Coating
- Hook & Loop Closure, TPR Protectors
- Reinforced Thumb Crotch



OGRE® HPPE SHELL | #7736A

- Salt & Pepper HPPE/Steel Shell
- Gray Polyurethane Palm Coating



* WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

** WARNING: Cancer - www.P65Warnings.ca.gov

†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals



CALIBER™ TOUCH | #3718T

- HPPE² Shell Coreless Technology
- Gray Polyurethane Palm Coating



CALIBER™ | #3716**

- White, HPPE Shell
- Gray, PU Palm Coating



CALIBER™ | #3716G**

- Gray, HPPE Shell
- Gray, PU Palm Coating




CALIBER™ PLUS | #3717**

- White, HPPE/Steel Fiber Shell
- Gray, PU Palm Coating



COR-TEX™ | #3713

- Hi-Vis Lime, HPPE Shell
- Plaited Construction
- Black, Foam Nitrile Palm Coating
- #3714: Cor-Tex™ Hi-Vis Orange Shell



JAVELIN™ | #3711**

- White, HPPE Shell
- White, PU Palm Coating



VALOR PLUS™ | #3711GP**

- Salt & Pepper, HPPE Shell
- White, PU Palm Coating
- Reinforced Thumb Crotch
- #3711G: Valor™***: Without Reinforced Thumb



RIVAL™ | #3712G**

- Gray, HPPE Shell
- Gray, PU Palm Coating
- #3712: White HPPE/White PU



BLACK LABEL™, HPPE | #3705**

- 13-Gauge, Black HPPE Shell
- Black, PU Palm Coating
- Touchscreen Fingertips



⚠️ ** WARNING: Cancer - www.P65Warnings.ca.gov

High Performance

TUF-COR ICE™

CUT RESISTANT GLOVES



TPR Impact Protection



Splash-Resistant Full Coating + Strong-Grip Palm Coating



Cut-Resistant Shell



Thermal Inner Lining



TUF-COR™ TOUCH | #6992

- 13-Gauge, Black Polyester Shell
- 2-Ply Nitrile Coating: Full Black Nitrile Coating, Sandy Nitrile Palm Coating



TUF-COR™ | #3726

- Salt & Pepper, HPPE/Synthetic Fiber Shell
- Blue Flat Nitrile Coating, Sandy Palm



TUF-COR IMPACT™ | #3726TPR*

- Salt & Pepper, HPPE/Synthetic Fiber Shell
- TPR Protection
- Dual-Layer Nitrile: Blue Flat Nitrile Coating, Sandy Palm



TUF-COR ICE™ | #3727

- Salt & Pepper, HPPE/Synthetic Fiber Shell
- Thermal Acrylic Lining
- Dual-Layer Nitrile: Blue Flat Nitrile Coating, Sandy Palm



TUF-COR ICE™ | #3727TPR*

- Salt & Pepper, HPPE/Synthetic Fiber Shell
- TPR & Thermal Acrylic Lining
- Dual-Layer Nitrile: Blue Flat Nitrile Coating, Sandy Palm



* WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov ** WARNING: Cancer - www.P65Warnings.ca.gov

HAND PROTECTION: HPPE / STEEL / GLASS CUT-RESISTANCE

HIGH-PERFORMANCE CUT-RESISTANCE KEVLAR® / ARAMID / STEEL

Kevlar® / Aramid / Steel Gloves

Kevlar® is a strong, synthetic yarn that provides extra strength, protection and high-temperature resistance. We offer several models made with Kevlar® yarn as well as Aramid yarn.

Applications: Automotive Assembly, Machine Operation, Oily Material Handling.



Aramid/Cotton Terry | #3040

- Gray, 24 oz, Aramid/Cotton Terry Shell
- Loop-Out Construction
- Natural Knit Wrist



Power-Cor™, Kevlar® | #3050

- 10-Gauge, 100% Kevlar® Shell
- Blue Crinkle Finish Latex Palm Coating



COR-TOUCH KV4™ | #3055C

- Yellow, Aramid/Lycra® Shell
- Black, Foam Nitrile Palm Coating
- PPG-Approved for Glass Handling



COR-TOUCH CR+™ | #3056

- Hi-Vis Yellow, Aramid/Steel Shell
- Red, Foam Nitrile Palm Coating



Aramid/Cotton Plaited | #3060

- 7-Gauge, Yellow
- Aramid/Cotton Plaited Shell



Aramid/Cotton Plaited | #3062

- 10-Gauge, Yellow
- Aramid/Cotton Plaited Shell



HAND PROTECTION: KEVLAR / ARAMID / STEEL CUT-RESISTANCE

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

⚠ **WARNING:** This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals



Kevlar® | #3070

- 100% Kevlar® Shell
- 7-Gauge



Kevlar® | #3075

- 100% Kevlar® Shell
- 2-Sided PVC Dots
- **#3065:** 7-Gauge, Aramid/Cotton Plaited
- **#3066:** 10-Gauge Aramid/Cotton Plaited



SABRE™ | #3350††

- Cordova Core Technology™ (CCT) Shell
- Blue, Crinkle Latex Palm Coating



POWER-COR™ MAX | #3736††

- Green, Aramid/Steel/Cotton Shell
- Blue, Crinkle Latex Palm Coating



POWER-COR™ MAX | #3737*

- Green, Aramid/Steel/Cotton Shell
- Split-Cowhide Leather Palm with Synthetic Leather Forchettes



POWER-COR™ XTRA | #3730

- Green, Kevlar®/Steel/Synthetic Fiber Shell
- Black, ¾ Foam Nitrile Palm Coating



POWER-COR™ MAX | #3735

- Green, Aramid/Steel/Cotton Shell
- Use Alone or as a Cut-Resistant Liner



Kevlar®, TOWA® ActivGrip™ | #AG591

- Shell
- Black, Double-Coated Nitrile, MicroFinish® Palm Coating



MicroFinish
The Intelligent Grip

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

* **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

†† **WARNING:** This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

HIGH PERFORMANCE ARM PROTECTION

	ITEM #	COLOR	CUT LEVEL	MATERIAL TYPE	SLEEVE LENGTH	GUSSET	THUMB SLOT	ELASTIC WRIST	ELASTIC BICEP	HOOK & LOOP	PLY
MACHINIST™ Ruby Cut Sleeves	3748T	Salt & Pepper	A4	Ruby Cut	18"	3"	●				1
MONARCH™ Engineered Fiber Sleeves	3722VT	Gray	A4	Engineered Fiber	22"	---	●			●	1
	3728	Gray	A4	Engineered Fiber	18"	---		●	●		1
	3728T	Gray	A4	Engineered Fiber	18"	---	●		●		1
	3728TG	Green	A4	Engineered Fiber	18"	---	●		●		1
	3729V	Gray	A4	Engineered Fiber	18"	---		●		●	1
	3729VT	Gray	A4	Engineered Fiber	18"	---	●			●	1
	3729VTG	Green	A4	Engineered Fiber	18"	---	●			●	1
HPPE Sleeves	3715	Gray	A2	HPPE	15"	---		●	●		1
RipCord™ High Tenacity Nylon/Cotton Plaited Sleeves	3719BKG2	Black	A2	Nylon Cotton Plaited	18"	2"		●			1
	3719G2	White	A2	Nylon Cotton Plaited	18"	2"		●			1
	3729BKG4	Black	A2	Nylon Cotton Plaited	18"	4"		●			1
	3738BKG2T	Black	A2	Nylon Cotton Plaited	18"	2"	●				1
	3738G2T	White	A2	Nylon Cotton Plaited	18"	2"	●				1
	3739BKG4T	Black	A2	Nylon Cotton Plaited	18"	4"	●				1
POWER-COR™ Aramid/Glass Fiber Sleeves	3084	---	A3	Aramid / Glass Fiber	14"	---		●	●		1
	3088	---	A3	Aramid / Glass Fiber	18"	---		●	●		1
	3088T	---	A3	Aramid / Glass Fiber	18"	---	●		●		1
2-Ply Kevlar® Fiber Sleeves	3010	---	A3	Kevlar®	10"	---		●	●		2
	3014	---	A3	Kevlar®	14"	---		●	●		2
	3014TLP*	---	A3	Kevlar® (Leather Patch)	14"	---	●		●		2
	3018KCT	---	A2	Kevlar® / Cotton	18"	---	●		●		2
	3024T	---	A3	Kevlar®	24"	---	●		●		2
Single-Ply Kevlar® Fiber Sleeves	3014E	Yellow	A3	Kevlar®	14"	---		●	●		1
	3018E	Yellow	A2	Kevlar®	18"	---	●		●		1
	3018TE	Yellow	A2	Kevlar®	18"	---	●		●		1
HALO® Protective Sleeves	37418VT	Green/Black	A4	NANO-COR®	18"	4	●		●	●	1
	37422VT	Green/Black	A4	NANO-COR®	---	4	●		●	●	1
	37518VT	Dark Gray/Green	A5	NANO-COR®	18"	4	●		●	●	1
	37522VT	Dark Gray/Green	A5	NANO-COR®	---	4	●		●	●	1
	37618VT	Orange/Dark Gray	A6	NANO-COR®	18"	4	●		●	●	1
	37622VT	Orange/Dark Gray	A6	NANO-COR®	---	4	●		●	●	1



HAND PROTECTION: HIGH PERFORMANCE ARM PROTECTION

⚠️ DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.
WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HALO[®] ARM PROTECTION

HALO[®] CUT RESISTANT & MOISTURE WICKING SLEEVES

Nano-Cor[®] Technology: Glass & Steel Free, Moisture-Wicking Sleeves for Reliable Cut Resistance and Cool Comfort



HALO[®] PROTECTIVE SLEEVES | #37418VT

- Hi-Vis Green/Black
- Moisture Wicking Sleeve
- NANO-COR[®] Technology (No Glass or Steel)
- Hook & Loop Closure
- **#37422VT** : Also available in 22-Inch



HALO[®] PROTECTIVE SLEEVES | #37618VT

- Hi-Vis Orange/Dark Gray
- Moisture Wicking Sleeve
- NANO-COR[®] Technology (No Glass or Steel)
- Hook & Loop Closure
- **#37622VT** : Also available in 22-Inch



HALO[®] PROTECTIVE SLEEVES | #37518VT

- Hi-Vis Dark Gray/Green
- Moisture Wicking Sleeve
- NANO-COR[®] Technology (No Glass or Steel)
- Hook & Loop Closure
- **#37522VT** : Also available in 22-Inch



Vend Packing Available



HAND PROTECTION: HALO[®] ARM PROTECTION

MACHINE-KNIT NITRILE COATED

CONQUEST.

CONQUEST® gloves feature stretchable seamless shells and conform to hands for an exact fit and exceptional comfort. The flexible Micro-Foam coatings provide durability while minimizing hand fatigue. They provide maximum tactile sensitivity for precision assembly and handling of small parts.

Applications: Automotive Assembly and Repair, General Assembly, Electronics Assembly, Food Processing, Janitorial, Metal Fabrication, Painting, Plumbing, HVAC.



CONQUEST® | #6905

- Gray, Nylon/Spandex Shell
- Black, Micro-Foam Nitrile Palm Coating



CONQUEST® Xtra | #6910

- Gray, Nylon/Spandex Shell
- Black, Micro-Foam Nitrile Coating



CONQUEST® Plus | #6915

- Gray, Nylon/Spandex Shell
- Black, Foam Nitrile Palm Coating with Nitrile Dots



CONQUEST® MAX | #6920

- Gray, Nylon/Spandex Shell
- ¾ Black, Micro-Foam Nitrile Coating
- Black Nitrile Dots



CONQUEST® ULTRA | #6925

- Gray, Nylon/Spandex Shell
- Black, Micro Foam Nitrile Coating
- #6930: Nitrile Dots (XS-2XL)



CONQUEST® HV | #6935

- Hi-Vis Orange, Nylon/Spandex Shell
- Black, Micro-Foam Nitrile/PU Palm Coating



CONQUEST® HPPG² | #6937

- Green, HPPG² Shell
- Black, Micro-Foam Nitrile Coating with Nitrile Dots
- Reinforced Thumb Crotch



CONQUEST® HPPG² | #6938

- Green, HPPG² Shell
- Black, Micro-Foam Nitrile Coating
- Reinforced Thumb Crotch



CONQUEST® HPPG² | #6938TPR

- Green, HPPG² High-Performance Shell
- Black, Micro-Foam Nitrile Coating
- Reinforced Thumb Crotch



MACHINE-KNIT NITRILE COATED

COR-TOUCH®

Nitrile Coated Machine-Knit Gloves

Nitrile is an oil-resistant, synthetic rubber that is abrasion, snag, and puncture resistant. Machine-knit nitrile-coated gloves are incredibly durable and offer excellent sense of touch. Foam nitrile coatings are porous to channel oil away from the glove surface for a secure grip in light oil applications.

Applications: Automotive Assembly & Repair, General Assembly, Electronics Assembly, Food Processing, Janitorial, Metal Fabrication, Painting, Plumbing/HVAC



COR-TOUCH® | #6890G

- Gray, Nylon Shell
- Black, Flat Nitrile Palm Coating
- **#6890**: White Shell, Gray Palm



COR-TOUCH® FOAM II | #6891

- White, Nylon Shell
- Gray, Foam Nitrile Palm Coating



COR-TOUCH® FOAM | #6893

- Blue Polyester/Spandex Shell
- Black, Micro-foam Nitrile Palm Coating
- Electrostatic Dissipative



COR-TOUCH® II | #6894

- Gray, Polyester Shell
- Black, Flat Nitrile Palm Coating
- **#6892**: White Shell, Black Palm (S-XL)



COR-TOUCH FOAM® PLUS | #6897

- Black, Nylon Shell
- ¾ Black, Micro-foam Nitrile Coating



COR-TOUCH® SAND GRIP | #6993

- Gray, Polyester Shell
- Black, Two-Layer Sandy Nitrile/Palm Coating
- **#6993VP** : Vend Packed



HAND PROTECTION: NITRILE COATED MACHINE-KNIT



TOWA
DESIGN AND PERFORMANCE THAT WORK

MicroFinish

The Intelligent Grip

GRIP PERFORMANCE

Towa® MicroFinish® Nitrile gloves provide more than twice the oil grip of ordinary foam nitrile gloves (ASTM D1894 Coefficient of Friction Test).

ABRASION PERFORMANCE

Patented MicroFinish® “double dip” technology provides up to 40% better Abrasion Resistance over typical foam nitrile gloves (U.S. Patent numbers 8,387,176 and 8,302,215).


OIL PERFORMANCE

Two-Layer MicroFinish® Nitrile Coatings are impermeable to oil while standard foam nitrile gloves allow liquids to eventually penetrate and contact the skin.




ActivGrip™ | #AG566

- Seamless, Cotton/Polyester Shell
- Green, Two-Layer MicroFinish® Nitrile Coating
- 12-Inch Length



ActivGrip™ Advance | #AG581

- Gray/Purple, Nylon Shell
- Black, Two-Layer MicroFinish® Nitrile Coating



ActivGrip™ Advance-Kev | #AG591

- Kevlar® Shell
- Black, Two-Layer MicroFinish® Nitrile Coating
- Oil & Cut Resistant



All **ACTIVEGRIP™** gloves are treated with **SANITIZED®** to prevent bacterial and fungal growth when hands perspire. This treatment extends the life of the gloves by protecting against germs and odors. **SANITIZED®** is a registered trademark of **SANITIZED AG®**.

MACHINE-KNIT POLYURETHANE COATED

Polyurethane Coated Machine-Knit Gloves

Polyurethane (PU) is a petroleum-based thermoplastic elastomer that offers a variety of advantages for use in glove production. PU coatings are resistant to tears, snags, and abrasions and offer unmatched tactile sensitivity. PU is soft, odorless, breathable and free of latex proteins and chemical accelerators.

Applications: Painting, Appliance Manufacturing, Sensitive Assembly Operations, Aerospace, Wiring.



COR-TOUCH® LITE | #6895B**

- 15-Gauge Black Nylon Shell
- Gray, PU Palm Coating



Nylon Shell, PU | #6895C

- 13-Gauge White Nylon Shell
- White, PU Palm Coating



COR-TOUCH® LITE | #6895G

- 15-Gauge Gray Nylon Shell
- Gray, PU Palm Coating



COR-BRITE® | #6901**

- Hi-Vis Yellow, Polyester Shell
- Hi-Vis Orange, PU Palm Coating



COR-BRITE® | #6902**

- Hi-Vis Yellow, Polyester Shell
- Hi-Vis Yellow, PU Palm Coating



COR-TOUCH® CONNECT | #6903**

- Blue, Nylon Shell
- Black, PU Palm Coating
- Touchscreen Thumb, Index, & Middle Finger



⚠️ **WARNING: Cancer - www.P65Warnings.ca.gov

HAND PROTECTION: POLYURETHANE COATED MACHINE-KNIT

MACHINE-KNIT POLYURETHANE COATED



Nylon Shell,PU | #6895C

- 13-Gauge White Nylon Shell
- White PU Palm Coating



Nylon Shell,PU | #6895CG

- 13-Gauge Gray Nylon Shell
- Gray PU Palm Coating



Nylon Shell,PU | #6896C

- 13-Gauge Black Nylon Shell
- Black PU Palm Coating



Polyester Shell,PU | #6898C

- 13-Gauge White Polyester Shell
- White PU Palm Coating



Polyester Shell,PU | #6898CG

- 13-Gauge Gray Polyester Shell
- Gray PU Palm Coating



Polyester Shell,PU | #6898CB

- 13-Gauge Black Polyester Shell
- Black PU Palm Coating



CONTACT™ | #3991††

- Hi-Vis Green, Nylon Shell
- Black, Foam Latex Palm Coating



⚠️ ** WARNING: Cancer - www.P65Warnings.ca.gov



Machine Knit Shell | #3892

- Natural, Polyester/Cotton Shell
- Green, Standard Latex Palm Coating
- #3890: Red Industry Grade (L)



SPLASH-DIPPED | #3893††

- Natural, Polyester/Cotton Shell
- Blue, Standard Latex Palm Coating
- #3891*: Blue Industry Grade (S, L)



MACHINE-KNIT NATURAL RUBBER COATED

HAND PROTECTION: NATURAL RUBBER LATEX COATED MACHINE-KNIT



COR-GRIP™ PRO | #3986P^{††}

- Gray, Premium, Spun Polyester Shell
- Blue, Crinkle-Finish, Latex Palm Coating



COR-GRIP™ | #3896^{††}

- Gray, Spun Polyester Shell
- Blue, Crinkle-Finish, Latex Palm Coating
- **#3898***: Standard (S-XL)



COR-GRIP™ II | #3895^{††}

- Gray, Spun Polyester Shell
- Gray, Crinkle-Finish, Latex Palm Coating
- **#3897***: Standard (S-XL)



COR-GRIP™ II | #3894^{††}

- Yellow, Spun Polyester Shell
- Blue, Crinkle-Finish, Latex Palm Coating



RECYCLED SHELL | #3885^{††}

- Gray, Recycled Fiber Shell
- Black, Crinkle Latex Palm Coating
- **#3886**: Gray Latex Palm



Charger™, Latex | #3995

- 10-Gauge, Hi-Vis Green Polyester/Cotton Shell
- Black Foam Latex Palm Coating



^{††} WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

MACHINE-KNIT INSULATED COATED

COLD SNAP®

When it's cold outside, you need gear you can trust. CORDOVA SAFETY PRODUCTS provides a core collection of coated cold protection gloves to keep you safe, seen, and warm. Several of our COLD SNAP® models also provide A3 Cut Level protection.

Applications: Cold Weather applications requiring gripping power, dexterity, protection from the elements.



COLD SNAP® FLEX | #3901*

- 2-Ply Thermal Liner
- Brushed Acrylic/Polyester Inner Layer
- Red, Nylon Outer Layer
- Black, PVC Foam Palm Coating



COLD SNAP® MAX | #3905*

- 2-Ply Thermal Liner
- Brushed Acrylic/Polyester Inner Layer
- Red, Nylon Outer Layer
- Black, PVC Foam, ¾ Palm Coating



COLD SNAP® EXTREME | #3915*

- 2-Ply Thermal Liner
- Brushed Acrylic Inner Layer
- Red, Nylon Outer Layer
- Black, PVC Foam, Full Coating



COLD SNAP® | #3999††

- Hi-Vis Lime, Terry Shell
- Brushed Loop-In Acrylic/Polyester Interior
- Black, Foam Latex Palm Coating



COLD SNAP® THERMO | #3988††

- 2-Ply Polyester/Acrylic Thermal Lining
- Full, Orange, Latex Coating
- Blue, Sandy Latex Palm Coating



COLD SNAP® THERMO | #3988B††

- 2-Ply Polyester/Acrylic Thermal Lining
- Full, Blue, Latex Coating
- Dark Gray, Sandy Latex Palm Coating



* WARNING: Cancer - www.P65Warnings.ca.gov
 †† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals



MONARCH Sub Zero™ | #3740††

- Hi-Vis Green Engineered Fiber Shell
- Black, Microfoam, Latex Palm Coating
- Thermal Brushed Interior



THERMA VIZ™ | #3889††

- Hi-Vis Yellow, Thermal, Terry Shell
- Brushed Polyester Interior
- Blue, Crinkle-Finish, Latex Palm Coating



THERMA-COR™ | #3899††

- Gray, Thermal, Terry Shell
- Brushed Acrylic Interior
- Gray, Crinkle-Finish, Latex Palm Coating



COLD SNAP® Plus | #3990

- 2-Ply Liner, Brushed Acrylic Inner Layer
- ¾ Black Crinkle Finish Latex Coating
- Hi-Vis Orange, 13-Gauge Polyester Outer Layer



MACHINIST® XTRA | #3734XTRA

- Two-Layer Insulated HPPE/Glass Shell
- ¾ Foam Nitrile Coating, No TPR



MACHINIST® MAX | #3734MAX

- Two-Layer Insulated HPPE/Glass Shell
- ¾ Foam Nitrile Coating, TPR Protectors



†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

MACHINE-KNIT SCREEN COATED

Dotted & Screen Coated Machine-Knit Gloves

CORDOVA SAFETY PRODUCTS machine-knit dotted and screen coated gloves feature PVC or nitrile dots and/or coatings for added gripping power and protection. We offer machine knit gloves in 7-15 gauge with 7-gauge being the heaviest and 15-gauge as the lightest.

Applications: Mining, Heat Protection, Agriculture, Janitorial, Materials Handling, Warehousing.



PVC Blocks Coated | #3880*

- Natural Color
- Cotton/Polyester Shell
- Blue Dots
- Double-Sided PVC Blocks



Hot Mill | #3830*

- Natural Color, 2-Ply, 100% Cotton Shell
- Red, Double-Sided, Nitrile Blocks
- Nitrile Thumb Crotch
- Contact Heat Level 2: 482° for 15 seconds




Machine Knit | #3805/P

- Natural Color, Polyester/Cotton
- Comfortable, Form-Fitting, Breathable
- PVC Dots on One Side
- 7-Gauge Construction, Standard Weight
- #3801 : Standard Weight
- #3803 : 13-Gauge



Machine Knit, PVC Dots | #3815

- Natural Color, Cotton/Polyester Shell
- One Side White PVC Dots
- Standard Weight



Machine Knit, PVC Criss Cross | #3900

- Orange Color, Polyester/Nylon Shell
- Double Sided PVC Dots
- 7-Gauge



Machine Knit | #3855/P

- Natural Color, Polyester/Cotton Shell
- Double Side PVC Dots
- #3851 : Standard Weight
- #3858 : 13-Gauge
- #3856 : Fingerless
- #3850/P : Bleached White



** WARNING: Cancer - www.P65Warnings.ca.gov
 †† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

MACHINE-KNIT SHELLS

Machine-Knit Shells

Machine knit shells are form fitting, economical gloves used in light industrial and manufacturing applications. They are constructed of a variety of different yarns, including cotton, polyester, and nylon. Machine knit shells are uncoated and can be used alone or as glove liners. CORDOVA SAFETY PRODUCTS offers machine knit gloves in 7-13 gauge with 7-gauge being the heaviest and 13-gauge as the lightest.

Applications: Food Processing, Materials Handling, Work Glove Liners, Janitorial & Sanitation, Warehousing, Agriculture.




Machine Knit | #3410

- Natural Color, Cotton/Polyester Shell
- Standard Weight
- **#3411** : 7-Gauge
- **#3412** : Fingerless Standard Weight



Machine Knit | #3400

- Natural Color, Cotton/Polyester Shell
- Medium Weight
- **#3435** : 100% Cotton, Medium Weight
- **#3480** : Heavy Weight



Machine Knit | #3500

- Bleached White, Cotton/Polyester Shell
- Medium Weight
- **#3520** : Standard Weight



Machine Knit | #3417

- Bleached White, 100% Recycled Polyester Shell
- Standard Weight
- **#3510** : 7-Gauge, Medium Weight
- **#3413N** : 13-Gauge, Standard Weight, Nylon Shell, Bleached White



Machine Knit | #3415G

- Gray Color, Cotton/Polyester Shell
- Standard Weight
- **#3411G** : 7-Gauge
- **#3185G** : Heavy Weight



Machine Knit | #3100

- Multi-Color, Cotton/Polyester Shell
- 7-Gauge
- **#3160** : Heavy Weight
- **#3115L** : Extra-Heavy Weight



MACHINE-KNIT THERMAL LINERS

Machine-Knit Shells

Machine knit shells are form fitting, economical gloves used in light industrial and manufacturing applications. They are constructed of a variety of different yarns, including cotton, polyester, and nylon. Machine knit shells are uncoated and can be used alone or as glove liners. CORDOVA SAFETY PRODUCTS offers machine knit gloves in 7-13 gauge with 7-gauge being the heaviest and 13-gauge as the lightest.

Applications: Food Processing, Materials Handling, Work Glove Liners, Janitorial & Sanitation, Warehousing, Agriculture.



Thermastat® | #FB-C3730

- White, Thermastat® HOLLOW-CORE Polyester
- 13-Gauge



Machine Knit, Thermastat® | #FB-C3830

- Blue, Thermastat® HOLLOW-CORE Polyester
- 13-Gauge



Machine Knit | #FB-C3700A

- Green Color
- Ragg Wool Shell



Machine Knit | #H3677

- Black, Acrylic/Spandex Shell
- 13-Gauge





ACTIVITY & IMPACT GLOVES

Activity and Impact gloves conform to the natural contour of the hand, offering a snug fit for excellent dexterity and comfort. Most offer TPR reinforcements to protect the dorsal bones in the hand from impacts.

ACTIVITY & IMPACT OGRE®



Impact and Activity gloves conform to the natural contour of the hand, offering a snug fit for dexterity and comfort. CORDOVA SAFETY PRODUCTS impact gloves feature added thermal plastic rubber (TPR) protection on the back of the hand.

See the OGRE Collection at www.cordovasafety.com/OGRE

Applications: Oil & Gas, Construction, Fork Lift Operation, Mechanics Services, Box Handling, Truck Driving.



OGRE® CRX-4 | #7750*

- Dark Gray CRX™ Shell (no glass or steel)
- Sonic Welded TPR Impact Protection
- Black, Sandy Nitrile Palm Coating



OGRE® CRX-3 | #7755*

- Hi-Vis Green CRX™ Shell (no glass or steel)
- Sonic-Welded TPR Impact Protection
- Black, Sandy Nitrile Palm Coating



OGRE® CRX-2 | #7760*

- Blue CRX™ Shell (no glass or steel)
- Sonic-Welded TPR Impact Protection
- Black, Sandy Nitrile Palm Coating



OGRE® CR+ Ice | #7738*

- Hi-Vis 2-Ply HPPE/Glass Fiber Shell
- TPR Impact Protection
- Sandy Nitrile Palm
- Brushed Acrylic Lining



OGRE® CR+ | #7739*

- Hi-Vis HPPE/Glass Fiber Shell
- TPR Impact Protection
- Red, Padded Sandy Nitrile Palm
- #7739V : Hi-Vis Yellow HPPE/Steel/Glass Shell
- #7739HV : Hi-Vis Lime Shell



COMMANDER IMPACT™ | #7749*

- Hi-Vis Yellow, HPPE/Glass/Steel Fiber Shell
- 2-Layer, Red, Sandy Nitrile Palm Coating
- TPR Impact Protection
- Reinforced Thumb Crotch
- Hook and Loop Closure



⚠️ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OGRE® -GT | #8535*

- Premium Grain Goatskin Driver
- Aramid/Glass/Steel Lining
- Double Palm, Orange TPR Protectors
- Shirred Elastic Wrist + Keystone Thumb
- **#8515**: Unlined Padded Double Palm



CALIBER® -GT | #8506*

- Grain Goatskin
- Cut and Sewn HPPE/Steel Lining
- TPR Protection
- Shirred Elastic Back
- **#8505**: Without TPR Protection



CALIBER® GT | #8507*

- Grain Goatskin Impact Glove
- Double Leather Palm, Spandex Back
- Cut and Sewn HPPE/Steel Palm Lining
- TPR Protection & Keystone Thumb



TUF-COR™ IMPACT | #3726TPR*

- Salt & Pepper, HPPE/Steel Fiber Shell
- TPR Protection
- Dual-Layered Nitrile: Flat on Bottom, Sandy on Top
- **#3727TPR**: TPR & Thermal Protection



OGRE® | #7701*

- Hi-Vis Spandex Back
- TPR Impact Protection
- Synthetic Leather Palm, Raised Silicone Grip
- Aramid Reinforced Thumb Crotch
- Neoprene Cuff with TPR Pull Tab



OGRE® Flex | #7734*

- Hi-Vis Polyester Shell
- TPR Impact Protection
- Sandy Nitrile Palm
- Reinforced Thumb Crotch



OGRE® Impact | #7735*

- Hi-Vis Polyester Shell
- TPR Impact Protection
- Padded Sandy Nitrile Palm
- Reinforced Thumb Crotch



OGRE® CR | #7736A

- HPPE/STEEL Shell
- Gray Polyurethane Palm Coating
- Touchscreen Fingertips



OGRE® | #7720*

- Hi-Vis Spandex Back
- TPR Impact Protection
- Corded Canvas Palm
- Neoprene Cuff with TPR Pull Tab



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OGRE® Ice | #7737*

- 2-Ply Machine Knit Shell
- TPR Impact Protection & Hammer Guard
- Black, Sandy Nitrile Palm
- Brushed Acrylic Lining
- Aramid-Reinforced Thumb Crotch



OGRE® | #7700*

- Hi-Vis Lime Spandex Back
- TPR Impact Protection
- Synthetic Leather Palm
- Raised Silicone Grip
- Aramid Reinforced Thumb Crotch
- Neoprene Cuff with TPR Pull Tab
- #7701 : Orange Color
- #7732 : Lime, 3M™ Thinsulate™



CALIBER® GT | #8508

- Grain Goatskin Drivers Glove
- HPPE/Steel Cut & Sewn Fabric + Thinsulate™ Lining
- TPR Protectors
- #8509 : Without TPR Protectors



CALIBER® GT | #8506G

- Grain Goatskin Drivers Glove
- Split Leather Gauntlet, Keystone Thumb
- Reflective Stripe, TPR Protectors
- HPPE/Steel Fabric Lined
- #8505G : Without TPR Protectors



COLOSSUS™ | #7745*

- Hi-Vis Orange Spandex Back
- Foam Metacarpal Padding
- Reflective Knuckle Protector
- Synthetic Leather Palm + PVC Reinforcement
- Neoprene Cuff + Hook & Loop Closure

M-3XL



COLOSSUS IV™ | #7748

- Hi-Vis Lime Spandex Back
- Foam Padding: Metacarpal, Finger & Knuckle
- Corded Canvas Palm
- Reinforced Thumb Crotch
- Heavy Duty Nylon Knit Wrist

M-3XL

* WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CORDOVA ACTIVITY



The CORDOVA PIT PRO™ activity glove line conforms to the natural contour of the hand, offering a snug fit for excellent dexterity and comfort. All are outfitted with stretchable spandex backs for greater flexibility and hook & loop closure for easy on and off.

Applications: Construction, Fork Lift Operation, Mechanics Services, Box Handling, Truck Driving.



Grain Deerskin | #77271*

- Premium Deerskin Leather Palm
- Fingertip and Knuckle Protectors
- Breathable Perforated Forchettes



Grain Goatskin | #77971*

- Premium Grain Goatskin
- Split Cowhide Double Palm
- Keystone Thumb



Synthetic Leather | #77171*

- Black, Synthetic Leather Palm
- Reinforced Fingertips
- Breathable Perforated Forchettes
- Knuckle Flex Panels, Continuous Pull Tab



Synthetic Leather Double Palm | #77871*

- Black, Synthetic Leather Double Palm
- Reinforced Fingertips
- Breathable Perforated Forchettes



PIT PRO™ Fingerless | #77771*

- Tan, Synthetic Leather Palm
- Black, Sure-Grip, Reinforced Palm
- Gel Foam Palm Padding
- Half-Finger Construction



* WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HAND PROTECTION: CORDOVA PIT PRO™ ACTIVITY




LEATHER GLOVES

Leather gloves are the most traditional and popular type of work glove. Cordova Safety Products offers a wide variety of leather gloves including drivers, leather palms, welding gloves and insulated models.

Grades of Leather

Grain Leather is the smooth, exterior side of the animal hide. Grain leather is comfortable, durable, and offers better dexterity and sense of touch.


Split Leather is the internal portion of the animal hide. The rougher texture of split leather makes it easy to differentiate from grain leather. Split is the most popular hide used in manufacturing leather palm gloves. It offers abrasion resistance for more heavy-duty applications.



Side Split comes from the rib area of the animal. This part of the hide is the most durable due to the density of the fibers.

Shoulder Split is more economical than Side-Split Leather. The additional movement of the animal in the shoulder area creates less density in the fibers.

Belly Split is the most economical type of Split Leather, but it tends to be thin and lacks consistency and durability.



Thumb Construction



Keystone Thumbs offer the highest range of motion and are the most comfortable. This style offers a wide range of applications and is the most ergonomically correct work glove.



Straight Thumbs are designed for close-fisted work (shoveling, prying, sweeping, etc.). When the fist is closed, the seams are out of the wear area.



Wing Thumbs are designed for open handed work (pushing, pulling, lifting, etc.). The seams are not exposed to wear when the palm is open, thus extending the life of the work glove.

Drivers Features

- 1 Front/Back Leather Coverage
- 2 Shirred Elastic Back
- 3 Keystone Thumb
- 4 Fabric Hem



Types of Leather



Cowhide is comfortable, durable, and abrasion resistant. It is the most commonly used leather in the glove market. Cowhide leather gloves are typically chrome tanned to promote longevity.



Pigskin offers the greatest breathability due to large pores in the hide. Pigskin is ideal for wet applications given its tendency to remain soft after exposure to moisture.



Goatskin is preferred where tactile sensitivity is required. Goatskin provides excellent tensile strength and abrasion resistance. The high lanolin content makes it one of the softest leathers available.



Deerskin is a soft, supple and luxurious hide. It offers excellent dexterity, durability, comfort and high tensile strength.

Leather Palm Features

- 1 Leather Fingertips
- 2 Full Leather Forefinger
- 3 Weltd Seams
- 4 Wing Thumb
- 5 Continuous Pull
- 6 Safety Cuff
- 7 Shirred Elastic Back
- 8 Knuckle Strap



LEATHER DRIVERS COWHIDE GRAIN & SPLIT

Cowhide Grain & Split Leather Drivers

Grain Leather Drivers are constructed of the smooth exterior side of the animal hide. Split Leather Drivers are constructed of the internal portion of the hide.

Applications: Farming & Ranching, Construction, Landscape Work.



Standard Grain Cowhide | #8201*

- Unlined, Shirred Elastic Back
- Straight Thumb
- **#8215***: Regular Grade (S-2XL)
- **#8217** : Standard Grade (S-2XL)



Standard Grain Cowhide | #8210*

- Unlined, Shirred Elastic Back
- Keystone Thumb
- **#8212***: Standard Grade (XS-3XL)



OUTLAW™ | #8235A*

- Premium Grain Cowhide
- Unlined, Shirred Elastic Back
- Aramid Sewn
- Keystone Thumb & Leather Self-Hem



Premium Grain Cowhide | #8235*

- Unlined, Shirred Elastic Back
- Keystone Thumb
- **#8210A***: Select Grain Cowhide (XS-2XL)



Standard Grain Cowhide | #8211HV*

- Unlined, Shirred Elastic Back
- Hi-Vis Orange, Sewn Fingertips
- Keystone Thumb



Standard Grain Cowhide | #8220*

- Unlined, Shirred Elastic Back
- Wrapped Forefinger Seams, Wing Thumb
- **#1200***: Select Grain, Seamless Forefinger



HAND PROTECTION: COWHIDE LEATHER DRIVERS



Regular Grain Cowhide | #8223*

- Unlined, Leather Pull-Strap Back
- Keystone Thumb (S-XL)



Select Grain - Split | #8230*

- Gray, Split Cowhide Back
- Unlined, Shirred Elastic Back
- Keystone Thumb



Select Grain - Split | #8231*

- Golden-Brown, Split Cowhide Back
- Unlined, Shirred Elastic Back
- Keystone Thumb



Select Grain - Split | #8232*

- Brown, Split Cowhide Back
- Unlined, Shirred Elastic Back
- Keystone Thumb
- #8234*: Aramid® Sewn (XS-2XL)



Standard Grain - Split | #8239*

- Dark Brown, Split Cowhide Back
- Unlined, Shirred Elastic Back
- Wrapped Forefinger & Wing Thumb



Standard Grain - Split | #8261*

- Split Cowhide Back & Double Palm
- White Grain Cowhide
- Unlined, Shirred Elastic Back
- Wrapped Forefinger & Wing Thumb



Select Grain - Split | #7800*

- Gray, Split Cowhide
- Unlined, Shirred Elastic Back
- Keystone Thumb



Select Grain - Split | #7810*

- Russet, Split Cowhide Back
- Unlined, Shirred Elastic Back
- Keystone Thumb



⚠ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LEATHER DRIVERS PIGSKIN

Pigskin Leather Drivers

Pigskin is comfortable, durable and abrasion resistant. It is the most commonly used glove on the market and typically chrome-tanned to promote longevity. It is puncture-resistant and an excellent choice for use in both heat and cold applications.

Applications: Agriculture, Construction, General Maintenance & Manufacturing, Masonry Work, Material Handling, Metal Fabrication, Railroad Work, Steel Work, Warehousing, Welding/Foundry.



Standard Grain Pigskin | #8810

- Unlined
- Shirred Elastic Back
- Keystone Thumb



Premium Grain Pigskin Driver | #F8805*

- Unlined
- Hi-Vis Orange Mesh Back
- Lime Reflective Tape
- Keystone Thumb



Premium Grain Pigskin | #8942*

- 3M Thinsulate™ Lining
- Shirred Elastic Back
- Keystone Thumb



Premium Grain Pigskin | #8922*

- Red Fleece Lining
- Shirred Elastic Back
- Keystone Thumb
- #8915*: White Fleece (S-XL)



HAND PROTECTION: PIGSKIN LEATHER DRIVERS

LEATHER DRIVERS DEERSKIN & GOATSKIN

Deerskin & Goatskin Leather Drivers

Deerskin is a soft, supple, luxurious leather. It offers excellent dexterity, durability, comfort and high tensile strength.

Goatskin is preferred where tactile sensitivity is required. Goatskin provides excellent tensile strength and abrasion resistance. The high lanolin content makes it one of the softest leathers available.

Applications: Construction, General Maintenance & Manufacturing, Masonry Work, Material Handling, Metal Fabrication, Railroad Work, Steel Work.



Premium Grain Deerskin | #9000*

- Unlined
- Shirred Elastic Back
- Keystone Thumb



Premium Grain Deerskin | #90501*

- 3M Thinsulate™ Lining
- Shirred Elastic Back
- Keystone Thumb



Premium Grain Goatskin | #8500*

- Unlined
- Shirred Elastic Back
- Keystone Thumb
- #8501*: Standard, Straight Thumb (S-2XL)
- #8502*: Standard, Keystone Thumb (S-2XL)



Premium Grain Goatskin | #8550*

- 3M Thinsulate™ Lining
- Shirred Elastic Back
- Keystone Thumb



HAND PROTECTION: DEERSKIN & GOATSKIN LEATHER DRIVERS

LEATHER DRIVERS CUT-RESISTANT

Cut-Resistant Leather Drivers

Cut-Resistant Leather Drivers provide an added layer of hand protection by the use of a cut-resistant lining.

Applications: Agriculture, Construction, General Manufacturing, Masonry Work, Material Handling, Metal Fabrication, Railroad Work, Steel Work, Warehousing.



OIL DEMON GT™ | #8586K*

- Oil-Resistant Grain Goatskin Driver
- Cut & Sewn Aramid/Glass/Steel Lining
- Keystone Thumb



CORDOVA® | #8583K*

- Natural Grain Goatskin Driver
- Cut & Sewn Aramid/Glass/Steel Lining
- Keystone Thumb



OGRE® -GT | #8535*

- Premium Grain Goatskin Driver
- Aramid/Glass/Steel Lining
- Double Palm, Orange TPR Protectors
- Shirred Elastic Wrist + Keystone Thumb
- #8515*: Unlined



OUTLAW ARC™ | #8228ARC*

- Premium Grain Cowhide Driver
- Cut & Sewn Aramid/Glass/Steel Lining
- Keystone Thumb



CALIBER®-GT | #8506*

- Grain Goatskin Driver
- Cut and Sewn HPPE/Steel Lining
- TPR Protection
- Shirred Elastic Back
- #8505*: Without TPR



CALIBER®-GT | #8506G

- Grain Goatskin Driver
- Split Leather Gauntlet Cuff
- Reflective Stripe, TPR Protectors
- Cut and Sewn HPPE/Steel Lining
- #8505G : Without TPR



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LEATHER DRIVERS INSULATED

Insulated Leather Drivers

Insulated Leather Drivers provide the added benefit of insulated liners for those cold weather days.

Applications: Agriculture, Construction, General Manufacturing, Masonry Work, Material Handling, Metal Fabrication, Railroad Work, Steel Work, Warehousing.



CALIBER®-GT | #8508

- Grain Goatskin Driver
- HPPE/Steel + Thinsulate™ Lined
- TPR Protectors



Premium Grain Cowhide | #8255*

- Thinsulate™ Lining
- Shirred Elastic Back
- Keystone Thumb
- #8248*: Standard Grain, Thermal Lining



Premium Grain Cowhide | #8240*

- Red Fleece Lining
- Shirred Elastic Back
- Keystone Thumb
- #8245*: Standard Grain, White Fleece(S-2XL)



CALIBER®-GT | #8509

- Grain Goatskin Driver
- HPPE/Steel + Thinsulate™ Lined



Standard Split Cowhide | #7910*

- Russet Color, Red Fleece Lining
- Shirred Elastic Back
- Keystone Thumb



Standard Split Cowhide | #7902*

- Russet Color, Pile Lining
- Shirred Elastic Back
- Keystone Thumb



Premium Grain Goatskin | #8550*

- 3M Thinsulate™ Lining
- Shirred Elastic Back
- Keystone Thumb



Premium Grain Deerskin | #90501*

- 3M Thinsulate™ Lining
- Shirred Elastic Back
- Keystone Thumb



⚠ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HAND PROTECTION: INSULATED LEATHER DRIVERS

LEATHER PALMS GRAIN

Grain Leather Palms

Grain leather palms feature leather primarily on the palm of the glove, and other materials, such as canvas, on the back. Grain leather is the smooth exterior side of the animal hide. Split is the internal, rougher portion of the hide.

Applications: Farm & Ranch, Construction, Landscaping.



OUTLAW™ | #8300*

- Premium Grain
- Striped Canvas Back
- Gunn Cut & Rubberized Safety Cuff



OUTLAW™ | #8310*

- Premium Grain
- Striped Canvas Back
- Gunn Cut & Rubberized Gauntlet Cuff
- **#8315***: Standard (S-XL)



Premium Goatskin | #8650L*

- Premium Grain Goat
- Red Canvas Back
- Gunn Cut & Rubberized Safety Cuff



Standard Grain | #8305*

- Standard Grain
- Striped Canvas Back
- Gunn Cut & Rubberized Safety Cuff



LEATHER PALMS

COWHIDE SHOULDER & SIDE-SPLIT

Shoulder and Side-Split Cowhide Leather Palms

Cowhide leather palms feature leather primarily on the palm of the glove and other materials, such as canvas, on the back. These drivers feature split leather, the rougher underside of the hide. CORDOVA SAFETY PRODUCTS grades leather according to the area on the hide from which it is cut.

Applications: Farm & Ranch Applications, Construction, Landscape Work.



Side-Split Leather Palm | #1030*

- Gunn Cut and Aramid Sewn
- Rubberized Safety Cuff
- **#1051***: Double Palm, Safety Cuff (S-XL)



Shoulder-Split Leather Palm | #7120*

- Blue/Red Striped Fabric
- Clute Pattern & Natural Knit Wrist
- **#7122***: Ladies
- **#7020***: Reinforced Palm




Premium Double-Chrome Tanned | #7540A*

- Heavy Side-Split Double Palm
- Gunn Cut & Aramid Sewn
- Rubberized Safety Cuff
- **#7540***: Single-Chrome Tuf-Cor™ (M-XL)



Premium Double-Chrome Tanned | #7500A*

- Heavy Side-Split Palm
- Gunn Cut & Aramid Sewn
- Rubberized Safety Cuff
- **#7500***: Single-Chrome Tuf-Cor™ (S-2XL)



GRAIN LEATHER is the smooth, exterior side of the animal hide. Grain leather is comfortable, durable, and offers better dexterity and sense of touch.

SPLIT LEATHER is the internal portion of the animal hide. The rougher texture of split leather makes it easy to differentiate from grain leather. Split is the most popular hide used in manufacturing leather palm gloves. It offers abrasion resistance for more heavy-duty applications.

SIDE SPLIT comes from the rib area of the animal. This part of the hide is the most durable due to the density of the fibers.

SHOULDER SPLIT is more economical than Side-Split Leather. The additional movement of the animal in the shoulder area creates less density in the fibers.

BELLY SPLIT is the most economical type of Split Leather, but it tends to be thin and lacks consistency and durability.

⚠️ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Shoulder-Split Leather Palm | #7200D*

- White Canvas Back
- Gunn Cut
- Washable Duck Cuff



Shoulder-Split Leather Palm | #7201R*

- Green/Pink Striped Fabric
- Gunn Cut
- Rubberized Safety Cuff



Shoulder-Split Leather Palm | #7200R*

- Blue/Red Striped Fabric
- Gunn Cut & Rubberized Safety Cuff
- #7240*: Rubberized Gauntlet Cuff (S-2XL)



Shoulder-Split Leather Palm | #7205R*

- Blue/Red Striped Fabric
- Gunn Cut & Rubberized Safety Cuff



Shoulder-Split Leather Palm | #7220*

- Patch Palm Construction
- Denim Back
- Gunn Cut & Denim Safety Cuff
- #7210*: Blue/Red Striped Fabric



Shoulder-Split Leather Palm | #7235*

- Blue/Red Striped Fabric
- Gunn Cut & Starched Gauntlet Cuff
- #7200S*: Starched Safety Cuff (M-XL)
- #7202S*: Starched Safety Cuff (Ladies)



Select Shoulder-Split | #7261*

- Shoulder-Split Leather Double Palm
- Blue/Red Striped Fabric
- Gunn Cut & Rubberized Safety Cuff
- #7262*: Ladies
- #7261JP*: Joint Palm
- #7262JP*: Joint Palm (Ladies)



Premium Shoulder-Split | #7300R*

- Blue/Red Striped Fabric
- Gunn Cut & Rubberized Safety Cuff



Premium Shoulder-Split | #7351R*

- Shoulder-Split Leather Double Palm
- Pink/Green Striped Fabric
- Gunn Cut & Rubberized Safety Cuff
- #7352R*: Safety Cuff (Ladies)



⚠ * WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LEATHER PALMS INSULATED

Insulated Leather Palms

In addition to all of the benefits provided by traditional leather palm gloves, insulated leather palms offer the extra feature of insulated liners to keep your hands safe and warm.

Applications: Agriculture, Construction, General Manufacturing, Masonry Work, Material Handling, Metal Fabrication, Railroad Work, Steel Work, Warehousing.



Split Cowhide Leather Palm | #7260L

- 3M Thinsulate™ Lining
- Foam & Fleece Lining
- Gunn Cut Pattern
- Rubberized Safety Cuff
- **#7265L***: Fleece Lining



Split Cowhide Leather Palm | #7410*

- Black Leather, Yellow Canvas
- Pile Lining
- Gunn Cut & Rubberized Safety Cuff
- **#7460***: 3M Thinsulate™ Lining (S-XL)



Split Cowhide Leather Palm | #7465LKW*

- Blue Leather, Yellow Canvas
- 3M Thinsulate™ and Waterproof Lining
- Gunn Cut & Rubberized Safety Cuff



Split Cowhide Leather Palm | #7465*

- Blue Leather, Yellow Canvas
- 3M Thinsulate™ and Waterproof Lining
- Gunn Cut & Rubberized Safety Cuff



Select Shoulder-Split | #7380*

- Russet Leather
- Yellow Canvas
- Gunn Cut & Rubberized Safety Cuff



Select Shoulder Split Cowhide | #F7250R*

- Unlined Leather Palm
- Hi-Vis Orange Back
- 2-Toned Reflective Tape
- Gunn Cut & Rubberized Safety Cuff



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


HAND PROTECTION: INSULATED LEATHER PALMS

INSULATED GLOVES FREEZEBEATER®

FreezeBeater® Insulated Gloves

Featuring a three-layer lining, including Thinsulate™, the warmest thin insulation on the market, FreezeBeater® Gloves keep working hands toasty warm even in the coldest conditions. All FreezeBeater® Gloves provide:

- Premium, Heavy-Duty Leather
- Three-Layer Linings: Tricot, Thinsulate™, 7mm Foam
- Heavy-Duty, Nylon Knit Wrists
- Leather, Continuous-Pull Tabs



FreezeBeater
really warm glove



FreezeBeater® Cowhide Mitten | #FB300*

- Split-Leather Cowhide
- Double Palm
- Reinforced Thumb Crotch
- Russet Color
- Gram Weight for Thinsulate - C150
- Heavy Work Rated to - 20°F



FreezeBeater® Cowhide | #FB400*

- Split-Leather Cowhide
- Double Palm
- Reinforced Thumb Crotch
- Russet Color
- Gram Weight for Thinsulate - C150
- Heavy Work Rated to - 20°F




FreezeBeater® Deerskin | #FB700*

- Gray, Split-Leather Deerskin
- Aramid® Sewn
- Gram Weight for Thinsulate - C150
- Heavy Work Rated to - 20°F



FreezeBeater® Cowhide | #FB900*

- Gray, Split-Leather Cowhide
- Double Palm
- Aramid® Sewn
- Gram Weight for Thinsulate - C200
- Heavy Work Rated to - 30°F



FreezeBeater® Layers Close Up

- 1 Premium Heavy-Duty Leather
- 2 Tricot
- 3 3M Thinsulate™
- 4 7mm Foam

HAND PROTECTION: FREEZEBEATER® LEATHER GLOVES

LEATHER GLOVES WELDING

Leather Welding Gloves

CORDOVA SAFETY PRODUCTS offers a variety of quality gloves created to address the specific needs of welders. All Styles are XL die-cut.

Applications: Welding, Cutting, Braising, Grinding, Some High-Heat Applications, Foundries.



Premium Side-Split Cowhide | #7610A*

- Reinforced Palms with Thumb Guard
- Aramid® Sewn with Fully Weltd Seams
- Full Sock Lining with Foam



TUF-COR™ Premium Cowhide | #7650*

- Premium Shoulder-Split
- Wing Thumb
- Aramid® Sewn with Fully Weltd Seams
- Full Sock Lining



Premium Side-Split Cowhide | #7670*

- Reinforced Palms with Thumb Guard
- Aramid® Sewn with Fully Weltd Seams
- Full Sock Lining with Foam



Select Shoulder-Split Cowhide | #7610*

- Reinforced Palms with Wing Thumb
- Aramid® Sewn with Fully Weltd Seams
- Full Sock Lining with Foam
- #7620*: Reinforced Palm



Select Shoulder-Split Cowhide | #7615*

- Patch Palm with Thumb Guard
- Wing Thumb
- Aramid® Sewn with Fully Weltd Seams
- Full Sock Lining



Select Shoulder-Split Cowhide | #7630*

- Wing Thumb
- Fully Weltd Seams
- Full Sock Lining



CHOOSING THE RIGHT WELDING GLOVE



STICK – STICK WELDING REQUIRES GLOVES WITH THICKER INSULATION FOR MORE HEAT PROTECTION DUE TO THE SPARKS, SPATTER & THERMAL HEAT GENERATED BY THE APPLICATION. STICK WELDING GLOVES TYPICALLY HAVE LESS DEXTERITY DUE TO THE ADDITIONAL INSULATION.

MIG – LIGHTER THAN STICK WELDING GLOVES, MIG GLOVES REQUIRE MORE DEXTERITY FOR USE WITH A WELDING GUN.

TIG – TIG WELDING PRODUCES THE LOWEST HEAT AND FLAME OF THESE WELDING APPLICATIONS, SO TIG GLOVES CAN BE THINNER AND MORE DEXTEROUS THAN STICK OR MIG GLOVES.



Shoulder-Split Cowhide | #7600

- Wing Thumb
- Fully Weltd Seams
- Full Sock Lining
- Gray, Two-Piece Back



Shoulder-Split Cowhide | #7625*

- Reinforced Palm with Wing Thumb
- Aramid® Sewn with Fully Weltd Seams
- Full Sock Lining



Shoulder Leather Welder | #7605

- Gray Color, Wing Thumb
- One-Piece Back
- Full Sock Lining
- #7609 : Blue
- #7602 : Ladies Shoulder Leather



TIG-WEL™ | #8130*

- Premium Grain Cowhide
- Wing Thumb
- Aramid® Sewn
- Split-Leather Gauntlet Cuff



Standard Grain Cowhide | #8135*

- Wing Thumb
- Split-Leather Gauntlet Cuff



Premium Grain Goatskin | #8530*

- Wing Thumb
- Aramid® Sewn
- Blue, Split-Leather Gauntlet Cuff



HAND PROTECTION: LEATHER WELDING

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



COTTON GLOVES

Jersey, chore, canvas, and terry cotton gloves are all-purpose, light- to medium-duty gloves. Some of the most common applications for these gloves include farming, gardening, landscaping, painting and roofing.

COTTON GLOVES HI-VISIBILITY

Hi-Visibility Cotton Gloves

Jersey, chore, canvas, and terry cotton gloves are all-purpose, light to medium duty gloves. These high-visibility colors are designed to increase hand protection and visibility.

Applications: Farming, Gardening, Landscaping, Painting, Roofing.



Hi-Vis Cotton | #2800TPR*

- Hi-Vis Orange, Corded Poly/Cotton
- Double Palm
- TPR Protectors
- Hi-Vis Orange Knit Wrist



Hi-Vis Cotton | #2800CD

- Hi-Vis Orange, Corded, Poly/Cotton
- Double Palm
- Hi-Vis Orange Knit Wrist



Hi-Vis Cotton | #2810CD

- Hi-Vis Lime, Corded, Poly/Cotton
- Double Palm
- Hi-Vis Lime Knit Wrist



Hi-Vis Cotton | #2820CD

- Hi-Vis Yellow, Corded, Poly/Cotton
- Double Palm
- Hi-Vis Yellow Knit Wrist



Hi-Vis Cotton | #2850CD

- Hi-Vis Lime, Corded, 100% Cotton
- Double Palm
- Hi-Vis Lime Knit Wrist
- #2830CD: Hi-Vis Yellow



Hi-Vis Cotton | #2715*

- Hi-Vis Lime, Cotton Canvas
- PVC Dots
- Hi-Vis Lime Knit Wrist
- #2710*: Hi-Vis Orange



COTTON GLOVES DOUBLE-PALM CANVAS

Double-Palm Canvas Gloves

Cotton canvas gloves offer hand protection for a variety of work applications and are generally preferred over jerseys in more dirty, abrasive environments to keep out grit and grime. Cotton double-palms are constructed with two layers of fabric in the palm. Fabric weights range from 12-18 oz per square yard.

Applications: Agriculture, Assembly, Automotive Assembly & Repair, Construction, Furniture Assembly, General Maintenance & Manufacturing, Masonry Work, Material Handling, Railroad, Warehousing. Heat applications up to 250°F.



Cotton Canvas | #2400

- Nap-Out Poly/Cotton Canvas
- Quilted, Double Palm
- Band Top



Cotton Canvas | #2420

- Nap-In Poly/Cotton Canvas
- Quilted, Double Palm
- Band Top



Cotton Canvas | #2430

- Nap-In Poly/Cotton Canvas
- Quilted, Double Palm
- Natural Knit Wrist
- #2432: Industry Grade



Cotton Canvas | #24101

- Nap-In Poly/Cotton Canvas
- Quilted, Double Palm
- Red Knit Wrist
- #2460 : Industry Grade, Red Knit Wrist



Cotton Canvas | #2435CDR

- Nap-In Poly/Corded Canvas
- Quilted, Double Palm
- Red Knit Wrist
- #2435CD: Natural Knit Wrist
- #2435SC: Natural Safety Cuff



Double Quilted Cotton Canvas | #2439CDQN

- Nap-In 100% Cotton, Corded Canvas
- Double Quilted, Double Palm
- Knit Wrist



HAND PROTECTION: DOUBLE-PALM CANVAS COTTON

COTTON GLOVES COTTON CANVAS & DOTTED

Cotton Canvas & Dotted Gloves

Cotton canvas and dotted gloves offer hand protection for a variety of work application and generally are preferred over jerseys in more dirty, abrasive environments to keep out grit and grime.

Applications: Agriculture, Assembly, Automotive Assembly and Repair, Construction, Furniture Assembly, General Maintenance and Manufacturing, Masonry Work, Material Handling, Railroad, Warehousing.



	ITEM #	DESCRIPTION	PVC DOTS	SAFE FOR FOOD CONTACT	WEIGHT			AVAILABLE SIZING	
					8 OZ	10 OZ	12 OZ	LG	LADIES
8, 10 & 12 oz Canvas	2000	Premium Poly/Cotton, Wing Thumb, Knit Wrist	---	●	●			●	
	2000V	Standard Poly/Cotton, Wing Thumb, Knit Wrist	---	●	●			●	
	2000RW1	Standard Poly/Cotton, Wing Thumb, Knit Wrist	---	●	●			●	
	2002	Standard Poly/Cotton, Wing Thumb, Knit Wrist	---		●				●
	2100	Standard Poly/Cotton, Wing Thumb, Knit Wrist	---	●		●		●	
	2200C	Premium Cotton Canvas, Wing Thumb, Knit Wrist	---	●			●	●	
	2200	Standard Poly/Cotton, Wing Thumb, Knit Wrist	---	●			●	●	
Dotted Canvas	2608*	Standard Poly/Cotton, Wing Thumb, Knit Wrist	Black		●			●	
	2602*	Standard Poly/Cotton, Wing Thumb, Knit Wrist	Black		●				●
	2680*	Standard Poly/Cotton, Wing Thumb, Natural Knit Wrist	Orange		●			●	
	2610*	Standard Poly/Cotton, Wing Thumb, Knit Wrist	Black			●		●	
	2670*	Standard Poly/Cotton, Wing Thumb, Orange Knit Wrist	Orange			●		●	

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

COTTON GLOVES HOT MILL

Hot Mill Cotton Gloves

Cotton hot mills are constructed with two or three layers of fabric in the palm. The fabric weights range from 22-36 oz per square yard.

Applications: Heat applications up to 400°F.



Cotton Hot Mill | #2500

- Regular Weight, 24 oz Hot Mill
- Quilted Palm, Thumb & Forefinger
- Knuckle Strap
- Band Top Cuff



Cotton Hot Mill | #2505

- Regular Weight, 24 oz Hot Mill
- Quilted Palm, Thumb & Forefinger
- Knuckle Strap
- Gauntlet Cuff



Cotton Hot Mill | #2515

- Heavy Weight Hot Mill
- 3-Ply: Cotton-Burlap-Cotton
- 32 oz, Natural Color Quilted Palm
- Band Top Cuff



Cotton Hot Mill | #2515G

- Heavy Weight Hot Mill
- 3-Ply: Cotton-Burlap-Cotton
- 32 oz, Green Quilted Palm
- Band Top Cuff
- **#2525G**: Gauntlet Cuff



Cotton Hot Mill | #2520

- Heavy Weight Hot Mill
- 3-Ply: Cotton-Cotton-Cotton
- 32 oz, Natural Color Quilted Palm
- Band Top Cuff
- **#2525**: Gauntlet Cuff



Seamless Cotton Hot Mill | #3830

- 2-Ply, Machine Knit Hot Mill
- 7-Gauge, 100% Cotton
- Double-Sided Nitrile Blocks
- Nitrile Thumb Crotch



HAND PROTECTION: HOT MILL COTTON

COTTON GLOVES TERRY

Terry Cotton Gloves

Terry gloves with loop-in are typically preferred when working in higher abrasion applications. Loop-in terry is also used for cold storage or cooler work. Loop-out terry gloves are used in light heat applications. Loop-out terry lets air pass through, cooling down the knit, making it a good heat-absorbing material.

Applications: General Industrial Work & Maintenance, Refrigerated & Cold Storage, Material Handling, Construction, Agriculture, Outdoor Work.



Terry Cotton | #3214I

- Loop-In, 14 oz Cotton Terry
- Natural Color
- Knit Wrist



Terry Cotton | #3214GI

- Loop-In, 14 oz Cotton Terry
- Gray
- Knit Wrist



Terry Cotton | #3218

- Loop-Out, 18 oz Cotton Terry
- Natural Color
- Knit Wrist
- **#3218G:** Gray with Natural Knit Wrist



Terry Cotton | #3224G

- Loop-Out, 24 oz Cotton Terry
- Gray/Natural Color
- Knit Wrist



Terry Cotton | #3224

- Loop-Out, 24 oz Cotton Terry
- Natural Color
- Knit Wrist
- **#3224/P:** Premium (L)



Terry Cotton Sleeve | #3255

- Loop-Out, 24 oz Cotton Terry
- 15", Natural Color
- Elastic at Both Ends
- **#3258:** 18"



COTTON GLOVES JERSEY & INSPECTOR

Jersey & Inspector Gloves

Inspector gloves are most often used for inspections and sensitive, low-lint applications. Jersey gloves are a common cotton or cotton-blended glove used for a wide variety of applications. They are often equipped with PVC dots for increased gripping strength and are available in different cotton weights and styles.

Applications: Agriculture, Assembly, Automotive Assembly & Repair, Construction, Furniture Assembly, General Maintenance & Manufacturing, Inspections, Masonry, Material Handling, Railroad, Warehousing.



1400C



1300C



1600

AVAILABLE SIZING

	ITEM #	DESCRIPTION	SAFE FOR FOOD CONTACT	SM	MD	LG	XL
Jerseys	1300C	Natural, 2-PC Reversible, Knit Wrist (1302C : Ladies L)	●	●		●	
	1400C	Medium Weight, 100% Cotton, Brown Jersey, Knit Wrist	●	●		●	
	1402C	Ladies, Medium Weight, 100% Cotton, Brown Jersey, Knit Wrist	●	●			
	1410C	Standard 100% Cotton, Brown Jersey, Clute Cut, Knit Wrist	●			●	
	1400	Medium Weight Brown Jersey, Clute Cut, Knit Wrist	●			●	●
	1402	Standard Brown Jersey, Clute Cut, Knit Wrist, Ladies	●				
	1400P	Standard Brown Jersey, Clute Cut, Knit Wrist	●	●		●	●
	1402P	Ladies Standard Brown Jersey, Clute Cut, Knit Wrist	●				
	1430	Heavy Weight Brown Jersey, Clute Cut, Knit Wrist	●			●	
	1500	Large PVC Dots, Brown Jersey, Clute Cut, Knit Wrist		●		●	
	1510	Micro PVC Dots, Brown Jersey, Clute Cut, Knit Wrist (1512 : Ladies L)		●		●	
	1600	Brown Jersey, Red Lined Fleece, Slip-On Style	●			●	
Inspectors	1100	Poly/Cotton Lisle, Unhemmed	●				
	1102	Poly/Cotton Lisle, Unhemmed, Ladies	●				
	1100C	100% Cotton Lisle, Unhemmed (1102C : Ladies L)	●	●		●	●
	1114	100% Cotton Lisle, 14", Unhemmed	●			●	
	1120	Medium Weight, Hemmed (1120S : Ladies L)	●	●		●	●
	1130	Heavy Weight, Hemmed (1130S : Ladies L)	●	●		●	
	1800	Nylon Inspector, 2-PC, Hemmed (1802 : Ladies S-L)	●	●	●	●	●
	1850	Stretch Full Fashion Nylon, Inset Thumb (1850S : Ladies L)	●	●		●	
1880	Lint-Free Stretch Nylon, Reversible, Hemmed Cuff (1882 : Ladies S-L)	●	●	●	●		

HAND PROTECTION: JERSEY & INSPECTOR COTTON



SUPPORTED & UNSUPPORTED GLOVES

Supported gloves are made with fabric linings that provide support to the protective compounds (nitrile, latex, neoprene, PVC, etc.) that form the outer surface of the glove. Supported gloves are made by dipping or cutting and sewing.

Unsupported gloves are made without supporting fabrics or liners. Ceramic formers with embossed grip patterns are dipped directly into protective polymers.



SUPPORTED & UNSUPPORTED TERMINOLOGY

Definitions



Supported gloves are made with fabric lining that provide "support" to the protective compounds (Nitrile, Latex, Neoprene, PVC, etc.) that form the outer surface of the glove. Supported gloves are made by either "Dipping" or "Cutting and Sewing". Dipping involves placing a knitted or woven fabric liner on a hand former and dipping the former into a protective polymer. Cut and Sewn supported gloves are manufactured by cutting laminated, impregnated or coated fabrics into components, and then stitching them together.



Unsupported gloves are made without supporting fabrics or liners. Ceramic formers with embossed grip patterns are dipped directly into protective polymers. Generally, unsupported gloves are available in palm thicknesses that range from 11-30 mils. A mil is 1/1000th of an inch. Unsupported gloves are sometimes lined with cotton flocking to absorb perspiration and provide comfort. Unsupported gloves provide excellent dexterity and chemical protection.



Disposable gloves offer the most tactile sensitivity of any glove type. Most disposable gloves are designed for single use, light duty applications. Available in both Medical and Food Service grades, most disposable gloves have palm thicknesses that range from 4-15 mils. Disposable gloves are normally powdered, chlorinated or polymer coated to allow for easy donning. Latex, Nitrile and Vinyl are the most prevalent compounds used to produce disposable gloves.



Butyl Gloves are made in the USA by Guardian Manufacturing and offer unmatched protection against hazardous chemicals encountered in agriculture, chemical manufacturing, Hazmat operations, first response, ship building, and aircraft manufacturing. The dense molecular structure of butyl rubber is the key to its superior chemical impermeability. We offer butyl rubber gloves in 5, 7, 14 and 25 mil thicknesses to allow for dexterity in a variety of application.

Coatings



Natural Rubber Latex is the milky sap of the Hevea Rubber Tree. Once extracted, the sap is centrifuged and processed to achieve optimal physical properties. Natural latex transforms from a liquid state to a solid state when exposed to heat (vulcanization) during the curing process. Natural Rubber generally withstands all liquids that mix with water, such as alcohols and acetones. Some individuals may experience allergic reactions to proteins found in Natural Rubber.



Nitrile, or Acrylonitrile Butadiene Rubber, is a synthetic rubber developed as a substitute for Natural Rubber. It offers good protection against organic solvents, oils, bases and animal fats. It also provides excellent resistance to abrasion, snag, punctures, and cuts. Nitrile is an extremely versatile synthetic rubber, and it is used to produce a wide range of Disposable, Unsupported, Supported and Coated gloves.



Neoprene, or Chloroprene, was developed in the 1930's by DuPont®. Neoprene was the first man-made rubber. It provides excellent chemical protection, and it is impermeable to gases, vapors, and moisture. Neoprene does not provide quite the same abrasion resistance as Nitrile; however, it does offer good cut protection and resembles Natural Rubber in feel and flexibility. Neoprene resists degradation from sun, ozone and weather, and is used to make a variety of products including conveyor belts, hoses, wet suits and gaskets.



Polyvinyl Chloride, or PVC Vinyl Plastic, is the thermoplastic polymer of Vinyl and Chloride. It is produced by combing resins and plasticizers, then fusing them through a heat process. The wear, flexibility and chemical resistance of PVC can be controlled by carefully regulating the compounding of these two ingredients. Polyvinyl Chloride provides protection against caustics, acids, bases, detergents, and solvents.



Polyurethane, or PU, is a petroleum based thermoplastic elastomer with a cross-linked molecular structure. Polyurethane's molecular structure makes it incredibly tough and yet, surprisingly soft, flexible and comfortable. PU contains no Latex proteins or chemical accelerators, both of which can cause allergic reactions. PU is odorless and it resists degradation by ozone, fuels, oils, acids and many solvents.

PROPERTIES	LATEX	NITRILE	NEOPRENE	PVC	POLYURETHANE (PU)
Strength	Excellent	Excellent	Very Good	Fair	Excellent
Barrier Protection	Excellent	Excellent	Very Good	Good	Excellent
Puncture Resistance	Very Good	Excellent	Good	Poor	Excellent
Chemical Resistance	Good	Excellent	Very Good	Poor	Very Good
Thermal Resistance	0-300°F	25-300°F	25-300°F	25-150°F	25-300°F
Elasticity	Excellent	Very Good	Excellent	Poor	Excellent
Allergen	Latex Proteins are present. Varies by product.	Very Good. No proteins, but some residual chemicals.	Very Good. No proteins, but some residual chemicals.	Good. No proteins, but some chemicals and curing agents.	Very Good. No proteins, but some chemicals and curing agents.
Comfort	Excellent	Very Good	Excellent	Fair	Very Good
Cost	Low	Medium	Medium	Low	High

SUPPORTED & UNSUPPORTED DEGRADATION CHART

CHEMICAL	NEOPRENE	PVC	RUBBER	NITRILE
Acetaldehyde	●	●	●	●
Acetic Acid	●	●	●	●
Acetone	●	●	●	●
Acetonitrile	●	●	●	●
Ammonium Hydroxide < 30%	●	●	●	●
Amyl Acetate	●	●	●	●
Amyl Alcohol	●	●	●	●
Aniline	●	●	●	●
Animal Fats	●	●	●	●
Battery Acid	●	●	●	●
Benzaldehyde	●	●	●	●
Benzene	●	●	●	●
Benzoyl Chloride	●	●	●	●
Butane	●	●	●	●
Butyl Acetate	●	●	●	●
Butyl Alcohol	●	●	●	●
Butyl Cellosolve	●	●	●	●
Carbolic Acid	●	●	●	●
Carbon Disulfide	●	●	●	●
Carbon Tetrachloride	●	●	●	●
Castor Oil	●	●	●	●
Cellosolve Acetate	●	●	●	●
Cellosolve Solvent	●	●	●	●
Chlorobenzene	●	●	●	●
Chloroform	●	●	●	●
Chloronaphthalenes	●	●	●	●
Chloroethene VG	●	●	●	●
Chromic Acid	●	●	●	●
Citric Acid	●	●	●	●
Cottonseed Oil	●	●	●	●
Cresol	●	●	●	●
Cutting Oil	●	●	●	●
Cyclohexane	●	●	●	●
Cyclohexanol	●	●	●	●
Dibutyl Phthalate	●	●	●	●
Diethylamine	●	●	●	●
Di-Isobutyl Ketone	●	●	●	●
Dimethyl Formamide (DMF)	●	●	●	●
Dimethyl Sulfoxide (DMSO)	●	●	●	●
Dioctyl Phthalate (DOP)	●	●	●	●
Dioxane	●	●	●	●
Ethyl Acetate	●	●	●	●
Ethyl Alcohol	●	●	●	●
Ethylene Dichloride	●	●	●	●
Ethylene Glycol	●	●	●	●
Ethyl Ether	●	●	●	●
Ethylene Trichloride	●	●	●	●
Formaldehyde	●	●	●	●
Formic Acid	●	●	●	●
Freon	●	●	●	●
Furfural	●	●	●	●
Gasoline	●	●	●	●
Hexane	●	●	●	●
Hydraulic Fluid - Petroleum Base	●	●	●	●
Hydraulic Fluid - Ester Base	●	●	●	●
Hydrazine 65%	●	●	●	●
Hydrochloric Acid	●	●	●	●
Hydrofluoric Acid	●	●	●	●
Hydrogen Peroxide	●	●	●	●
Hydroquinone	●	●	●	●
Isobutyl Alcohol	●	●	●	●
Iso-Octane	●	●	●	●

CHEMICAL	NEOPRENE	PVC	RUBBER	NITRILE
Isopropyl Alcohol	●	●	●	●
Kerosene	●	●	●	●
Lactic Acid	●	●	●	●
Lauric Acid	●	●	●	●
Linoleic Acid	●	●	●	●
Linseed Oil	●	●	●	●
Maleic Acid	●	●	●	●
Methyl Acetate	●	●	●	●
Methyl Alcohol	●	●	●	●
Methylamine	●	●	●	●
Methylene Bromide	●	●	●	●
Methylene Chloride	●	●	●	●
Methyl Cellosolve	●	●	●	●
Methyl Ethyl Ketone (MEK)	●	●	●	●
Methyl Isobutyl Ketone	●	●	●	●
Methyl Methacrylate	●	●	●	●
Mineral Oil	●	●	●	●
Mineral Spirits	●	●	●	●
Monoethanolamine	●	●	●	●
Morpholine	●	●	●	●
Muriatic Acid	●	●	●	●
Naphtha VM & P	●	●	●	●
Nitric Acid < 30%	●	●	●	●
Nitric Acid 70%	●	●	●	●
Nitric Acid Red Fuming	●	●	●	●
Nitric Acid White Fuming	●	●	●	●
Nitrobenzene	●	●	●	●
Nitromethane	●	●	●	●
Nitropropane	●	●	●	●
Octyl Alcohol	●	●	●	●
Oleic Acid	●	●	●	●
Paint Remover	●	●	●	●
Palmitic Acid	●	●	●	●
Pentachlorophenol	●	●	●	●
Pentane	●	●	●	●
Perchloric Acid 60%	●	●	●	●
Perchloroethylene	●	●	●	●
Phenol	●	●	●	●
Phosphoric Acid	●	●	●	●
Picric Acid 60%	●	●	●	●
Potassium Hydroxide < 50%	●	●	●	●
Printing Ink	●	●	●	●
Propyl Acetate	●	●	●	●
Propyl Alcohol	●	●	●	●
Propylene Oxide	●	●	●	●
Rubber Solvent	●	●	●	●
Sodium Hydroxide < 50%	●	●	●	●
Stoddard Solvent	●	●	●	●
Styrene	●	●	●	●
Sulfuric Acid 95%	●	●	●	●
Tannic Acid 65%	●	●	●	●
Tetrahydrofuran (THF)	●	●	●	●
Toluene	●	●	●	●
Toluene Di-Isocyanate (TDI)	●	●	●	●
Trichloroethylene (TCE)	●	●	●	●
Tricresyl Phosphate (TCP)	●	●	●	●
Triethanolamine 85% (TEA)	●	●	●	●
Tung Oil	●	●	●	●
Turbine Oil	●	●	●	●
Turpentine	●	●	●	●
Vegetable Oil	●	●	●	●
Xylene	●	●	●	●

GRADING KEY ● Excellent ● Good ● Fair ● Poor ● Not Recommended

⚠ WARNING: CORDOVA gloves have not been individually tested against the chemicals in this chart. We assume no responsibility for the suitability of a user's selection for a specific application. Failure by the user to select the correct glove material could result in injury, sickness, or death. This chart is provided only as a general guide for the suitability of various unsupported glove materials against commonly used chemicals. The data provided is based on published information, including OSHA 3151-12R-2001, and is believed to be accurate; however, we cannot guarantee its accuracy. Chemical resistance is affected by many factors including temperature, concentration, glove thickness, glove durability, and chemical exposure time. It is solely the responsibility of the user to determine the risk associate with a particular application and to make the appropriate choice for protection against such risk. Gloves referenced as "fair", "poor", or "not recommended" should never be used. It is always best to perform a trial by exposing gloves referenced as "good" or "excellent" to the chemical before using. Check for chemical penetration, discoloration, cracking, or swelling. Discontinue use and consider another glove material should any degradation of the glove material occur.

SUPPORTED NITRILE

BRAWLER™

All Brawler™, Brawler II™, and Brawler Lite™ premium nitrile coated gloves feature tough, heavy-duty nitrile coatings that are abrasion, snag, and oil-resistant. They are treated with Sanitized® to prevent bacterial and fungal growth when hands perspire, extending the life of the glove.

Applications: Abrasive Material Handling, Lumber Industry, Masonry, Recycling Operations, Machining, Sheet & Scrap Metal Handling, & Degreasing.



All **BRAWLER™** gloves are treated with **SANITIZED®** to prevent bacterial and fungal growth when hands perspire. This treatment extends the life of the gloves by protecting against germs and odors. **SANITIZED®** is a registered trademark of **SANITIZED AG®**.



Brawler™ | #6960R

- Premium, Nitrile Palm Coated
- Rough Finish
- Jersey Lining & Safety Cuff
- **#6961R:** Fully Coated (L)



Brawler™ | #6961

- Premium, Full-Nitrile Palm Coated
- Smooth Finish
- Jersey Lining & Safety Cuff
- **#6960:** Coated Palm (S-L)



Brawler II™ | #6980

- Premium, Full-Nitrile Palm Coated
- Smooth Finish
- Interlock Lining & Knit Wrist
- **#6981:** Fully Coated (S-XL)



Value Series | #6885

- Standard, Full Nitrile Coating
- Smooth Finish
- Interlock Lining & Knit Wrist
- **#6880:** Palm Coated (S-XL)



Value Series | #6860R

- Standard, Full Nitrile Coating
- Rough Finish
- Jersey Lining & Safety Cuff
- **#6850R:** Palm Coated (9-11)



Value Series | #6800

- Standard, Nitrile Palm Coating
- Smooth Finish
- Jersey Lining & Knit Wrist
- **#6810:** Fully Coated & Knit Wrist (8-11)
- **#6850:** Palm Coated & Safety Cuff (8-11)
- **#6860:** Fully Coated & Safety Cuff (8-11)



Supported Nitrile Rough | #6850R

- Standard, Nitrile Palm Coating
- Rough Finish
- Jersey Lining
- Safety Cuff



Supported Nitrile Smooth | #6850

- Standard Nitrile Palm Coated
- Smooth Finish
- Jersey Lining
- Safety Cuff



SUPPORTED NEOPRENE

CHEMCOR™

Neoprene is impermeable to gases and vapors as well as resists ozone, sun, and weather. It is well suited for use with alcohols, acids, ketones, detergents, and greases.

Applications: Metal Finishing, Hazardous Material Operations, Chemical Processing & Transport, Plating Operations, Petrochemical Industry.



CHEMCOR™ | #6874

- Green, Double Dipped
- Premium Neoprene, Actifresh® Treated
- Textured Sandpaper Finish
- Interlock Lining
- 14" Length

14 Inch L & XL



TANDEM™ | #6942

- Seamless Nylon Shell
- Black, 2-Layer, Sandy Nitrile Coating
- 12" Length



CHEMCOR™ | #6872

- Green, Double Dipped
- Premium Neoprene, Actifresh® Treated
- Textured Sandpaper Finish
- Interlock Lining
- 12" Length

12 Inch M-XL



TANDEM CHEM™ | #6946

- 18-Gauge HPPE/Glass Lining
- 2-Layer, Red/Black Sandy Nitrile Coating
- 14" Length



Sanitized is a registered trademark of Sanitized AG®.

SUPPORTED LATEX

Supported Latex Gloves

Latex offers superb gripping power in both wet and dry conditions. It is liquid resistant and provides protection against punctures.

Applications: General use where moisture is a concern or chemical contact where Latex is the best coating to protect against degradation; some some glass handling and abrasive applications.



RUFFIAN™ | #5605††

- Premium Latex Dipped
- Crinkle Finish
- Jersey Shell
- Rubberized Safety Cuff



RUFFIAN™ | #5615††

- Premium Latex Dipped
- Jersey Shell
- Knit Wrist



RUFFIAN™ | #5618††

- Orange, Premium Latex Dipped
- Crinkle Finish
- Jersey Shell
- Knit Wrist



RUFFIAN™ | #5620††

- Premium Latex Dipped
- Crinkle Finish
- Canvas Shell
- Knit Wrist



RUFFIAN™ | #5600††

- Premium Latex Dipped
- Crinkle Finish
- Canvas Shell
- Rubberized Safety Cuff



Supported Latex Economy | #5610

- Economy Latex Dipped
- Crinkle Finish
- Jersey Lined
- Rubberized Safety Cuff



†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

HAND PROTECTION: SUPPORTED LATEX

SUPPORTED PVC

Supported PVC Gloves

Polyvinyl Chloride (PVC, Vinyl, Plastic) is the thermoplastic polymer of Vinyl and Chloride. It is produced by combining resins and plasticizers, then fusing them through a heat process. PVC provides protection against caustics, acids, bases, detergents, and solvents as well as excellent resistance to most acids, oils, animal fats, petroleum hydrocarbons, and alcohols.

Applications: Chemical Handling, Oil Handling, Fishing, General Maintenance, Janitorial, Metal Fabrication, Plumbing, HVAC.



OIL DEMON™ | #5300J*

- Orange/Black, Double-Dipped PVC
- Sandpaper Finish
- Built-In Wear Indicator
- Jersey Lining & Safety Cuff



OIL DEMON™ | #5312J*

- Orange/Black, Double-Dipped PVC
- Sandpaper Finish
- Built-In Wear Indicator
- Jersey Lining



FLEX RITE™ | #5320*

- Blue, Textured PVC
- Seamless, Machine-Knit Lining
- Soft PVC Formulation



Supported PVC* | #5000

- Black, Single-Dipped PVC
- Interlock Lining & Knit Wrist
- **#5010:** 10" Length, **#5012:** 12" Length
- **#5014:** 14" Length, **#5018:** 18" Length



Supported PVC* | #5012R

- Black, Single-Dipped PVC
- Rough Finish
- 12" Length, Interlock Lining
- **#5014R:** 14" Length, **#5018R:** 18" Length



Supported PVC | #5200J*

- Green, Double-Dipped PVC
- Etched Finish
- Jersey Lining, Knit Wrist



Supported PVC | #5114I*

- Black, Double-Dipped PVC
- Etched Finish
- 14" Length, Interlock Lining




Supported PVC | #5114SI*

- Black, Double-Dipped PVC
- Sandpaper Finish
- 14" Length, Interlock Lining



FLEX RITE ICE™ | #5325

- Red, Flexible PVC
- Seamless, Machine-Knit Thermal Lining
- Cold Resistant Formulation



SUPPORTED INSULATED PVC

Supported Insulated PVC Gloves

Insulated PVC gloves feature cold-resistant formulations, flexible PVC, and insulated linings. PVC provides protection against caustics, acids, bases, detergents and solvents. It offers excellent resistance to most acids, oils, animal fats, caustics, petroleum hydrocarbons, and alcohols.

Applications: Cold Weather Applications.



FreezeBeater
really warm gloves



FreezeBeater® | #5700F*

- Orange, Double-Dipped PVC
- Two-Ply Seamless Lining
- Textured Finish & Knit Wrist



FreezeBeater® | #5710F*

- Orange, Double-Dipped PVC
- Two-Ply Seamless Lining
- Textured Finish, Rubberized Safety Cuff
- **#5710F/C***: Single-Dipped PVC



FreezeBeater® | #5710T*

- Tan, Double-Dipped PVC
- Two-Ply Seamless Lining
- Textured Finish
- Safety Cuff



FreezeBeater® | #5700G

- Orange, Single-Dipped PVC
- Two-Ply Seamless Lining
- Smooth Finish



FLEX RITE ICE™ | #5325*

- Red, Textured PVC
- Seamless Boa Lining



FreezeBeater® | #5700F/C

- Orange, Single-Dipped PVC
- Two-Ply Seamless Lining
- Textured Finish



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

UNSUPPORTED NEOPRENE

Unsupported Neoprene Gloves

Neoprene unsupported gloves are impermeable to gases, vapors, and moisture. They offer similar flexibility as natural rubber latex and maintain their physical properties in temperatures ranging from 25-300°F.

Applications: See Chemical Permeation Chart for glove application and uses.

CHEMICAL PERMEATION CHART

The 3-digit codes below refers to the code letters of 3 chemicals (from a list of 12 standard defined chemicals), for which a breakthrough time of at least 30 minutes has been obtained.



CODE LETTER	CHEMICAL	CAS NUMBER	CLASS
A	Methanol	67-56-1	Primary Alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile Compound
D	Dichloromethane	75-09-2	Chlorinated Paraffin
E	Carbone Disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic Hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofurane	109-99-9	Heterocyclic and ether compound
I	Ethyl Acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated Hydrocarbon
K	Sodium Hydroxide 40%	1310-73-2	Inorganic Base
L	Sulphuric Acid 96%	7664-93-9	Inorganic Mineral Acid



Unsupported Neoprene | #4300††

- Premium Neoprene on Latex
- Flock-Lined, Embossed Grip
- 28 mil, 12" Length
- Straight Cuff



Unsupported Neoprene | #4340††

- Premium, Orange Neoprene/Latex Blend
- Flock-Lined, Embossed Grip
- 28 mil, 12" Length
- Straight Cuff



†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

UNSUPPORTED NITRILE

Unsupported Nitrile Gloves

Unsupported gloves are made without supporting fabrics or liners. Ceramic formers with embossed grip patterns are dipped directly into protective polymers. Generally, unsupported gloves are available in palm thickness that ranges from 11-30 mil. Nitrile unsupported gloves provide excellent snag and abrasion resistance. They resist solvents, oils, and animal fats.

Applications: Food Processing, Petrochemical, Refining Operations, Material Handling, Chemical Processing, Automotive & Aircraft Assembly, Printing, Painting, Furniture Manufacturing.



Unsupported Nitrile | #4410

- Premium, Unlined Nitrile
- Diamond-Embossed Grip
- 11 mil, 13" Length
- **#4430:** Standard, 11 mil (S-2XL)



Unsupported Nitrile | #4510

- Premium, Unlined Nitrile
- Diamond-Embossed Grip
- 15 mil, 13" Length
- **#4530:** Standard, 15 mil



Unsupported Nitrile | #4522

- Premium, Unlined Nitrile
- Diamond-Embossed Grip
- 22 mil, 18" Length



Unsupported Nitrile | #4610

- Premium, Flock-Lined Nitrile
- Diamond-Embossed Grip
- 15 mil, 13" Length
- **#4630:** Standard, 15 mil (S-2XL)



CODE LETTER	CHEMICAL	CAS NUMBER	CLASS
A	Methanol	67-56-1	Primary Alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile Compound
D	Dichloromethane	75-09-2	Chlorinated Paraffin
E	Carbone Disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic Hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofurane	109-99-9	Heterocyclic and ether compound
I	Ethyl Acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated Hydrocarbon
K	Sodium Hydroxide 40%	1310-73-2	Inorganic Base
L	Sulphuric Acid 96%	7664-93-9	Inorganic Mineral Acid

SIZE COMPARISON

SM	MD	LG	XL	2XL
7	8	9	10	11

HAND PROTECTION: UNSUPPORTED NITRILE

UNSUPPORTED LATEX

Unsupported Latex Gloves

Unsupported latex gloves resist most water-based chemicals. They provide excellent elasticity and tactile sensitivity. Unsupported gloves are made with no supporting fabrics or liners. Ceramic formers with embossed grip patterns are dipped directly into protective polymers. Generally, unsupported gloves are available in palm thicknesses that range from 11 to 30 mil.



Unsupported Latex | #4210N^{††}

- Natural, Unlined Canners
- Embossed Grip, Standard Weight
- 12" Length, Scalloped Cuff




Unsupported Latex | #4215N^{††}

- Natural, Latex Canners
- Embossed Grip, Medium Weight
- 12" Length, Scalloped Cuff



Unsupported Latex | #4226B^{††}

- Blue, Unlined Canners
- Embossed Grip, Medium Weight
- 12" Length, Scalloped Cuff (S-XL)




Unsupported Latex | #4250^{††}

- Yellow, Flock-Lined Latex
- Embossed Grip, Standard Weight
- 12" Length, Scalloped Cuff






Unsupported Latex | #4250R^{††}

- Yellow, Flock-Lined Latex
- Embossed Grip, Medium Weight
- 12" Length, Rolled Cuff



Unsupported Latex | #4260^{††}

- Blue, Flock-Lined Latex
- Embossed Grip, Standard Weight
- 12" Length, Rolled Cuff



^{††} WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals



DISPOSABLE GLOVES

Disposable gloves offer the most tactile sensitivity of any glove. The majority of disposable gloves are designed for single-use, light-duty applications, such as automotive service, food service, industrial and medical applications and general hygiene use.

DISPOSABLE NITRILE

Disposable Nitrile Gloves

Nitrile is a synthetic rubber developed as a substitute to natural rubber. It protects against organic solvents, oils, bases, and animal fats. It is used to produce a wide range of disposable, unsupported, supported, and coated gloves. Disposable gloves offer the most tactile sensitivity of any glove. Most disposable gloves are designed for single use, light duty applications.



Nitri-Cor® Platinum | #4097

- Industrial-Grade Nitrile
- Blue, Textured Finish
- 8-mil, Powder Free
- Non-Sterile, Single Use Only



Nitri-Cor Z-TREAD™ | #4093

- Industrial/Food Service Grade
- Orange, Zig-Zag Embossed
- 6-mil, Powder Free
- Case Pack: 100/Box x 10 (S-XL)
- Case Pack: 90/Box x 10 (2XL)



Nitri-Cor Silver™ | #4095

- Industrial/Food Service Grade
- Blue, Textured Finish
- 5-mil, Powder Free
- Case Pack: 100/Box x 10



Nitri-Cor Soft™ | #4096

- Industrial/Food Service Grade
- Blue, Textured Finish
- 4-mil, Powder Free
- Case Pack: 100/Box x 10




Nitri-Cor Z-TREAD™ | #4094B

- Industrial/Food Service Grade
- Black, Zig-Zag Embossed
- 6-mil, Powder Free
- Case Pack: 100/Box x 10 (S-XL)
- Case Pack: 90/Box x 10 (2XL)



Nitri-Cor® Agility Disposable | #4088

- Industrial/Food Service Grade
- Blue, Textured Finish
- 6-mil, Powder Free
- Case Pack: 10 X 100pc. Dispensers
- **#4089:** Black



DISPOSABLE LATEX & VINYL

Disposable Latex & Vinyl Gloves

Latex gloves provide the ultimate tactile sensitivity. Natural Latex is derived from the milky sap of the Hevea Rubber Tree. Latex is safe for food contact.

Applications: Food Preparation, Cleaning, Painting, & General Maintenance.

Vinyl is a man-made substance made from ethylene (found in crude oil) and chlorine (found in regular salt). Vinyl is strong, durable, low-cost, and resistant to moisture. It is also a recyclable material.

Applications: Aerospace, Automotive Repair, Chemical Handling, Electronics Assembly, Food Processing & Service, Furniture Assembly, Inspection, Janitorial, Painting, Pharmaceutical, Plumbing, HVAC, Steel Work.



LDPE | #4100L*

- LDPE: Low Density PE
- Food Service Grade
- Clear, Embossed Finish
- 1.25 mil, Powder Free
- Case Pack: 100/Envelope x 100
- **#4102L***: HDPE



Industrial Latex | #4015

- Industrial-Grade Latex
- Beaded Cuff, Ambidextrous
- 4.5-mil, Powder Free
- Case Pack: 100/Box x 10



Industrial Latex | #4020

- Industrial-Grade Latex
- Beaded Cuff, Ambidextrous
- 4.5-mil, Powder Free
- Case Pack: 100/Box x 10



Disposable, Latex | #4030

- Medical-Grade Latex
- Beaded Cuff
- 11-mil, Powder Free
- Case Pack: 50/Box x 10



SYN-COR II Silver™ | #4064

- Commodity/Food Service Grade
- Clear, Smooth Finish
- 3-mil, Powder Free
- Case Pack: 100/Box x 10



†† WARNING: This product contains Natural Rubber Latex which may cause an allergic reaction in some individuals

INDEX



CORDOVA
SAFETY PRODUCTS

Symbols

1030.....	114	3024T.....	87	3729V.....	87	3905.....	95	6810.....	130	7380.....	116
1051.....	114	3040.....	85	3729VT.....	87	3915.....	95	6850.....	130	7410.....	116
1100.....	126	3050.....	85	3729VTG.....	87	3986P.....	94	6850R.....	130	7460.....	116
1100C.....	126	3055C.....	85	3730.....	86	3988.....	95	6860.....	130	7465.....	116
1102.....	126	3056.....	85	3731.....	82	3988B.....	95	6860R.....	130	7465LKW.....	116
1114.....	126	3060.....	85	3732.....	82	3990.....	96	6872.....	131	7500.....	114
1120.....	126	3062.....	85	3732F.....	82	3991.....	93	6874.....	131	7500A.....	114
1130.....	126	3065.....	86	3732HV.....	82	3993.....	80	6880.....	130	7540.....	114
1200.....	107	3066.....	86	3734.....	77	3995.....	94	6885.....	130	7540A.....	114
1300C.....	126	3070.....	86	3734ICE.....	77	3999.....	95	6890.....	90	7600.....	119
1400.....	126	3075.....	86	3734MAX.....	77, 96	4015.....	140	6890G.....	90	7602.....	119
1400C.....	126	3084.....	87	3734NR.....	77	4020.....	140	6891.....	90	7605.....	119
1400P.....	126	3088.....	87	3734PU.....	77	4030.....	140	6892.....	90	7609.....	119
1402.....	126	3088T.....	87	3734SN.....	77	4064.....	140	6893.....	90	7610.....	118
1402C.....	126	3100.....	98	3734TPR.....	77	4088.....	139	6894.....	90	7610A.....	118
1402P.....	126	3115L.....	98	3734XTRA.....	77, 96	4089.....	139	6895B.....	92	7615.....	118
1410C.....	126	3160.....	98	3735.....	86	4093.....	139	6895C.....	92, 93	7620.....	118
1430.....	126	3185G.....	98	3736.....	86	4094B.....	139	6895CG.....	93	7625.....	119
1500.....	126	3214GI.....	125	3737.....	86	4095.....	139	6895G.....	92	7630.....	118
1510.....	126	3214I.....	125	3738BKG2T.....	87	4096.....	139	6896C.....	93	7650.....	118
1600.....	126	3218.....	125	3738G2T.....	87	4097.....	139	6897.....	90	7670.....	118
1800.....	126	3218G.....	125	3739BKG4T.....	87	4100L.....	140	6898C.....	93	7700.....	103
1850.....	126	3224.....	125	3740.....	81, 96	4102L.....	140	6898CB.....	93	7701.....	102, 103
1880.....	126	3224/P.....	125	37418VT.....	87, 88	4210N.....	137	6898CG.....	93	77171.....	104
2000.....	123	3224G.....	125	37422VT.....	87, 88	4215N.....	137	6901.....	92	7720.....	102
2000B.....	123	3255.....	125	3744.....	78	4226B.....	137	6902.....	92	77271.....	104
2000RW1.....	123	3258.....	125	3744ICE.....	78	4250.....	137	6903.....	92	7732.....	103
2000V.....	123	3350.....	86	3744MFN.....	78	4250R.....	137	6905.....	89	7734.....	102
2002.....	123	3400.....	98	3744PU.....	78	4260.....	137	6910.....	89	7735.....	102
2100.....	123	3410.....	98	3744SN.....	78	4300.....	135	6915.....	89	7736A.....	82, 102
2200.....	123	3411.....	98	3744WPU.....	78	4340.....	135	6920.....	89	7737.....	103
2200C.....	123	3411G.....	98	3748T.....	87	4410.....	136	6925.....	89	7738.....	101
2400.....	122	3412.....	98	3751.....	81	4430.....	136	6930.....	89	7739.....	101
24101.....	122	3413N.....	98	37518VT.....	87, 88	4510.....	136	6935.....	89	7739HV.....	101
2420.....	122	3415G.....	98	3752.....	81	4522.....	136	6937.....	89	7739V.....	101
2430.....	122	3417.....	98	37522VT.....	87, 88	4530.....	136	6938.....	89	7745.....	103
2432.....	122	3435.....	98	3755.....	81	4610.....	136	6938TPR.....	89	7748.....	103
2435CDR.....	122	3480.....	98	3757.....	81	4630.....	136	6942.....	131	7749.....	82, 101
2435SC.....	122	3500.....	98	3758.....	81	5000.....	133	6946.....	131	7750.....	101
2439CDQN.....	122	3510.....	98	3759.....	81	5010.....	133	6960.....	130	7755.....	101
2460.....	122	3520.....	98	37618VT.....	87, 88	5012.....	133	6960R.....	130	7760.....	101
2500.....	124	3701.....	80	37622VT.....	87, 88	5012R.....	133	6961.....	130	77771.....	104
2505.....	124	3702.....	80	3770.....	81	5014.....	133	6961R.....	130	77871.....	104
2515.....	124	3703.....	80	3801.....	97	5014R.....	133	6980.....	130	77971.....	104
2515G.....	124	3704.....	80	3803.....	97	5018.....	133	6981.....	130	7800.....	108
2520.....	124	3705.....	83	3805/P.....	97	5018R.....	133	6992.....	84	7810.....	108
2525.....	124	3711.....	83	3815.....	97	5114I.....	133	6993.....	90	7902.....	112
2525G.....	124	3711G.....	83	3830.....	97, 124	5114SI.....	133	6993VP.....	90	7910.....	112
2602.....	123	3711GP.....	83	3850/P.....	97	5200J.....	133	7020.....	114	8130.....	119
2608.....	123	3712.....	83	3851.....	97	5312J.....	133	7120.....	114	8135.....	119
2610.....	123	3712G.....	83	3855/P.....	97	5320.....	133	7122.....	114	8201.....	107
2670.....	123	3713.....	83	3856.....	97	5325.....	133, 134	7200D.....	115	8210.....	107
2680.....	123	3714.....	83	3858.....	97	5600.....	132	7200R.....	115	8210A.....	107
2710.....	121	3715.....	87	3880.....	97	5605.....	132	7200S.....	115	8211HV.....	107
2715.....	121	3716.....	83	3885.....	94	5610.....	132	7201R.....	115	8212.....	107
2800CD.....	121	3716G.....	83	3886.....	94	5615.....	132	7202S.....	115	8215.....	107
2800TPR.....	121	3717.....	83	3888.....	80	5618.....	132	7205R.....	115	8217.....	107
2810CD.....	121	3717T.....	83	3889.....	96	5620.....	132	7210.....	115	8220.....	107
2820CD.....	121	3718T.....	83	3890.....	93	5700F.....	134	7220.....	115	8223.....	108
2830CD.....	121	3719BKG2.....	87	3891.....	93	5700F/C.....	134	7235.....	115	8228ARC.....	111
2850CD.....	121	3719G2.....	87	3892.....	93	5700G.....	134	7240.....	115	8230.....	108
3010.....	87	3722VT.....	87	3893.....	93	5710F.....	134	7260L.....	116	8231.....	108
3014.....	87	3726.....	84	3894.....	94	5710F/C.....	134	7261.....	115	8232.....	108
3014E.....	87	3726TPR.....	84, 102	3895.....	94	5710T.....	134	7261JP.....	115	8234.....	108
3014TLP.....	87	3727.....	84	3896.....	94	6675.....	79	7262.....	115	8235.....	107
3018E.....	87	3727TPR.....	84, 102	3897.....	94	6680.....	79	7262JP.....	115	8235A.....	107
3018KCT.....	87	3728.....	87	3898.....	94	6685.....	79	7265L.....	116	8239.....	108
3018TE.....	87	3728T.....	87	3899.....	96	6690.....	79	7300R.....	115	8240.....	112
		3728TG.....	87	3900.....	97	6800.....	130	7351R.....	115	8245.....	112
		3729BKG.....	87	3901.....	95			7352R.....	115	8248.....	112
		3729BKG4.....	87								

8255.....	112
8261.....	108
8300.....	113
8305.....	113
8310.....	113
8315.....	113
8500.....	110
8501.....	110
8502.....	110
8505.....	102,111
8505G.....	103,111
8506.....	102,111
8506G.....	103,111
8507.....	102
8508.....	103,112
8509.....	103,112
8515.....	102,111
8530.....	119
8535.....	102,111
8550.....	110,112
8583K.....	111
8586K.....	111
8650L.....	113
8810.....	109
8915.....	109
8922.....	109
8942.....	109
9000.....	110
90501.....	110,112

A

AG566.....	91
AG581.....	91
AG591.....	86,91

B

BC19.....	33
BC19/10.....	33
BC21.....	33
BC21/10.....	33
BC24.....	33
BC24/10.....	33
BH.....	41
BHS.....	41
BIB401.....	22
BN/10.....	33
BR1/5.....	33
BR1/10.....	33
BR200.....	33
BSB01.....	24
BST.....	41
BYS.....	41

C

CB100.....	69
CB200.....	69
CB300.....	69
CB400.....	69
CB500.....	69
CBAN100.....	70
CBAN200.....	70

CBAN300.....	70
CDM2.....	66
CHB100.....	69
CHHP100.....	70
CO35.....	30
CO55.....	30
COE.....	30
COEH.....	30
COEHB.....	30
COHB35.....	30
COHB55.....	30
CP.....	26
CPA28.....	26
CPE.....	26
CPESCXLPE.....	30
CPH.....	26
CPHB.....	26
CPS18.....	26
CT100.....	69,70
CT200.....	69
CT300.....	69
CT400.....	69
CT500.....	69
CTC12.....	72
CTC18R.....	72
CTC28RB.....	72
CTC36RB.....	72

D

DA0.....	32
DA1.....	32
DA2.....	32
DA2T.....	32
DS18.....	32

E

EBL10S10.....	50
EBL10S15.....	50
EBL10S20.....	50
EBL10S25.....	50
EC001.....	58
EC002.....	58
EC10S.....	57
EC10SH.....	57
EC10SX.....	57
EC20S.....	57
EC20SX.....	57
EFB10S.....	55
EFB20S.....	55
EFB30S.....	55
EFB50S.....	55
EGF10S.....	47
EGF10ST.....	47
EGF15S.....	47
EGF20S.....	47
EGF20ST.....	47
EGF50S.....	47
EGF50ST.....	47
EGF60S.....	47
EGF70S.....	47
EGF95S.....	47
EHB20-CCFST.....	52
EHB20S.....	51
EHB20S10.....	53
EHB20S15.....	53
EHB20S20.....	53
EHB20S25.....	53
EHB20ST.....	51
EHB30S.....	51
EHB50-CCFST.....	52
EHB50S.....	51
EHB70S.....	51
EHB80S.....	51
EHF10-CCFST.....	52
EHF10-FST.....	52
EHF10S.....	51
EHF10S10.....	53
EHF10S15.....	53
EHF10S20.....	53
EHF10S25.....	53
EHF10ST.....	51
EHF15S.....	51
EHF20-FST.....	52
EHF50-FST.....	52
EJB10S.....	56
EJB10ST.....	56
EJB20S.....	56
EJBIRUV3.....	56
EJN10S.....	56
EJNWR10S.....	56
EJNWR10ST.....	56
EJNWR20S.....	56
EKB10S.....	54
EKB10ST.....	54
EKB15S.....	54
EKB20S.....	54
EKB20ST.....	54
EKB30S.....	54
EKB50S.....	54
EKB70S.....	54
EL10S.....	50
EL10ST.....	50
EL20S.....	50
EL20ST.....	50
EL25S.....	50
EL30S.....	50
EL50S.....	50
EL60S.....	50
EL70S.....	50
EL80S.....	50
ELM100.....	66
EMB10S.....	56
EMB20S.....	56
EML10S.....	45
EML10ST.....	45
EML20S.....	45
EML20ST.....	45
EML25S.....	45
EML50ST.....	45
EMNWR10S.....	56
EMP10S.....	46
EMP10S15.....	46
EMP10S20.....	46
EMP10S25.....	46
EMP10ST.....	46
EMP15S.....	46
EMP20S.....	46
EMP20ST.....	46

EMP50S.....	46
EMP50ST.....	46
EMP60S.....	46
EMP70S.....	46
ENB10S.....	48
ENB10ST.....	48
ENB20S.....	48
ENB20ST.....	48
ENB30S.....	48
ENB50S.....	48
ENB50ST.....	48
ENB60S.....	48
ENB70S.....	48
ENF15S.....	48
ENF15ST.....	48
EO4B20.....	51
EO4F10.....	51
EOB10S.....	49
EOB10ST.....	49
EOB20S.....	49
EOB20ST.....	49
EOB30S.....	49
EOB50S.....	49
EOB60S.....	49
EOB70S.....	49
EOB90S.....	49
EOTG10ST.....	57
EOTG20ST.....	57
EOTG50ST.....	57
EPFC01.....	67
EPFCMD01.....	67
EPFU01.....	67
EPHB20S.....	53
EPHB50S.....	53
EPHF10S.....	53
EPHF10ST.....	53
EPHF15S.....	53
EPRC01.....	67
EPRCMD01.....	67
EPRU01.....	67
ES42.....	64

F

F750R.....	116
F8805.....	109
FB300.....	117
FB400.....	117
FB700.....	117
FB900.....	117
FB-C3700A.....	99
FB-C3730.....	99
FB-C3830.....	99
FRC150.....	28
FRC400.....	28

G

GD10.....	58
GD10T.....	58
GDI10T.....	58
GDI20T.....	58
GDI50.....	58
GDS10.....	58
GDS10T.....	58

GDS20.....	58
GDS20T.....	58
GDS50T.....	58
GI10.....	58
GI10T.....	58

H

H24R1.....	60
H24R1V.....	60
H24R2.....	60
H24R2V.....	60
H24R3.....	60
H24R3V.....	60
H24R4.....	60
H24R4V.....	60
H24R5.....	60
H24R5V.....	60
H24R6.....	60
H24R6V.....	60
H24R7.....	60
H24R8.....	60
H24R9.....	60
H26R1.....	60
H26R2.....	60
H26R3.....	60
H26R4.....	60
H26R5.....	60
H26R6.....	60
H26R7.....	60
H26R8.....	60
H26R9.....	60
H26R10.....	60
H34R1.....	61
H34R10V.....	61
H34R1V.....	61
H34R2.....	61
H34R2V.....	61
H34R3.....	61
H34R3V.....	61
H34R4.....	61
H34R4V.....	61
H34R5.....	61
H34R5V.....	61
H34R6.....	61
H34R6V.....	61
H34R7.....	61
H34S1.....	61
H34S2.....	61
H36R1.....	61
H36R1V.....	61
H36R2.....	61
H36R2V.....	61
H36R3V.....	61
H36R5V.....	61
H36R6.....	61
H3677.....	99
HBCUSA1.....	62
HBCUSA2.....	62
HBCUSA3.....	62
HBCUSA4.....	62
HBCUSA5.....	62
HBCUSA6.....	62
HBCUSA7.....	62
HBCUSA8.....	62
HBCUSA9.....	62
HBCUSA10.....	62

HBKT1.....	63
HBKT2.....	63
HBP100.....	64
HBP200.....	64
HFS1.....	63
HFS2.....	63
HFS3.....	63
HL100.....	64
HL150B.....	65
HL150HV.....	65
HL150NVFR.....	65
HL200.....	64
HL250.....	64
HL300.....	65
HL350.....	65
HL450.....	65
HL500.....	65
HN19/10.....	33
HRC2.....	65
HV353G.....	37
HV353Y.....	37

J

J221.....	23
J300.....	22
J301.....	22
J350.....	23

L

LBC10.....	42
LC25.....	30
LC55.....	30
LC55EP.....	30

M

MP100.....	27
MP200.....	27
MP300.....	27
MP400.....	27
MPA100.....	28
MPLAB100.....	27
MPLAB200.....	27
MPS100.....	28
MPSC.....	28
MT100.....	70
MT200.....	70
MT300.....	70
MT400.....	70
MT500.....	70
MT600.....	70

N

NX95.....	66
NX95V.....	66

P

P101.....	20
-----------	----

PA1000.....	31
PA2846.....	31
PA2A.....	31
PB22.....	42
PB23.....	42
PB33.....	42
PBC19/10.....	33
PBC21/10.....	33
PBC24/10.....	33
PFS100.....	63
PK401.....	21
PPGOWN100.....	30
PPHOODB100.....	33
PPHOODW100.....	33
PS18B.....	31
PS18C.....	31
PS18W.....	31
PS18W2.....	31

R

R8023FR.....	38
R8622FRC.....	38
R9023FR.....	36
R9632FRC.....	37
RA04B48.....	31
RA06B48.....	31
RA06B51.....	31
RA06C48.....	31
RA08B48.....	31
RA08C48.....	31
RA35Y.....	32
RA4PT.....	64
RA6PT.....	64
RC35B60.....	37
RC35Y.....	37
RC35Y60.....	37
RJ352Y.....	36
RNA01.....	32
RP10B.....	39
RP10C.....	39
RP10O.....	39
RS04B.....	31
RS06B.....	31
RS06C.....	31
RS08B.....	31
RS353Y.....	36
RS452G.....	39

S

SB.....	24
SB100.....	24
SB200.....	24
SC40.....	30
SF1201.....	72
SJ400.....	21
SJ401.....	21
SJ501H.....	21
SJ601.....	21
SMS100.....	29
SMS200.....	29
SMS300.....	29

SMS400.....	29
SMS900.....	29
SMS910.....	29
SMSLAB.....	29
SPR3GS.....	35
SPR3GSB.....	23,35
SS201H.....	21
SSOCK.....	33,65

T

T15101.....	71
T15102.....	71
T15211.....	71
T15212.....	71
T20101.....	71
T20102.....	71
T20103.....	71
T20212.....	71
T20213.....	71
T20214.....	71
T20315.....	71
T25101.....	71
T25102.....	71
T25211.....	71
T25212.....	71
T30101.....	71
T30102.....	71
T30211.....	71
T30212.....	71
TR60103.....	71
TR60213.....	71

V

V100.....	14
V101.....	14
V110L.....	14
V111W.....	14
V120L.....	14
V120W.....	14
V130.....	17
V131.....	17
V140.....	17
V141.....	17
V210P.....	12
V211P.....	12
V220.....	13
V221.....	13
V241P.....	13
V3000.....	11,13
V3001.....	11,13
V3200.....	11
V3201.....	11
V410.....	17
V411.....	17
V420.....	17
V421.....	17
V430.....	18
V431.....	18
V450.....	18
V451.....	18
V461.....	16

V471.....	16
V501.....	18
V510.....	18
V511.....	18
V561.....	16
V571.....	16
V611.....	16
VB221PFR.....	9
VB230P.....	13
VB231P.....	13
VB3201FR.....	9
VHB100.....	64
VHB101.....	64
VLG100.....	20
VLG101.....	20
VLG200.....	20
VLG201.....	20
VMFR201.....	8
VMFR301.....	8
VNS100.....	64
VNS101.....	64
VS270P.....	10
VS271P.....	10
VS272P.....	10
VS273P.....	10
VS280.....	11
VS281.....	11
VS285.....	11
VS286.....	11
VS290P.....	13
VS291P.....	13
VS296.....	10
VS151.....	19
VS161.....	19
VW211P.....	12
VW273P.....	11
VW461.....	19
VZ240P.....	12
VZ241P.....	12
VZ250P.....	12
VZ251P.....	12
VZ260P.....	12
VZ261P.....	12
VZB241P.....	13
VZB242P.....	14

NOTES

NOTES

OUR SERVICES

Imprinting

Our imprinting services are designed to make you stand out! We can take your logo and imprint it on gloves, eyewear, vests, shirts, sweatshirts, jackets, rainwear, helmets and more.

VendPack

We offer vendpack services on all gloves and sleeves. In addition to imprinting, we can fold, wrap, roll, lay flat and heat seal these products for easy vending machine access.

Sales to Qualified Distributors Only

For 25 years, our distributor-only sales policy has been the foundation of our trust with customers.

One-Stop PPE Shop

You'll find everything you need to outfit your workers with personal protective equipment for head-to-toe safety. There's no need to shop anywhere else.

Convenient Shipping & Confidential Drop Shipments

We have distribution centers in Memphis, TN, and Rancho Cucamonga, CA, ready to get your products where they need to go.

Reasonable Pre-Paid Minimums

Import & Domestic Private Labeling

Select from our wide range of existing brands or private-label your own.

Specialty Product Development

If we don't have what you need, we can find it. If we can't find it, it doesn't exist, and we can work with you to make it happen.

Generous Sampling Program

See something you like? Request a sample. We'll be happy to send it your way.

Satisfaction Guaranteed

If any of our products do not meet or exceed the standard of the originally sampled item, we invite you to return it for a full refund.

Call **800-458-8763** for your custom quotes and more information on any of these services.

Email: sales@cordovaisc.com



www.cordovasafety.com

MEMPHIS HEADQUARTERS

4025 Viscount Ave.
Memphis, TN 38118
Phone: 800.458.8763
Fax: 901.458.3343

WAREHOUSE ADDRESS

433 Cheryl Ln,
Walnut, CA 91789

WEST COAST OFFICE

8449 Milliken Ave.
Suite 102
Rancho Cucamonga, CA 91730
Phone 909.590.2679
Fax 909.590.3130