

Events Functions 活动用途

Whether you are planning corporate gathering, celebratory party, or wedding, we provide the perfect temporary structures to realize your vision for every occasion.

Our versatile portfolio includes everything from elegant pagodas and expansive clear span tents for large crowds, to luxurious transparent tents with flat roofs. Beyond our standard range, we specialize in custom-made structures tailored precisely to your specifications.

Our solutions are designed to fit every budget, guaranteeing that every event held in our versatile tents is not just successful, but truly unforgettable.

无论是企业活动、庆祝派对还是婚礼，我们都为每个场合提供完美的帐篷结构。我们的产品包括尖顶、A字顶、弧形或平顶，以及全透明的豪华帐篷。

我们还提供根据您的要求定制的帐篷结构。凭借我们多功能的帐篷，每个活动都能取得成功。此外，我们提供适合各种预算的解决方案。

除了标准系列，我们还可根据您的要求提供定制方案。确保每一次活动在预算内提供多种选择并能取得圆满成功。




Pagodas 尖顶篷房

The standout feature of Pagoda tents is their impressive high-peak roof designs. Available in sizes ranging from 3 to 10 meters,

Pagodas offer unmatched flexibility in construction variants, making them the ideal choice for various events. Whether used as reception areas, merchandising spaces, at weddings, or for hospitality options.

尖顶篷房的显著特点是其令人印象深刻的尖顶设计，尺寸范围从3到10米不等，提供了很大的施工变体灵活性，使其成为各种活动的理想选择，无论是用作接待区、销售空间、婚礼场地还是用于款待选项。



Pagoda Features & Specifications

- Modular Dimensions: ranging from 3x3m up to 10x10m
- Versatile Configurations: Multiple Pagoda units can be connected to create a wide variety of construction variants.
- Interchangeability: components are mutually interchangeable, simplifying inventory and logistics.
- Wind Load: 80km/h or 100 km/h depending on size.
- Comprehensive Accessories: A compatible accessories available for all Pagoda models.

尖顶篷房特点与规格

- 模块化尺寸：提供从3x3m 到10x10m 不等的方形单元规格
- 灵活配置：多个尖顶可相互连接，形成多种多样的结构组合方案。
- 部件互换性：在同一系统尖顶钢部件部件可通用，方便库存管理和物流。
- 抗风：抗风80km/h或100km/h,不同篷房尺寸。
- 丰富配套设施：可选多种可通用的配套设施。

Pagodas Technical Data

尖顶篷房技术参数

Our Pagoda Tents are available in two profile designs, offering varied structural choices to fit your specific needs.

All Pagoda structures can be extensively enhanced with a wide range of accessories. This selection includes glass walls, doors, liners, flooring systems and much more, allowing for complete customization and functionality tailored to your exact requirements.

尖顶篷房有两种型材设计可选，提供不同的结构选择以适应您的具体需求。

所有尖顶结构都可提供多种配套设施，包括玻璃墙、门、顶幔、地台系统等，实现完整的定制化和功能性要求。

法式尖顶 French Style

Roof design
屋顶形状

Top View
顶视图

High peak
尖顶



Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
3.00 m	2.50 m	3.00 m	63/63/2 mm
4.00 m	2.50 m	4.00 m	63/63/2 mm
5.00 m	2.50 m	5.00 m	63/63/2 mm

经典尖顶 Classic Style

Roof design
屋顶形状

Top View
顶视图

High peak
尖顶




Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
3.00 m	3.00 m	3.00 m	81/48/3 mm
4.00 m	3.00 m	4.00 m	81/48/3 mm
5.00 m	3.00 m	5.00 m	81/48/3 mm
6.00 m	3.00 m	6.00 m	81/48/3 mm
10.00 m	3.00 m	10.00 m	130/70/3 mm

Accessories

Explore our full range of accessories, including doors, roof, and wall options. Design your Pagoda exactly to your requirements—achieving complete customization and functionality.

精选配件，量身定制。

探索我们全系列的配件选择，包括门、屋顶和墙体选项。让您能够根据具体需求精确设计您的宝塔篷房，实现完整的定制化功能。



- Doors (门系统)
 - Single Door (单开门)
 - Double Door (双开门)

- Roof Options (屋顶选项)
 - Transparent PVC Roof (透明篷布)
 - Single-Layer PVC Roof (单层篷布)
 - Straight Overhang Covers (垂边直式)
 - Curved Overhang Covers (垂边波浪)

- Tensioning System (张紧系统)

Wall options

- Solid ABS walls (硬体墙)
- Solid Sandwich walls (夹芯板墙)
- Vertical Glass Facade (玻璃墙)
- PVC walls (软体篷布)
- Transparent Covers (透明篷布)
- Window Covers (带窗户篷布)

Accessories External/internal ramp

- Access (出入口)
 - External/Internal Ramp (内外坡道)
 - Canopy (飘檐)
- Portal Beam (Replacement for Wind Bracing) (加固横梁 - 替代十字斜拉索)
- Interior (内饰)
 - Linings (天花内饰)
- Flooring Systems (地台系统)
 - Wooden Floor with Steel Substructure (钢制承重地台)
 - Cassette Flooring with 2-Layer Boards (双层卡式地板)
 - Wooden Floor (双层标准地台)

Event Tents

小跨度活动篷房

Event tents turn any celebration into an unforgettable occasion, becoming an essential choice for outdoor gatherings. With elegant designs, our small-span event tents provide premium, reliable, and professional outdoor spaces for event companies, event organizers, and more. Available in various styles and sizes, with spans ranging from 3 to 10 meters, our event tents offer dependable and lightweight tent solutions for a wide range of events and applications.

小跨度活动篷房使任何庆典成为令人难忘的活动，成为户外活动必不可少的选择。

优雅的设计提供给高级、可靠、专业的户外空间，不管是活动公司、赛事主办等，我们的小跨度活动篷房不断优化组装便捷性和灵活性。

活动篷房可提供多种造型和尺寸，跨度范围从3到10米不等，为各种活动和应用提供可靠轻便的帐篷解决方案。



Features & Specifications

- Available in widths of 3.00 m, 4.00 m, 5.00 m, 6.00m, 8.00 m, 9.00 m and 10.00 m
- Standard eave heights of 3.00 m.
- Unlimited expansion in increments of 3.00 m
- Quickly mountable with plug-in connections as fully modular design
- All components are fully interchangeable throughout the entire series
- Upgradeable at any time by adding various accessories such as floor systems, robust ABS and glass walls, doors and interior panels

篷房特点与规格

- 跨度为3.00米、4.00米、5.00米、6.00米、8.00米、9.00米和10.00米
- 标准边高为3.00米
- 无限扩展，每单元增加3.00米
- 内插式钢部件连接，安装方便，模块化设计
- 所有部件完全可互换使用
- 各种配件，例如地板、ABS、玻璃墙、门和内部面板。

Event Tent Technical Data

活动篷房尺寸规格

Event Tent System offers a range of visually striking and highly functional designs. You can select from classic A-frame, curved, or high-peak roofs, along with hexagon and octagon floor plans.

Combinations of two or three structural add-on elements are also available for unique visual effects.

A comprehensive range of user-friendly accessories is offered to complement and enhance the functionality of the system.

GTS活动篷房提供了众多外观独特、功能出众的设计，您可以选择经典的A字顶、弧形顶、六边形、八边形、尖顶及组合系列。

我们还提供了一系列全面的配套设施，提供一站式交钥匙服务。

Standard A-Frame Roof 经典A字顶



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
A-frame A字顶		3.00 m	3.00 m	3.00 m	94/48/3 mm
		4.00 m	3.00 m	3.00 m	94/48/3 mm
		5.00 m	3.00 m	3.00 m	94/48/3 mm
		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

Curved Roof 弧形顶



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Curve Roof 弧形顶		3.00 m	3.00 m	3.00 m	94/48/3 mm
		4.00 m	3.00 m	3.00 m	94/48/3 mm
		5.00 m	3.00 m	3.00 m	94/48/3 mm
		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

Hexagon/octagon) 六边形/八边形尖顶



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Hipped roof 多边形		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

High Peak (hexagon/octagon) 多边形尖顶



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
High peak 尖顶		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

High Peak 两通尖顶



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
High peak 尖顶		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

Dormer 三通



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Dormer 尖顶		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

Triangle 三通尖顶



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
High peak 尖顶		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

Mixed Shape 尖顶+多边形组合



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
High peak 尖顶		6.00 m	3.00 m	3.00 m	94/48/3 mm
		8.00 m	3.00 m	3.00 m	94/48/3 mm
		9.00 m	3.00 m	3.00 m	94/48/3 mm
		10.00 m	3.00 m	3.00 m	94/48/3 mm

ETS A-Frame Roof



Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
A-frame A字顶		4.00 m	5.00 m	5.00 m	130/70/3 mm
		6.00 m	3.00 m	5.00 m	130/70/3 mm
		8.00 m	3.00 m	5.00 m	130/70/3 mm
		9.00 m	3.00 m	5.00 m	130/70/3 mm
		10.00 m	3.00 m	5.00 m	130/70/3 mm


Accessories for Event Tents

活动篷房配套设施



Accessories
We offer a variety of optional facilities, including double doors, single doors, hard walls, interior decorative drapes, and more.

可选配套设施
我们提供多种可选配套设施，包括双开门、单开门、硬质墙体、内部装饰布幔等



- Doors (门系统)
 1. Single Door (单开门)
 2. Double Door (双开门)

- Roof Options (屋顶选项)
 1. Transparent PVC Roof (透明篷布)
 2. Single-Layer PVC Roof (单层篷布)
 3. Straight Overhang Covers (垂边直式)
 4. Curved Overhang Covers (垂边波浪)

- Tensioning System (张紧系统)

Wall options

1. Solid ABS walls (硬体墙)
2. Solid Sandwich walls (夹芯板墙)
3. Vertical Glass Facade (玻璃墙)
4. PVC walls (软体篷布)
5. Transparent Covers (透明篷布)
6. Window Covers (带窗户篷布)

Accessories External/internal ramp

- Access (出入口)
 1. External/Internal Ramp (内外坡道)
 2. Canopy (飘檐)
- Portal Beam (Replacement for Wind Bracing) (加固横梁 - 替代十字斜拉索)
- Interior (内饰)
 - Linings (天花内饰)
- Flooring Systems (地台系统)
 1. Wooden Floor with Steel Substructure (钢制承重地台)
 2. Cassette Flooring with 2-Layer Boards (双层卡式地板)
 3. Wooden Floor (双层标准地台)

Large Tents 大跨度篷房

Our GTS Large Tents offer a multifunctional, modern, and contemporary space solution ideal for various events such as VIP hospitality, festivals, trade shows, product launches, and sporting events.

Available in span widths ranging from 10 to 60 meters, these tents feature a variety of functional and visually appealing designs to accommodate diverse event requirements. Whether you require a conventional A-frame roof, a curved roof, a high peak, or a polygonal construction, our marquees provide a prestigious solution.

大跨度篷房提供了多功能、现代和时尚的空间解决方案，非常适合各种活动，比如VIP款待、节庆、展会、产品发布会和体育赛事等。

篷房净跨度从10到60米，具有各种功能性和视觉吸引力的设计，以满足不同的活动需求。无论您需要传统的A字顶、弧形顶、尖顶或多边形结构，我们的篷房系统都能提供完美的解决方案。



Features & Specifications

- Available in widths of 10.00 m, 12.00 m, 15.00 m, 20.00 m, 25.00 m, 30.00 m, 40.00 m, 50.00 m and 60.00 m
- Standard eave heights of 4.00 m, 6m and 8 m
- Unlimited expansion in increments 5.00 m
- All frame constructions are designed as end frames to simplify assembly
- wind loads up to 102 km/h (0.50 kN/m²) (technical modifications for other regions of the world possible)
- An extensive range of accessories is available for our GTS Large Tents. These include various wall and floor systems, doors and interior equipment

篷房特点与规格

- 跨度为10.00米、12.00米、15.00米、20.00米、25.00米、30.00米、40.00米、50.00米和60.00米
- 标准边高为4.00米、6.00米和8.00米
- 无限扩展，每单元增加5.00米
- 所有框架按照山墙面设计，最大通用性
- 抗风102 km/h (0.50 kN/m²)，可根据不同地区要求提供个性化设计
- 各种配件，例如地板、ABS、玻璃墙、门和内部面板。

Large Tent Technical Data

大型篷房尺寸规格

Our Large Tents are offered in an extensive variety of shapes, sizes, and designs. Choose the classic A-frame design, or explore our diverse range of structures, including curved roofs, hexagon, octagon, decagon, and dodecagon. We also provide star-shaped, high peak, and complex polygonal constructions to meet any architectural vision.

All variants can be further perfected by integrating elements from our extensive and comprehensive range of accessories.

大型篷房提供多种跨度、形状和设计选择，从传统的A字型、弧形顶到六边形、八边形、十边形、十二边形、星际飞船、尖顶结构以及多边形设计。

所有规格都可以通过整合我们丰富的配件系列来进一步达到半永久功能。

Event Tent(S)

Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
A-frame roof		10.00 m	4.00 m	5.00 m	130/70/3 mm
		12.00 m	4.00 m	5.00 m	130/70/3 mm
		15.00 m	3.00 m	5.00 m	130/70/3 mm
		15.00 m	4.00 m	5.00 m	160/100/3mm

Large Tent

Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
A-frame roof		15.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		20.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		25.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		30.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm
		40.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm
		50.00 m	4.00/6.00 m	5.00 m	350/120/6mm
60.00 m		4.00/6.00 m	5.00 m	400/120/6 mm	

Curved Roof

Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Curve d roof		10.00 m	4.00 m	5.00 m	130/70/3 mm
		12.00 m	4.00 m	5.00 m	130/70/3 mm
		15.00 m	3.00 m	5.00 m	130/70/3 mm
		15.00 m	4.00 m	5.00 m	160/100/3mm
		15.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		20.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		25.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm

Polygon High Peak

Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Hipped roof		15.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		20.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		25.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		30.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm
		40.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm

Polygon High Peak (hexagon)

Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
High Peak		15.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		20.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		25.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		30.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm
		40.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm

High Peak


Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
High peak		15.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		20.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		25.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		30.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm
		40.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm

Star Shaped

Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Star shaped		20.00 m	4.00 m	5.00 m	250/120/4 mm
		30.00 m	4.00 m	5.00 m	250/120/4 mm

Flat Roof


Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距	Frame profile 主截面
Flat roof		10.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		15.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		20.00 m	4.00/6.00 m	5.00 m	220/100/4mm or 203x112x4mm
		25.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm
		30.00 m	4.00/6.00 m	5.00 m	300/120/5mm or 285x124x7mm



Accessories 配套设施

Options include insulated double-skin thermal roofs, vertical and horizontal glass walls, single and double doors, decorative interior liners, lighting systems, and flooring solutions.

包括双层充气保温屋顶、垂直和水平玻璃墙、单门和双门、装饰性屋顶布幔、照明系统和地板系统等



- Doors (门系统)
 1. Single Door (单开门)
 2. Double Door (双开门)

- Roof Options (屋顶选项)
 1. Transparent PVC Roof (透明篷布)
 2. Single-Layer PVC Roof (单层篷布)
 3. Straight Overhang Covers (垂边直式)
 4. Curved Overhang Covers (垂边波浪)

- Tensioning System (张紧系统)

Wall options

1. Solid ABS walls (硬体墙)
2. Solid Sandwich walls (夹芯板墙)
3. Vertical Glass Facade (玻璃墙)
4. PVC walls (软体篷布)
5. Transparent Covers (透明篷布)
6. Window Covers (带窗户篷布)

Accessories External/internal ramp

- Access (出入口)
 1. External/Internal Ramp (内外坡道)
 2. Canopy (飘檐)
- Portal Beam (Replacement for Wind Bracing) (加固横梁 - 替代十字斜拉索)
- Interior (内饰)
 - Linings (天花内饰)
- Flooring Systems (地台系统)
 1. Wooden Floor with Steel Substructure (钢制承重地台)
 2. Cassette Flooring with 2-Layer Boards (双层卡式地板)
 3. Wooden Floor (双层标准地台)

Multilevel Structures 多层篷房结构

Our innovative Multilevel structures seamlessly blend stunning aesthetics with top-tier functionality. They are the ideal solution for both short and long-term applications where a premium, exceptional view is paramount.

Designed for global events and high-end hospitality, these user-friendly structures deliver unparalleled quality and ambiance, providing an elevated and memorable experience for every guest.

我们的创新多层结构完美融合了惊艳的美学设计和顶尖的功能性。在追求卓越视野的短期或长期应用场景中，它们是理想的解决方案。

这些用户友好的多层结构专为全球性活动和高端接待而设计，提供无与伦比的品质和氛围，为每一位宾客带来尊贵难忘的体验



Features & Specifications

- Increases the usable area where space is limited
- Two or three-level structures. Standard designs available in widths from 10.00 m to 30.00 m
- Unlimited expansion in increments 5.00 m
- Choose versatile designs: A-frame roof, curved roof, high peak or cube shape
- Can be designed to fully meet regional wind and snow load requirements
- An extensive range of accessories is available including various wall and floor systems, doors and interior equipment

篷房特点与规格

- 增加了有限空间的可利用面积
- 两层或三层结构的标准设计可提供 10.00米至30.00米宽度的选择
- 每次以5.00米的增量无限扩展
- 选择多样化的设计：A字型屋顶、弧形屋顶、高尖顶或立方体形状
- 可设计以完全满足地区风雪荷载要求
- 提供丰富的配件，包括各种墙壁和地板系统、门和内部设备各种配件，例如地板、ABS、玻璃墙、门和内部面板。



A-Frame A字顶

The classic A-frame roof was one of the first temporary structures to offer multiple levels. Today, it remains a worldwide favorite for major events, setting the standard for elevated event space.

经典的A字形屋顶是最早提供多层结构的临时建筑之一。今天，它仍然是全球重大活动的宠儿，为高架活动空间设定了标准。



Curved 弧形顶

Providing a striking contrast to traditional structures, the Curved Roof Multilevel represents a bold and unique architectural solution. Its continuous, fluid lines ensure the structure is an immediate focal point at any major event. This highly adaptable system continues to set a new standard for events that demand elegant visual impact and exceptional elevated views.

弧形屋顶多层结构与传统结构形成了鲜明的对比，它代表了一种大胆而独特的建筑解决方案。其连续、流畅的线条确保了该结构在任何重大活动中都是一个即时的焦点。这个高度适应性的系统持续为那些需要优雅视觉影响和卓越高架视野的活动树立新标准



Flat Roof平顶

Flat Roof System is perfectly conceived for both single-level and multi-level applications. Its design is engineered for maximum assembly and dismantling efficiency. For modern, high-class events worldwide, the Flat Roof System is the unmatched and essential solution.

无论作为单层还是多层应用，平顶系统都拥有完美的构思。其设计针对最高的搭建和拆卸效率进行了精心优化。对于全球范围内所有现代、高规格的活动而言，平顶系统是无与伦比且不可或缺的解决方案



Multi level Tent Technical Data

多层篷房技术规格

A字顶 A-Frame Roof



Roof design
屋顶形状

Curved roof

Top
View
顶视图



Width
尺寸

10.00 m
15.00 m
20.00 m
25.00 m
30.00 m
40.00 m

Level
层数

2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level

Bay
distance
间距

5.00 m
5.00 m
5.00 m
5.00 m
5.00 m
5.00 m

弧形顶 Curved Roof



Roof design
屋顶形状

Curved roof

Top
View
顶视图



Width
尺寸

10.00 m
15.00 m
20.00 m
25.00 m
30.00 m
40.00 m

Level
层数

2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level

Bay
distance
间距

5.00 m
5.00 m
5.00 m
5.00 m
5.00 m
5.00 m

平顶 Flat Roof



Roof design
屋顶形状

Flat roof

Top
View
顶视图



Width
尺寸

10.00 m
15.00 m
20.00 m
25.00 m
30.00 m
40.00 m

Level
层数

2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level
2- & 3-level

Bay
distance
间距

5.00 m
5.00 m
5.00 m
5.00 m
5.00 m
5.00 m

Accessories 配套设施

For our Multilevel tent structures, we provide an extensive selection of accessories aimed at enhancing both the appearance and functionality of your product. Options include insulated double-skin thermal roofs, vertical and horizontal glass walls, single and double doors, exterior and interior staircases, decorative interior liners, lighting systems, and flooring solutions

我们的多层结构提供多种可选配套设施，提升产品的外观和功能性。包括双层充气保温屋顶、垂直和水平玻璃墙、单门和双门、室外和室内楼梯、装饰性屋顶布幔、照明系统和地板系统等

