Industry&Logistics 工业仓储

Seeking a flexible solution for your industrial and commercial temporary buildings? Our GTS tent structures, featuring durable aluminum frames, are the definitive answer.

They are renowned for their quick setup, costeffectiveness, and adaptability for both temporary and long-term use, providing an immediate and practical solution.

Specifically designed for the industrial and logistics sectors, these structures offer swift expansion of onsite storage capacity and can be fully customized to fit your exact operational needs.

正在寻找工业和商业临时建筑的灵活解决方案吗? 我 们采用耐用铝合金框架制造的 GTS 篷房结构是您的明 确答案。

它们以快速搭建、高成本效益和出色的适应性而著 称,可用于短期或长期应用,提供即时且实用的解决 方案。

这些结构专为工业和物流领域设计,能够快速扩展现 场仓储容量,并可完全定制以匹配您的精确运营需



Industrial 工业方案

For a combination of stability, durability, and affordability, nothing surpasses our GTS Industrial Buildings. Our temporary structures offer exceptional value compared to traditional construction methods, without any compromise on quality.

These versatile buildings cater to a wide range of sectors, including shipping, logistics, retail, exhibitions, and manufacturing. They are the ideal solution for industrial clients and rental companies requiring a convenient, high-quality covered space solution.

论及稳定性、耐用性和经济性的完美结合,我们的 GTS 工业建筑无可匹敌。与传统建筑方法相比,我 们的临时结构提供了卓越的价值,同时毫不牺牲质 量。

这些多功能建筑适用于广泛的领域,包括航运、物流、零售、展览和制造业等。对于寻求便捷、高质量有盖空间解决方案的工业客户和租赁公司而言,它们是理想的选择。







Features & Specifications

- Choose between roofing in PVC (single layer or thermal insulating), metal or with insulating sandwich panels
- Span widths from 5.00 m to 40.00 m
- A cost-effective and readily available alternative to conventional designs
- Designed for permanent use, fully demountable, 100 % prefabricated elements allow quick assembly on site
- All components used (roof and wall) fireproof
- Can be designed to meet site-specific, international wind and snow load requirements
- A diverse selection of functional elements

篷房特点与规格

- 屋面可选择PVC篷布(单层或双层充气)、 彩钢板或夹心板
- 跨度从5.00米到40.00米
- 设计永久使用,完全可拆卸,100%预制元件可快速在现场组装
- 所有使用的部件防火
- 可设计以满足所在城市特定的风雪荷载要求
- 多种配套设施选择

34 PRODUCT RANGE GTS STRUCTURES 35

Industrial Building Technical Data 工业篷房技术规格

Single Layer PVC Roof design Top view Side height Snow load 单层篷布结构 单元间距 雪载 边高 3.00/4.00/5.00/6.00 m 5.00 m 45 kg - 100 kg/m² 45 kg - 100 kg/m² 3.00/4.00/5.00/6.00 m 5.00 m 45 kg - 100 kg/m² 3.00/4.00/5.00/6.00 m 5.00 m 15.00 m A-frame 3.00/4.00/5.00/6.00 m 5.00 m 45 kg - 100 kg/m² 45 kg - 100 kg/m² 3.00/4.00/5.00/6.00 m 5.00 m 45 kg - 100 kg/m² 3.00/4.00/5.00/6.00 m 5.00 m

	Roof design 屋顶造型	Top view 顶视	Width 宽度	Side height 边高	Bay distance 单元间距	Snow load 雪载
			5.00 m	3.00/4.00/5.00/6.00 m	5.00 m	$45 \text{ kg} - 100 \text{ kg/m}^2$
			10.00 m	3.00/4.00/5.00/6.00 m	5.00 m	$45 \text{ kg} - 100 \text{ kg/m}^2$
	A-frame		15.00 m	3.00/4.00/5.00/6.00 m	5.00 m	45 kg - 100 kg/m²
	roof		20.00 m	3.00/4.00/5.00/6.00 m	5.00 m	45 kg - 100 kg/m²
			25.00 m	3.00/4.00/5.00/6.00 m	5.00 m	$45 \text{ kg} - 100 \text{ kg/m}^2$
			30.00 m	3.00/4.00/5.00/6.00 m	5.00 m	45 kg - 100 kg/m²

	lack					
Storage Plus 专用仓库系列	Roof design 屋顶造型	Top view 顶视	Width 宽度	Side height 边高	Bay distance 単元间距	Snow load 雪载
			5.00 m	3.50/4.40 m	2.50 m ₂₅	$kg/m^2 - 75 kg/m^2$
	A-frame roof		7.50 m	3.50/4.40 m	2.50 m 25 kg	$kg/m^2 - 75 kg/m^2$
			10.00 m	3.50/4.40 m	2.50 m ₂₅	kg/m² – 75 kg/m²
			12.50 m	3.50/4.40 m	2.50 m 25	kg/m² – 75 kg/m²
			15.00 m	3.50/4.40 m	2.50 m ₂₅	$kg/m^2 - 75 kg/m^2$
			17.50 m	3.50/4.40 m	2.50 m 25	kg/m² – 75 kg/m²
			20.00 m	3.50/4.40 m	2.50 m ₂₅	kg/m² – 75 kg/m²

Accessories 配套设施

Our GTS industrial tent structures offer clear span widths ranging from 5.00 m to 30.00 m, with eave heights between 4 m to 6 m, and unlimited lengths extendable by 5.00 m modules to accommodate specific customer and site requirements.

Customers can choose between PVC canvas, solid roofs, or thermally insulated PVC canvas options, all of which come with accessories and are suitable for various applications.

GTS工业篷房系统提供5.00米至30.00米的跨度选择,边高为4米或米,长度以5米模块无限延伸。

屋顶常规为PVC篷布,B1阻燃,防紫外线, 也可选择硬质彩钢屋顶或保温充气顶,所有 结构都可配备多种可选配套设计,适用于各 种用途。



doors Options 门选项

- Personnel door人员门
- Emergency exit door紧急入口门
- Glass door Automatic 自动门
- Roll-up door 卷门
- High-speed door快速门
- PVC Sliding door 篷布门

Roof&wall options 屋顶和墙体

- Single layer PVC roof单层篷布顶
- Thermal PVC roof保温隔热篷布顶
- Sandwich roof 夹芯板屋顶
- Sandwich panel夹芯板墙体
- Corrugated sheet单层彩钢墙体
- Glass wall 玻璃墙体

Accessories 其他可选配套

- Canopy 门口飘檐
- rain gutter 雨槽
- lighting 防爆照明灯
- air conditioning 空调
- Ventilation opening 透气窗
- Connection to existing buildings 和现有建筑接连

36 PRODUCT RANGE GTS STRUCTURES 37


Sports Structures 体育场馆

Our Sports tent structures provide a simple, efficient, and modern roof covering ideal for field and impact sports.

These modular structures guarantee faster delivery times and significantly lower total project costs compared to conventional buildings. Unlike fixed constructions, their high flexibility allows for easy dismantling, relocation, resale, or reconstruction, offering unmatched long-term operational adaptability.

GTS体育场馆篷房结构为包括篮球、网球、羽毛球等体 育运动提供简单、高效、现代的绿色净跨结构。

我们模块化设计和组装的运动空间,相比传统建筑,提供了更快的交付时间和更低的总项目成本,具有高度的 灵活性,轻松拆卸、搬迁、转售或重建,与固定建筑相 比有独特的优势。



Sports Buildings 体育场馆

Our GTS Sports Structures are designed as modular facilities, consistently offering top-tier quality while remaining highly cost-effective for temporary environments.

Our Sports Buildings are available in a diverse range of span widths, all boasting impressive, unobstructed interior heights. This makes them the definitive solution for maximizing space and fulfilling all your recreational sports needs.

GTS运动场馆篷房采用模块化设计,提供了安全、 高质量且经济实惠的运动空间选择。

我们的结构包括多种跨度和造型选择,且提供了适合的内部运动高度,是装配式运动场馆的理想解决方案。







Features & Specifications

- standard widths of 10 to 40m, eave heights from 4m to 8 m
- A-frame, curved, and multi-dome roofs, customization available roof in PVC, translucent roof allows daylight to enter, saving the cost of electricity
- can be designed to wind and snow load requirements
- Available accessories include insulated, access and escape doors, lighting and more

篷房特点与规格

- 跨度10到40米,边高4米到8米。
- 造型包括A字顶、弧形顶、多拱形等,可提供个性化设计
- 屋顶采用PVC材料,半透明屋顶可 使自然光线透入,节省电力成本。
- 可根据风雪荷载要求进行设计。
- 可选配件包括隔热材料、出入口和 逃生门、照明等。

40 PRODUCT RANGE

Sports Buildings Technical Data 体育场馆篷房技术规格

Our Sports Buildings offer maximum operational flexibility for a wide range of sports, including badminton, basketball, volleyball, soccer (football), and tennis.

These constructions are available in various freestanding widths ranging from 10.00 m to 40.00 m. All models feature variable eave heights between 3.00 m and 4.00 m, ensuring an ideal interior clearance for active use.

我们的体育建筑为羽毛球、篮球、排球、足球和网球等各种体育运动提供了最大的运营灵活 度

这些结构提供多样的净跨宽度选择,范围从 10.00 m 至 40.00 m。 所有型号均配备可调节的屋檐高度,范围在3.00m 到 4.00 m之间,确保了理想的内部活动净空。

A-Frame Roof A字顶	Roof design 屋顶形状	Top View 顶视图	尺寸 Width	Side height 边高	Bay distance 间距
	A-frame roof		10.00 m 15.00 m 20.00 m 25.00 m	4.00/6.00 m 4.00/6.00 m 4.00/6.00 m 4.00/6.00 m	5.00 m 5.00 m 5.00 m 5.00 m
			30.00 m 40 00 m 50.00 m 60. 00 m	4.00/6.00 m 4.00/6.00 m 4.00/6.00 m 4.00/6.00 m	5.00 m 5.00 m 5.00 m 5.00 m

Curved Roof 弧形顶	Roof design 屋顶形状	Top View 顶视图	Width 尺寸	Side height 边高	Bay distance 间距
11 0 2 0 1 1 1 1 1	Curved roof		10.00 m 15.00 m 20.00 m 25.00 m 30.00 m 40.00 m 50.00 m 60.00 m	4.00/6.00 m 4.00/6.00 m 4.00/6.00 m 4.00/6.00 m 4.00/6.00 m 4.00/6.00 m 4.00/6.00 m	5.00 m 5.00 m 5.00 m 5.00 m 5.00 m 5.00 m 5.00 m



42 PRODUCT RANGE GTS STRUCTURES 43



Accessories 配套设施

Our GTS sports tent structures offer clear span widths ranging from 10.00 m to 60.00 m, with eave heights between 4 m to 6 m, and unlimited lengths extendable by 5.00 m modules to accommodate specific customer and site requirements.

Customers can choose between PVC canvas, solid roofs, or thermally insulated PVC canvas options, all of which come with accessories and are suitable for various applications.

GTS体育篷房系统提供5.00米至60.00米的跨 度选择,边高为4米或米,长度以5米模块无 限延伸。

屋顶常规为PVC篷布,B1阻燃,防紫外线, 也可选择硬质彩钢屋顶或保温充气顶,所有 结构都可配备多种可选配套设计,适用于各 种用途。



doors Options 门选项

- Personnel door人员门
- Emergency exit door紧急入口门
- Glass door Automatic 自动门
- Roll-up door 卷门
- High-speed door快速门
- PVC Sliding door 篷布门

Roof&wall options 屋顶和墙体

- Single layer PVC roof单层篷布顶
 Thermal PVC roof保温隔热篷布顶
- Sandwich roof 夹芯板屋顶
- Sandwich panel夹芯板墙体
- Corrugated sheet单层彩钢墙体
- Glass wall 玻璃墙体

Accessories 其他可选配套 Canopy 门口飘檐

- rain gutter 雨槽
- lighting 防爆照明灯
- air conditioning 空调
- Ventilation opening 透气窗
- · Connection to existing buildings 和现有建筑接连

Hangar Tent 机库篷房

We offer a diverse range of military tents renowned for swift setup times and meticulous craftsmanship designed to meet stringent, mission-critical requirements. These versatile structures serve multiple essential purposes, including accommodation, command posts, dining halls, and critical storage facilities.

Hangar Tents are specifically engineered for the temporary or permanent storage and maintenance of aircraft. Their fully customizable design is precisely tailored to accommodate various aircraft sizes and quantities, ensuring optimal operational functionality.

我们提供多样化的机库篷房,以其快速搭建和精 湛的工艺满足严格的要求。这些多功能帐篷可用 于各种用途,包括住宿、指挥所、机库、餐厅和 仓储。

机库篷房专门用于临时或永久的飞机存储和维护。其可定制的设计可根据不同飞机的尺寸和数 量进行调整。

