

**HEBEI KAIXUAN SEALS CO.,LTD**

CAR SERIES

## HEBEI KAIXUAN SEALS CO.,LTD

Add: South of Huigong Avenue, East of Jiuhuashan Road, Qinghe County, Hebei Province

电话(Tel):(+86)18875733333

传真(Fax):0319-8030161

国内:<http://www.hebeikd.com>

国际:<http://www.qhkaida.en.alibaba.com>

国内阿里:<http://kaida600.1688.com>

企业邮箱:[admin@hebeikd.com](mailto:admin@hebeikd.com)



» Hebei • China

HEBEI KAIXUAN SEALS CO.,LTD



产品咨询电话(Tel):(+86)18875733333

<http://www.hebeikd.com> <http://www.qhkaida.en.alibaba.com>


HEBEI KAIXUAN SEALS CO.,LTD

## C 公司简介 Company profile

Hebei Kaixuan Seal Co., Ltd. is located on the east side of Huagong Avenue and Jiuhua Mountain Road in Qinghe County, Hebei Province. is a high-tech firm specializing in rubber products, seals, and related R&D, production, and sales. Founded in 2000, it has 25 years of experience, benchmarks to international standards, expands globally, and partners with clients worldwide for a strong brand image.

The company has a 15,000m<sup>2</sup> plant (10,000m<sup>2</sup> floor area), 150 staff (20+ engineers, 8 senior technicians), and main products including auto eco-friendly R134a/F12 AC pipes, seals for vehicles machinery construction, etc. With strong R&D, its design, processes, and quality meet international levels, using advanced equipment and strict standards to craft top products.

Committed to "quality-driven development and integrity for customers", it seeks to collaborate with industry partners to shape a new development chapter.



# E 公司理念 Enterprise idea

## Quality policy

Self improvement, dedication, efficiency, improvement, innovation, and creation of 'Triumph Quality'

- Meeting customer requirements should be the top priority in any job.
- Relying on the wisdom and talents of all employees to jointly create excellent quality of the company.
- Continuous improvement to enhance meeting customer needs.
- Continuously innovating to enhance the company's core competitiveness.
- Efficient management to achieve expected goals more efficiently.

## Mission Statement

To achieve the ideal of "benefiting more customers" and "Triumph products", we are persistent, striving to unite employees, provide better products and services, and make the enterprise better and stronger


Every employee of the company embodies the following basic values:

- Responsibility, the foundation of our survival
- Integrity, the principle of our cooperation
- Improvement, the way we progress
- Innovation, the driving force behind our development

## Quality objectives

The life innovation of quality enterprises is endless, with zero defects in quality


- Ensure a 100% qualification rate for delivered products
- Improve on-time delivery rate
- Improve the supply qualification rate of main raw materials
- Reduce the cost of internal and external poor quality
- Improve the qualification of manufacturing processes and procedures
- Continuously implement training on employee competency development
- Improve customer satisfaction rate
- Ensure sustained growth in the company's annual net profit



# CRAFTSMANSHIP

“Make a name for yourself with your reputation”  
Survive on Quality

“INTEGRITY PRAGMATISM PROFESSIONALISM AND INNOVATION”





产品咨询电话 (Tel):(+86)18875733333

http://www.hebeikd.com http://www.qhkaida.en.alibaba.com

HEBEI KAIXUAN SEALS CO.,LTD

# E 企业资质 Enterprise qualification

# W 生产设备 Working machine



营业执照

组织机构代码证

税务登记证



对外贸易经营者备案登记表

ISO 16949:2002国际质量管理体系认证

ISO 16949:2002国际质量管理体系认证

ISO 16949:2002国际质量管理体系认证

ISO 16949:2002国际质量管理体系认证




中国海关报关备案登记证书

国家化学建筑材料测试中心测试报告

国家化学建筑材料测试中心测试报告1

国家化学建筑材料测试中心测试报告2

国家化学建筑材料测试中心测试报告3





产品咨询电话(Tel):(+86)18875733333


<http://www.hebeikd.com> <http://www.qhkaida.en.alibaba.com>

HEBEI KAI XUAN SEALS CO.,LTD

# F 工厂车间 actory workshop



三复合密封条 THREE COMPOSITE SEALING STRIP



三复合密封条 THREE COMPOSITE SEALING STRIP



**三复合密封条** THREE COMPOSITE SEALING STRIP



Hebei Kaixuan Seals co.,Ltd

Tel:(+86)18875733333



Wechat:(+86)18875733333

WhatsApp:(+86)18875733333





IP:South side of Huigong Road,Qinghe County,Xintai,Hebei,China




**二复合密封条** TWO COMPOSITE SEALING STRIP



**二复合密封条** TWO COMPOSITE SEALING STRIP




单挤出密封条 SINGLE EXTRUSION SEALING STRIP



单挤出密封条 (3M背胶) SINGLE EXTRUSION SEALING STRIP(3M TAPE)






单挤出密封条 SINGLE EXTRUSION SEALING STRIP



单挤出密封条 SINGLE EXTRUSION SEALING STRIP



单挤出密封条 SINGLE EXTRUSION SEALING STRIP



Support customization of various styles



Hebei Kaixuan Seals co.,Ltd

Tel:(+86)18875733333








Wechat:(+86)18875733333

WhatsApp:(+86)18875733333








IP:South side of Huigong Road,Qinghe County,Xintai,Hebei,China














PVC U型密封条 PVC U-SHAPED SEALING STRIP











**PVC U型密封条** PVC U-SHAPED SEALING STRIP

			
<b>KX-P-009</b>		<b>KX-P-010</b>	
			
<b>KX-P-011</b>		<b>KX-P-012</b>	
			
<b>KX-P-013</b>		<b>KX-P-014</b>	
		 <p>Hebei Kaixuan Seals co.,Ltd</p> <p>Tel:(+86)18875733333</p> <p>Wechat:(+86)18875733333</p> <p>WhatsApp:(+86)18875733333</p> <p>IP:South side of Huigong Road,Qinghe County, Xintai,Hebei,China</p>  	
<b>KX-P-015</b>			






**PVC密封条** SILOCOONE SEAL

			
<b>KX-P-016</b>		<b>KX-P-017</b>	
			
<b>KX-P-018</b>		<b>KX-P-019</b>	
			
<b>KX-P-020</b>		<b>KX-P-021</b>	
			
<b>KX-P-022</b>		<b>KX-P-023</b>	

**PVC软硬共挤密封条** PVC SOFT AND HARD COEXTRUSION SEALING STRIP

			
KX-P-024		KX-P-025	
			
KX-P-026		KX-P-027	
			
KX-P-028		KX-P-029	
			
KX-P-030		KX-P-031	


**PVC软硬共挤压密封条**  
PVC SOFT AND HARD COEXTRUSION SEALING STRIP

				
ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-032	40mm	55mm	2.4mm	PVC
ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-033	80mm	58mm	3.3mm	PVC
				
ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-034	25mm	52mm	2.5mm	PVC
ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-035	40mm	55mm	2.6mm	PVC
				
ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-036	80mm	67mm	3mm	PVC
ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-037	50mm	55mm	3mm	PVC

15

PVC软硬共挤压密封条


PVC SOFT AND HARD COEXTRUSION SEALING STRIP



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-038	50mm	66mm	2.5mm	PVC




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-039	50mm	53mm	2.5mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-040	55mm	53mm	2.3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-041	52mm	58mm	2.3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-042	55mm	62mm	3mm	PVC




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-043	45mm	72mm	3mm	PVC

16

PVC软硬共挤压密封条

PVC SOFT AND HARD COEXTRUSION SEALING STRIP




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-044	40mm	55mm	2.6mm	PVC




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-045	30mm	26mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-046	15mm	41mm	2.5mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-047	40mm	54mm	2.6mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-048	40mm	54mm	2.6mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-049	20mm	46mm	2.4mm	PVC


17

PVC软硬共挤压密封条

PVC SOFT AND HARD COEXTRUSION SEALING STRIP




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-050	55mm	52mm	2.3mm	PVC




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-051	55mm	61mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-052	52mm	59mm	2.3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-053	40mm	60mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-054	30mm	50mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-055	50mm	54mm	2.4mm	PVC


18

PVC软硬共挤压密封条

PVC SOFT AND HARD COEXTRUSION SEALING STRIP



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-056	30mm	52mm	2.4mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-057	40mm	52.5mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-P-058	40mm	53.8mm	2.8mm	PVC



Hebei Kaixuan Seals co.,Ltd

Tel:(+86)18875733333



Wechat:(+86)18875733333

WhatsApp:(+86)18875733333

IP:South side of Huigong Road,Qinghe County,  
Xintai,Hebei,China










Support customization of various styles











胶管系列

RUBBER HOSE SERIES




胶管系列

RUBBER HOSE SERIES



**胶管系列** RUBBER HOSE SERIES



Hebei Kaixuan Seals co.,Ltd

Tel:(+86)18875733333


Wechat:(+86)18875733333

WhatsApp:(+86)18875733333


IP:South side of Huigong Road,Qinghe County,Xintai,Hebei,China










**硅胶管系列** SILICONE TUBE SERIES









**硅胶管系列** SILICONE TUBE SERIES



硅胶管系列 SILICONE TUBE SERIES




硅胶管系列 SILICONE TUBE SERIES




**铝管系列** ALUMINUM TUBE SERIES (Support customization)




**铝管系列** ALUMINUM TUBE SERIES (Support customization)



铝管系列 ALUMINUM TUBE SERIES (Support customization)



挡泥板系列 FENDER SERIES (Support customization)



挡泥板系列 FENDER SERIES (Support customization)

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-007	290mm	340mm	4mm	PVC

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-008	310mm	245mm	5mm	PVC

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-009	275mm	400mm	2mm	EPDM

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-010	200mm	330mm	1mm	EVA

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-011	130mm	230mm	1mm	PVC

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-012	405mm	355mm	12mm	PVC

挡泥板系列 FENDER SERIES (Support customization)

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-013	235mm	250mm	6mm	PVC

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-014	250mm	265mm	4mm	EVA

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-015	545mm	160mm	2mm	EPDM

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-016	205mm	250mm	3mm	PVC

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-017	98mm	200mm	4mm	PVC

ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-018	200mm	350mm	3mm	EPDM


挡泥板系列 FENDER SERIES



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-019	600mm	400mm	4mm	EVA



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-020	540mm	590mm	7mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-021	500mm	600mm	3mm	PU



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-022	450mm	550mm	3mm	PU




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-023	760mm	610mm	2mm	PVC




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-024	609.6mm	914.4mm	4mm	PVC


挡泥板系列 FENDER SERIES



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-025	380mm	150mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-026	450mm	350mm	3mm	PU



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-027	460mm	375mm	3mm	PU



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-028	610mm	150mm	3mm	PU



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-029	645mm	290mm	5mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-030	590mm	350mm	2mm	PVC

挡泥板系列 FENDER SERIES



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-031	290mm	340mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-032	700mm	395mm	3mm	EP



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-033	355mm	290mm	4mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-034	700mm	380mm	3mm	EP




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-035	352mm	602mm	7mm	EPDM



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-036	760mm	610mm	3mm	PVC


挡泥板系列 FENDER SERIES




ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-037	760mm	610mm	3mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-038	609.6mm	330.2mm	3mm	PU



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-039	760mm	610mm	3mm	PU



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-040	455mm	305mm	8mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-041	645mm	290mm	5mm	PVC



ITEM	WIDE	HIGH	THICK	MATERIAL
KX-FS-042	230mm	240mm	5mm	PVC