


PVC WIRE DUCT

SIZE H*W (MM)	STD.PACKING (METER PER BOX)	SIZE H*W (MM)	STD.PACKING (METER PER BOX)
25*25	200	60*60	60
30*25	180	80*25	50
45*25	130	80*45	50
45*45	80	80*60	40
45*60	70	80*80	30
60*25	90	100*100	20
60*45	70		



OPEN CLOSE LEGEND PLATE

DAIMETER	45MM
THICKNESS	2MM
PRINTED	2 SIDE (OPEN-CLOSE, CLOSE-OPEN)



EMERGENCY STOP LEGEND PLATE


DAIMETER	55MM
THICKENSS	2MM



ALUMINIUM SPEED %

ALUMINIUM ANODIZE

DAIMETER	45MM RD, 60MM RD, 50MM*50MM SQUARE
COLOR	BLACK COATING WHIT FONT, WHITE COATING BLACK FONT



22.5MM LEGEND PLATE

SIZE	40MM* 30MM
RING	22.5MM
COLOR	BLACK, WHITE, RED, YELLOW, BLUE, GREEN
MATERIAL	ALUMINIUM, PVC



DANGER NAME PLATE

MATERIAL	ALUMINIUM, STICKER
SIZE	100MM* 100MM (4"), CUSTOMIZE SIZE
Thickness	0.5MM, 1MM, AS PER REQUIREMENT



EARTHING PLATE

Material	ALUMINIUM
Size	30MM*16MM (ID : 8MM)




CUSTOMIZE NAME PLATE

AS PER REQUIREMENT SIZE, MATERIAL




CONNECTING TERMINAL

MATERIAL	NYLON
MOUNTING	35*7.5MM DINARAIL , TERMINAL CHANNEL




END PLATE

MATERIAL	NYLON
SUITABLE FOR	2.5,4,6,10 SQ MM




END CLAMP

MATERIAL	NYLON
MOUNTING	DINRAIL 35MM*7.5MM



DINRAIL ANGLE CLAMP

THICKNESS	1.5MM,2MM
MATERIAL	MS ZINK PLATED



RUBBER GROMMET

MATERIAL	PVC
SIZE	3MM TO 6MM, 9MM($\frac{3}{8}$ "), 12MM ($\frac{1}{2}$ "), 15MM ($\frac{5}{8}$ "), 19MM ($\frac{3}{4}$ "), 22MM ($\frac{7}{8}$ "), 25MM (1"), 30MM ($1\frac{1}{4}$ "), 40MM, 50MM (2")
TYPE	OPEN, CLOSE



SPIRAL

SIZE	6MM ($\frac{1}{4}$ "), 9MM ($\frac{3}{8}$ "), 12MM ($\frac{1}{2}$ ")
COLOR	WHITE,BLACK



Airvent (FAN FILTER)

SIZE	130MM*130MM (4"), 184MM*184MM (6")
MATERIAL	ACRYLONITRILE BUTADIENE STYRENE
FAN MOUNT	IN 130MM *130MM (2.5" TO 4"), IN 184MM *184MM (4" TO 6")
SPECIFICATION	SLEEK DESIGN, FONT LOCK FACILITY, UNBREAKABLE



ABS PUSH BUTTON STATION

MATERIAL	ABS
WAY	1WAY,2WAY,3WAY,4WAY
COLOR	GREY + BLACK
FEATURE	HIGHER QUALITY, UNBREAKABLE
DIMENSION	

CODE	H	W	D
PBS-1	75	75	60
PBS-2	115	75	60
PBS-3	155	75	60
PBS-4	195	75	60



FERRULE PRINTING SLEEVE

COLOR	WHITE , OTHER COLOR AS PER REQUIREMENT.
SIZE IN MM	2.0, 2.2, 2.5, 3.0, 3.2, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0,10.0



TIE MOUNT


SIZE	19MM*19MM, 25MM*25MM
ADHESIVE TAPE	3M
FEATURES	HIGH QUALITY TAPS , HIGH QUALITY PLASTIC MATERIAL , DUST RESISTANCE , WEATHERPROOF, UV RESISTANCE PLASTIC
CODE	WEIGHT CAPACITY
VIRA-3M-19-01	4.40 LBS
VIRA-3M-25-01	8.81 LBS
VIRA-3M-19-02	7.71 LBS
VIRA-3M-25-02	11.02 LBS



MCB SHORT LINK (INSULATED COMB BASBAR)

COLOR	LIGHT GRAY
RATING	63 AMPS.
MATERIAL	CONDUCTOR -COPPER, INSULATION-PVC (ROHS)
SIZE	1 POLE,2POLE, 3 POLE ,4 POLE, PIN TYPE,FORK TYPE


POLE	NO.OF MCB SHORT
1 POLE	56
2 POLE	28
3 POLE	18
4 POLE	14



LEGEND PLATE



PUSH BUTTON PROTECTION GUARD



DOOR HANDLE



LOCK FINGER GUARD



OTHER ACCESSORIES



WIRE TAP



SOCKET



SS COMBINED



SWITCH



PLUG



CABLE CLIP



KNOB



MULTI TURN
POTENTIOMETER & KNOB



SINGLE TURN
POTENTIOMETER
& KNOB



GLASS FUSE




MC 4 CONNECTOR



LED TUBE LIGHT

CABLE TIE

MATERIAL	PA6, PA6 UV
COLOR	NATURAL, BLACK
SIZE	100 * 2.5MM, 150 * 3.6MM, 200 * 3.6MM, 250 * 3.6MM, 250 * 4.8MM, 300 * 3.6MM, 300 * 4.8MM, 350 * 4.8MM, 400 * 4.8MM, 450 * 4.8MM, 370 * 7.6MM



HARDWARE & FITTING

**DIN RAIL
PANEL LOCK
PANEL KEY
3 POINT LOCK
SELF ADHESIVE GASKET
SELF DRILLING SCREW
LIFTING HOOK
SPACER**




SELF DRILLING SCREW



STEEL SPACERS



NAYLONE SPACERS



DINRAIL CHENNAL



SELF ADHESIVE GASKET



LIFTING HOOK



PL-25-KNOB HEAVY



PL-25-PIN



PIN LOCK KEY



TRIANGLE LOCK KEY



PL-25-MINUS



PANEL LOCK WITH KEY



PL-25-SQUARE



PL-25-TTRIANGLE



MINUS LOCK KEY



MS KEY



MULTI KEYS



SQUARE LOCK KEY



3POINT LOCK



3POINT LOCK WITH ACCESSORIES

CONDUIT PIPE & FITTING



BRASS-CABLE-GLANDS




POLYAMIDE-PIPE



CORRUGATED PIPE



PG CABLE GLAND



CONDUIT BRACKET (CLAMP)



CONDUIT GLAND WITH LOCK NUT

WIRING TOOLS



CHAKRA-6



VIRAT-6 & SAMARAT 16



HYDRAULIC CRIMPER
YQK-300 & 400



AUTOMATIC WIRE
STRIPPER & CUTTER



WIRE DUCT CUTTER



MC4 CONNECTOR
CRIMPER



WIRE CUTTER



HEAVY WIRE CUTTER



NEON TESTER



SCREW DRIVER SET




SCREW FITTING BIT

BUSBAR INSULATOR & SLEEVE



CONICAL INSULATOR



L TYPE INSULATOR




TPN TYPE INSULATOR



FINGER TYPE INSULATOR



STEP INSULATORS



SP 30 & 35 INSULATOR



BASBAR SLEEVE



WOER HEAT SHRINKABLE
SLEEVE



EARTHING DC CLIP

LUGS



EHI LUGS



TWEEN LUGS



COPPER RING LUGS



COPPER PIN INS LUGS



COPPER PIN LUGS



FORK (U) TYPE INS LUGS



COPPER FORK
(U) TYPE LUGS



SNAP LUGS




SNAP INS LUGS



CUS LUGS (COPPER)



BIMETALIC LUGS



JOINT SLEEVE LUGS

JUNCTION BOX



ABS JUNCTION BOX



TRANSPARENT JUNCTION
BOX

SS PUSH BUTTON



DOME TYPE COLOR



DOME TYPE



PANEL MOUNT DOME PB



FLAT HEAD TYPE



HIGH HEAD TYPE



PUSHBUTTON WITH RING LED



POWER LOGO WITH LED AVIF



COLOR POWER LOGO



METAL SELCTOR



METAL KEY SELECTOR



METAL EMERGENCY BUTTON



METAL BUZZER



12-16-19-22MM LED INDIATOR



6-8-10MM LED INDICATOR WIRE TYPE



EXIT BUTTON



TOUCH LESS BUTTON



METAL PUSHBUTTON SWITCH ALL PRODUCT

HEAVY DUTY CONNECTORS

VOLTAGE	250V AC, 500V AC
AMP	10A, 16A, 35A
PIN	4PIN+E, 6PIN, 10PIN, 16PIN, 24PIN, 32PIN, 48PIN, 64PIN
CONNECTION	SCREW CONNECTION, SNAP FIT CONNECTION
CABLE ENTRY	BOTTOM OPEN-SIDE ENTRY, BOTTOM CLOSE-TOP ENTRY
NOTE	WITHOUT HOUSING SOCKET AVAILABLE



HEAVY DUTY CONNECTORS



HDC - ACCESSORIES



HDC - ACCESSORIES

PUSHBUTTON

METAL PUSH BUTTON



METAL PUSHBUTTON



ILLUMINATED PUSH BUTTON



SELECTOR SWITCH



KEY EMERGENCY



EMERGENCY_PUSH



ILLUMINATED SELCTOR SWITCH



TWEEN PUSHBUTTON & WITH LED



ELEMENT

PVC PUSH BUTTON



PVC PUSHUTTON



ILLUMINATED PUSH
BUTTON



2P & 3P SELECTOR
SWITCH



PVC EMERGENCY
BUTTON



TWEEN PUSH &
WITH LIGHT

16MM PUSHBUTTON



ROUND ILLUMINATED
BUTTON



SQUARE ILLUMINATED
BUTTON



SELECTOR & WITH KEY



EMERGENCY BUTTON



ILLUMINATED SELCTOR

LA 38 SERIES BUTTON



LA38 EMERGENCY



LA38 ILLUMINATED



LA38 SELECTOR SWITCH

INDICATOR LAMP



INDICATOR PRO



ESBEE TYPE INDICATOR



16MM INDICATOR LAMP



VOLTAGE INDICATOR



AMPERE INDICATOR



VOLT+AMP INDICATOR



22MM LED BUZZER

SWITCH GEAR



SINGLE POLE
CONTACTOR



2 POLE CONTACTOR



3POLE POWER
CONTACTOR



3POLE HEAVY AMP
CONTACTOR



THERMAL OVER LOAD
RELAY



THERMAL OVER LOAD
RELAY



MPCB



CONTROL RELAY



ROUND PIN CONTROL
RELAY



RELAY SOCKET



TIMER



TIMER

SENSOR



INDUCTIVE PROXIMITY
SENSORS-500X500



CAPACITIVE PROXIMITY
SENSOR-563



SQUARE SENSORE



PHOTO SENSOR



PHOTO SENSORE



PHOTO SENSOR

LIMIT SWITCH



8018



8104



8168



8112



8111



LS 191



MC-5000



MC5020



MC-2000



MC-15Q-22B



15W-B



MC-15W-22B



MC-15W-2B



FS1



FS2



FS3



LT4



DOBLE PADDLE FOOT
SWITCH

TOWER LIGHT ,SIREN



TOWER LIGHT
WITH BUZZER



REVOLVING LIGHT
WITH SIREN



ELECTRICAL SIREN
HOOTER



INDUSTRIAL-ELECTRIC
-SIREN

COMPACT AXIAL AC FAN (PANEL COOLING FAN)



80MM_80MM_25MM
(3_-SQ)



120MM_120MM_38MM
(4_-SQ)



120MM_120MM_25MM
(4_-SQ)



172MM_150MM_51MM
(6_-H-RD)




172MM_172MM_55MM
(6_-SQ-RD)



220MM_60MM
(8_-RD)



220MM_220MM_60MM
(8_-SQ-RD)



METAL GRILL

DC FAN (24V DC / 12V DC)




60MM_60MM_25MM
(2.5_)



80MM_80MM_25MM
(3_)



92MM_92MM_25MM
(3.5_)



120MM_120MM_25MM
(4_)

OTHER COLLING PRODUCT & FAN



LARGE AXIAL FAN



CENTRIFUGAL BLOWERS



Q-MOTOR



BACKWARD CURVED FAN


RAILMOUNT TERMINAL



2.5U-24A-800V




4U-32A-800V



6U-41A-800V



10U-57A-800V



16U-76A-1000V



25U-101A-1000V




35U-125A-1000V




50/70U-192A-1000V




4FU-32A-500V



VBTD4U-41A-800V



SHORT LINK



TERMINAL MARKER



END PLATE



MICRO TERMINAL
(MUT4-32A-500V)



MICRO TERMINAL
CLAMP



GROUP MARKER HOLDER


TERMINAL STRIP • PUSHBUTTON SWITCH • TOGGLE SWITCH • PCB CONNECTOR



15A TERMINAL STRIP



15A TERMINAL STRIP
MULTI WAYS



3A PUSH FIT
CONNECTORS



SMALL DIA PUSHBUTTON
SWITCH



SMALL DIA PUSHBUTTON
SWITCH



SMALL DIA PUSHBUTTON
SWITCH



TOGGLE SWITCH
6A-10A-16A



PCB BARRIER
CONNECTOR



PCB CONNECTOR

LOAD BREAK SWITCH

AMP | 16A,25A,32A,40A,63A,80A,100A,125A

POLE | 3 POLE & 4 POLE



LOAD BREK SWITCH



LOAD BREK SWITCH BOX

ROTARY SWITCH

AMP | 6A,10A,16A,25A,32A,40A,63A

POLE | 1P,2P,3P,4P

WAY | 1,2,3,4,5,6



ROTARY SWITCH



ROTARY SWITCH

CONTROL RELAY

VOLTAGE | 12V & 24V DC, 24V & 230V AC

PIN | 8 PIN,14 PIN,11 PIN



CONTROL RELAY



CONTROL RELAY
ROUND PIN



RELAY BASE

WIRE & CABLE

MATERIAL | COPPER

GRADE | FR,FRLS

COLOR | R,Y,B,BK,G,G/Y,O,BR,W,P

CORE | 1-2-3-4-5 CORE

SIZE | 0.5 TO 70 SQ MM (SINGLE CORE) - 0.5 TO 10 SQ MM (MULTI CORE)



COPPER FLEXIBLE WIRE



COPPER MULTI
TCORE WIRE



COPPER FLAT CABLE

SMPS / BATTERY CHARGER



PANEL-MOUNT-SMPS



DINRAIL MOUNT SMPS



PVC BODY DINRAIL SMPS



BATTERY CHARGER

SWITCHGEAR



MCB



CONTACTOR E SERIES



CONTACTOR D SERIES



OVER LOAD RELAY E SERIES



OVER LOAD RELAY D SERIES



MCCB



3 PHASE CAPACITORS



MCB



CONTACTOR



OVERLOAD RELAY



MCCB

CT & METER



CURRENT TRANSFORMER



ANALOG METER



DIGITAL METER



DIGITAL METER



MULTIMETER



CLAMP METER

COUNTER & LIMIT SWITCH



STOCK COUNTAR



COUNTAR



LENTH COUNTER



ROAD LENTH COUNTER



HOUR METER



BREAKAR CONTROL SWITCH (TNC)




KEY BREAKAR CONTROL SWITCH (TNC)



DOOR LIMIT SWITCH

POWER & DISTRIBUTION



16A INDUSTRIAL PLUG SOCKET (3PIN_5PIN)



32A INDUSTRIAL PLUG SOCKET (3PIN_5 PIN)



63A 5PIN INDUSTRIAL PLUG SOCKET IP67



METAL CLAD PLUG SOCKET (20A_30A)



R_F SWITCH (16A_32A)



MCB & DB BOX



LSR LIMIT SWITCH




COMPRESSOR PRESSOR SWITCH



BABAR CHEMBAR (63A_100A_200A)

PRODUCT WE DEAL IN



SENSE METER



DINRAIL TIMER & PROTECTION RELAY



GIC PROTECTION CONTROLRELY & TIMER



RELAY CARD



KEI WIRE & CABLE



POLYCAB WIRE & CABLE



FIBERGLASS WIRE

INDUSTRIES WE SERVE



CONTROL PANEL
INDUSTRIES



PLASTIC MACHINERY



CHILLER MACHINERY



LASER MACHINERY



FOOD & PHARMA
INDUSTRIES



BOILER



PRINTING MACHINERY



AUTOMATION & ROBOTICS




SOLAR EPC


WE DEAL WITH



TRADING • MANUFACTURING • CONSULTANCY




CONTACT US

 A/206, Parshwa Shopping Center, Rd.No.3, Udhana, Surat - 394210

 sales.vijpower@gmail.com

 www.vijpower.in

 +91 91064 06113 +91 95103 02314