



ZydroMed
INNOVATING HEALTHCARE
SINCE 2021

Hospital Furnitures



IHF-900

Description


- Advance linear actuator system [6 Pcs Motor, 01 Pc Control box, 01Pc Handset, 01 Pc. Nurse Control System (ACP)]
 - Extra Long four pieces under Side occidental style side rails with inclination degree indicator
 - Heavy ABS Head and Foot Panel with locking and membrane system
 - Four Section top
 - Back section X-Ray Translucent
 - Framework made of M.S Tubes
 - Bed Mounted on 6" Central Locking ABS Castors, Durable and quiet
 - S.S. Telescopic I.V. Rod with 4 Location
 - Holder for Urine Bag
 - Sitting position adjustable
 - Leg Section Extendable
 - Finish: Pre-treated & Epoxy Powder Coated
 - Overall Approx Size: 1970-2120L x 900W X 460-740H MM
 - C4 Section Mattress (IHF-2001C)
- LED Lamp as reading lamp or under Bed lamp
- Positions Obtained by Hand Remote:
- Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/ Reverse Trendelenburg
- Positions obtained by membrane
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/ Reverse Trendelenburg
 - Electric CPR for zero positioning of bed Fowler position
 - Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg/ Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case
 - One Touch Chair Position



Nurse Control System (ACP)



Central Locking Castors.





ICU Bed Electric


IHF-900A

Description

- Advance linear actuator system [6 Pcs Motor, 01 Pc Control box, 01 Pc Handset, 01 Pc. Nurse Control System (ACP)]
 - Extra long four Pcs under side Occidental style side rails with inclination Degree Indicators
 - Heavy ABS Head and Foot Panel with locking and buffer
 - Four Section top
 - Framework made up of M.S. tubes
 - Bed Mounted on 6" Central Locking ABS Castors, Durable and quiet
 - S.S. Telescopic I.V. Rod with 4 Location
 - Holder for Urine Bag
 - Sitting position adjustable
 - Leg Section Extendable
 - Finish: Pre-treated & Epoxy Powder Coated
 - Overall approx size: 1970-2120L x 900W x 460-740H mm
 - C4 Section Mattress (IHF-2001C)
 - LED Lamp as reading lamp or under Bed lamp
- Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg
 - Fowler position
 - Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg/Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case



Central Locking
Castors.






IHF-900C

Description


- Advance linear actuator system [04Pc Control box, 01Pc Handset, 01 Pc. Nurse Control System (ACP)]
- All positions can be controlled by a wired remote hand set placed on the side rail or by ACP (attendant control panel) at the foot end
- Easily detachable polymer head and foot bows with buffer
- Extra long 4pcs. Under side Occidental style side rails with inclination degree indicators
- Four section ABS top
- Framework made up of M.S tubes
- Bed Mounted on 5" Central Locking ABS Castors, Durable and quiet
- S.S. Telescopic I.V. Rod with 4 Location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall Approx. Size: 2060L x 900W x 470-810H mm
- C4 Section Mattress (IHF-2001C)
- LED Lamp as reading lamp or under Bed lamp
- Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg
- Positions obtained by membrane
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg
 - Electric CPR for zero positioning of bed
 - Fowler position
- Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with Locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case



Nurse Control System (ACP)




Central Locking Castors.



IHF-900D

Description


- Advance linear actuator system [04Pc Motor, 01Pc Control box, 01Pc Handset, 01 Pc Nurse Control System (ACP)]
 - All positions can be controlled by a wired hand set
 - Extra long 4pcs. Under side Occidental style side rails with inclination degree indicators
 - Heavy ABS Head and Foot Panel with locking. and corner buffer ABS top
 - Framework made of M.S Tubes
 - Bed Mounted on 5" Central Locking ABS Castors, Durable and quiet
 - S.S. Telescopic I.V. Rod with 4Location
 - Holder for Urine Bag
 - Sitting position adjustable
 - Finish: Pre-treated & Epoxy Powder Coated
 - Overall Approx. Size: 2060L x 900W X 470-810H MM
 - C4 Section Mattress (IHF-2001C)
 - LED Lamp as reading lamp or under Bed lamp
- Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg
 - Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with Locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg/Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case



Nurse Control System (ACP)



Central Locking Castors.




Description

- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset, 01Pc Nurse Control System (ACP)]
- Four pieces individual side-rails, ABS moulded
- Heavy ABS Head and Foot Panel with locking
- 4 section top made up of perforated CRCA M.S. sheet
- Framework made up of M.S. tubes
- Bed mounted on 5 Central Locking ABS Castors, durable and quiet
- S.S. Telescopic I.V. Rod with 4 location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 460-700H mm
- Positions obtained by Hand Remote:
 - Hi-Low 5 Central Locking Castors
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- Positions obtained / Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg with locking function for handset
 - Electric CPR for Zero Positioning of bed

Additional Features


- C4 Section Mattress ((IHF-2001C)
- LED lamp as reading lamp for under bed lamp



Nurse Control System (ACP)



Central Locking Castors.



ICU Bed Electric

IHF-901E

Description

- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset, 01Pc Nurse Control System (ACP)]
- Four pieces individual side-rails, ABS moulded
- Heavy ABS Head and Foot Panel with locking
- 4 section top made up of Oval perforated CRCA M.S. Sheet
- Framework made up of M.S. tubes
- Bed mounted on 5 Central Locking ABS Castors, durable and quiet
- S.S. Telescopic I.V. Rod with 4 location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-800H mm

- Positions obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation
 - Trendelenburg / Reverse Trendelenburg
- Positions obtained / Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset.
 - Backrest elevation with locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg with locking function for handset

Optional


- 4 Section Mattress ((IHF-2001C)



Nurse Control System (ACP)



Central Locking Castors.





ICU Bed Electric


IHF-906

Description

- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset]
- Four pieces individual side-rails, ABS moulded
- Heavy ABS Head and Foot Panel with locking
- 4 section top made up of oval perforated CRCA M.S. sheet
- Framework made up of M.S. tubes
- Bed mounted on 5 ABS Castors, durable and quiet
- S.S. Telescopic I.V. Rod with 4 location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-800H mm
- Positions obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation
 - Trendelenburg / Reverse Trendelenburg

Optional

- C4 Section Mattress ((IHF-2001C)



Automatic Wheel


IHF-907

Description

- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset]
- Collapsible side railing
- Heavy ABS Head and Foot Panel with locking
- 4 section top made up of oval perforated CRCA M.S. sheet
- Framework made up of M.S. tubes
- Bed mounted on 5 ABS Castors, durable and quiet
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-800H mm
- Positions obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation
 - Trendelenburg / Reverse Trendelenburg

Optional

- C4 Section Mattress ((IHF-2001C)
- S.S. Telescopic I.V. Rod with 4 location




IHF-908

Description

- Four pieces individual side-rails, ABS moulded
- Heavy ABS Head and Foot Panel with locking
- 4 section top made up of perforated CRCA M.S. sheet
- Framework made up of M.S. tubes
- Bed mounted on 5ABS Castors, 2 with brakes
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 580-750H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation
 - Trendelenburg / Reverse Trendelenburg

Optional

- C4 Section Mattress ((IHF-2001C)
- S.S. Telescopic I.V. Rod with 4 location
- Stainless Steel / Mild Steel Railing (IHF-909)
- Stainless Steel Head & Foot Bows (IHF-910)




IHF-911

Description

- Two pieces individual detachable side-rails
- Collapsible side railing
- ABS Head and Foot Panel
- 4 section top made up of oval perforated CRCA M.S. sheet
- Framework made up of M.S. tubes
- Bed mounted on 5castors, 2 with brakes
- Holder for Urine Bag
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
 - Kneerest elevation
 - Trendelenburg / Reverse Trendelenburg

Optional

- C4 Section Mattress ((IHF-2001C)
- S.S. Telescopic I.V. Rod with 4 location
- Stainless Steel Head & Foot Bows (IHF-912)



Hospital Fowler Bed Mechanical



ZydroMed
 INNOVATING HEALTHCARE
 SINCE 2021


IHF-912

Description

- Two pieces individual detachable collapsible side-rails
- ABS moulded Head and Foot Panel
- Framework made up of M.S. tubes
- 4 section top made up of oval perforated CRCA M.S. sheet
- Bed mounted on 4 Castors, 2 with brakes
- Four location for I.V. Rod
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
 - Kneerest elevation

Optional

- 4 Section Mattress ((IHF - 2001C)
- S.S. Telescopic I.V. Rod ((IHF - 2002)
- Four pieces individual side rails, ABS moulded
- S.S. Head & Foot Panels (IHF-913)



S. S. Head & Foot Panel

Fowler Bed Electric


IHF-912 EA

Description

- Advance linear actuator system [02Pcs Motor, 01Pc Control box, 01 Pc Handset]
- Four pieces individual side-rails, ABS moulded
- ABS moulded Head and Foot Panel with locking and corner buffer
- Framework made up of M.S. tubes
- 4 section top made up of oval perforated CRCA M.S. sheet
- Bed mounted on 4 Castors, 2 with brakes
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Hand Remote
 - Backrest elevation
 - Kneerest elevation

Optional

- C4 Section Mattress ((IHF-2001C)
- S.S. Telescopic I.V. Rod with 4 location
- 2 pieces individual detachable collapsible side rails



S. S. Head & Foot Panel



Hospital Fowler Bed


IHF-915

Description

- Mild steel tubular Head and Foot Bows of unequal height with vertical tube support
- Framework made up of M.S. tubes
- 4 section top made up of oval perforated CRCA M.S. sheet
- Bed mounted on 4 Castors, 2 with brakes
- Four location for I.V. Rod
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 910W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
 - Kneerest elevation

Optional

- 4 Section Mattress ((IHF - 2001C)
- S.S. Telescopic I.V. Rod (IHF - 2002)
- S.S. Collapsible Railing (IHF - 2010)



Also available in wooden color

Hospital Semi Fowler Bed


IHF-916

Description

- ABS moulded Head and Foot Panel with locking and corner buffer
- Frame work made up of M.S. tubes
- 2 section top made up of perforated CRCA M.S. sheet
- Legs fitted with PVC stumps
- Four location for I.V. Rod
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation

Optional

- 2 Section Mattress ((IHF - 2001B)
- S.S. Telescopic I.V. Rod (IHF - 2002)
- S.S. Collapsible Railing (IHF - 2010)
- Advance linear actuator system (01 Pc Motor, 01 Pc control box, 01 Handset)
- M.S. or S.S. Head & Foot Panels



M.S. Head & Foot Panel



S.S. Head & Foot Panel



ZydroMed
INNOVATING HEALTHCARE
SINCE 2021

Hospital Bed

IHF-917

Description

- Mild steel tubular Head and Foot Bows of unequal height with vertical tube support
- Framework made up of M.S. tubes
- Top made up of oval perforated CRCA M.S. sheet
- Legs fitted with PVC stumps
- Four location for I.V. Rod
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 1900L x 910W x 600H mm

Optional

- Plain Mattress ((IHF – 2001A)
- S.S. Telescopic I.V.Rod ((IHF – 2002)
- S.S.Collapsible Railing (IHF - 2010)



Patient's OPD Couch

IHF-918

Description

- Overall size: 1800L x 600W x 460H mm
- Framework made up of Rectangular / Square M.S. tubes
- Also available in 5 cm from upholstery top
- Legs fitted with PVC stumps
- Finish : Pre-treated & Epoxy Powder Coated

Optional

- 5 cm foam padded fixed mattress covered with rexine
- Plain Mattress ((IHF-2001A)



Patient's OPD Couch/Chair

IHF-919

Description

- Overall size: 190L x 62W x 58H cms
- Framework made up of Rectangular M.S. tubes
- The fabric is pressed artificial leather
- Legs fitted with PVC stumps
- Finish: Pre-treated & Epoxy Powder Coated





Pediatric Bed

IHF-920

Description

- Tubular Head and Foot Bows of unequal height with vertical tube support
- Frame work made up of M.S. tubes
- Top made up of oval perforated CRCA M.S. sheet
- Legs fitted with PVC stumps
- Four location for I.V. Rod
- Full length drop side rails on both sides
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 1460L x 830W x 600H mm
- Bed frame approx size: 1370L x 760W mm

Optional

- Plain Mattress ((IHF - 2001A)
- S.S. Telescopic I.V. Rod (IHF - 2002)
- Full length S.S. Side Rails



Motorized Backrest/ Recliner Bed

IHF-925

Description

- Headrest adjustable upto 75°
- Can be used on the existing bed without any modification just plug & play
- Size with mattress 1820 x 900 x 200 mm
- Recliner Frame can be attach over normal home bed



IHF-2001

Description

10 cms thick, 32/40 density foam mattress covered with rexine closed with zip at one end.

IHF 2002

Description

Telescopic Rod add on ABS Head and Foot panel

IHF 2010

Description

ABS Railing Collapsible Railing

Mattress For Hospital Beds

Mattress for Plain Beds



Two Section Mattress for Semi-Fowler Beds



Four Section Mattress for Fowler / I.C.U. Beds



Ward Equipments

IHWE-1101

Patient's Medicine Cupboard (DLX)

Description

- Overall size: 400L x 400W x 810H mm
- CRCA sheet constructions having one box and one drawer
- Jointless S.S. top with three sides raise edges
- Finish : Pre-treated and Epoxy Powder Coated

Optional

- Also available in Complete S.S.



IHWE-1102

Patient's Medicine Cupboard (STD)

Description

- Overall size: 400L x 400W x 810H mm
- Jointless S.S. top with three sides raise edges
- One box with door made of M.S. sheet
- Four MS legs fitted with PVC stumps
- finish : Pre-treated and Epoxy Powder Coated

Optional

- Also available in Complete S.S.



IHWE-1103

Patient's Medicine Cupboard (ABS)

Description

- Overall size: 450L x 450W x 760H mm
- One drawer
- One towel rail
- Four 50 mm castors



ZydroMed
INNOVATING HEALTHCARE
SINCE 2021



IHWE-1112
Cardiac Table (by Knob Adjustable)

Description

- Rectangular frame work mounted on 5 cms castors
- Membrane press wooden top adjustable by side knob
- Finish : Pre-treated and Epoxy Powder Coated



IHF-2702
O.T. Mayo's Instrument Trolley With S.S. Tray

Description

- Tray S.S. size : 56 L x 40 W cms
- Rectangular CRC tubes mounted on 5 cms c astors
- Height adjustable by side knob
- S.S. frame with S.S. top



Ward Equipments

IHWE-1111
Cardiac Table (Gear Handle Adjustable)

Description

- Rectangular frame work mounted on 5 cms castors
- Finish : Pre-treated and Epoxy Powder Coated



IHWE-1113
Cardiac Table (fixed)

Description

- Overall size : 40L x 16W x 39H
- Tubular frame work mounted on 5 cms castors
- Fixed membrane press wooden laminated top
- Finish : Pre-treated and Epoxy Powder Coated



IHF-2703
OT Instrument Mayo's Trolley Over the
OT Table (Mechanically)

Description

- Approx tray S.S. Size: 91 L x 50W cms
- Frame work of S.S. tubes mounted on 10 cms castors
- Height adjustable by gear handle
- S.S. frame with S.S. top

Ward Equipments

IHWE-1120 Wash Basin Stand (Double)

Description

- Five Legs base mounted on 5 cms dia castors
- With two S.S. basin approx. 35 cms
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish : Stainless Steel frame with Stainless Steel Basin

Optional

- Also available in Epoxy Powder Coated frame



IHWE-1121 Wash Basin Stand (Single)

Description

- Five Legs base mounted on 5 cms dia castors
- With one S.S. Basin approx. 35 cms
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish : Stainless Steel frame with Stainless Steel Basin

Optional

- Also available in Epoxy Powder Coated frame

IHWE-1130 I.V. Stand

Description

- Five Pronged base fitted with 5 cms Castors
- S. S. adjustable
- I.V. Rod with double / four hook
 - (A) S.S. Pipe with plastic base
 - (B) M.S. Pipe with plastic base
 - (C) S.S. Pipe with S.S. base
 - (D) M.S. Pipe with M.S. base



Ward Equipments



IHPT-1040 Bed Side Screen (4 Panels)

Description

- Overall size: 1680H x 2450L mm
- M.S. tubular frame work made up of 19mm x 18G in four section
- Legs made of 25mm x 18G mounted on 5 cms castors with hooks and spring along-with curtains
- Each span is 610 mm wide
- Finish : Pre-treated and Epoxy Powder Coated

IHPT-1041
Bed Side Screen (3 Panels)

Description

- Overall size : 1680H x 2450L mm
- M.S. tubular frame work made of 19mm x 18G in three section
- Legs made up of 25mm x 18G mounted on 5 cms castors
- With hooks and spring along-with curtains
- Each span is 610mm wide
- Finish : Pre-treated and Epoxy Powder Coated



IHF-2750
Kick Bowl/Bucket

Description

- Approx. S.S. Bowl of 350 mm dia/SS Bucket
- Frame work made up of M.S. tubes
- Mounted on 50 mm castors
- Finish : Stainless Steel

Also available in M.S. frame work and S.S. Basin/Bucket





ZydroMed

INNOVATING HEALTHCARE
SINCE 2021

Patient Transfer Trolleys

IHPT-1050

Emergency & Recovery Trolley (Hydraulic)

Description

- Two section top height adjusted by foot operated imported hydraulic pump from 660 mm to 910 mm
- Gas spring assisted Trendelenburg/Reverse Trendelenburg positions
- Complete with corner buffers, synthetic rubber covered handles, sliding X-ray cassette, accessories tray, oxygen cylinder holder
- S.S. Telescopic IV rod and swing away S.S. side rails
- Finish : Pre-treated and Epoxy Powder Coated
- Four swivel castors, 5 dia, two with total lock
- Xray translucent removable stretcher, backrest raised on ratchet
- Overall approx size: 210L x 65W x 65-95H cms

Also available in complete S.S. (IHPT-1151)



IHPT-1153

Stretcher on Trolley

Description

- Frame work made of 1.25 x 16G vertical and 1 x 18G horizontal CRC tubes
- Trolley mounted on 15 cms. dia castors, 2 with brakes
- Removable stretchers top made of M.S. Sheet with S.S. handle
- Overall size : 213L x 56W x 81H cms
- Finish : Pre-treated and Epoxy Powder Coated

Optional

- Mattress
- Side railings M.S./S.S.

Also available in complete stainless steel (IHPT-1154)



IHPT-1156

Stretcher Trolley with Mattress

Description

- Overall approx size : 180L x 56W x 81H cms
- Frame work made of tubular M.S. pipe with S.S. handle
- Swing away type safety side railing
- Adjustable I.V. Rod, Utility tray, Cylinder cage foam padded top
- Trolley mounted on 15 cms Dia castors- 2 with brakes
- Finish: Pre-treated & Epoxy Powder Coated

Also available in complete Stainless Steel (IHPT-1156B)



Patient Transfer Trolleys

IHPT-1160

Folding Stretcher 1 Fold, 2 Fold, 3 Fold & 4 Fold



Description

- Aluminium folding lengthwise as well as width wise Fold, provided with bag
- Unfolded size: 221L x 53W x 15H cms
- Folded size: 110L x 18W x 11H cms
- Load bearing capacity 159 Kgs
- Gross wt. 6 Kg, Net wt. 5 Kg

IHF-1172 Spine Board

Description

Spine Board is mainly used for immobilizing and safety transferring serious patients during rescuing. It's a first-aid transport equipment for medical departments. It also could be equipped on ambulances. Besides, it can go into X-ray, directly add float on water. This model is made of high strength engineering plastics. It can be enduring used, and has the advantage of anti-aging, weight loading and easy stocking specialities.

Technical Index

- Product Size : 184L x 45W x 5H cm
- Load Bearing : < 159 kg
- Net Weight : 9 kg
- Gross weight : 12 kg
- Dimension of the packing box :187L x 48W x 8H cm



IHPT-1175 Ambulance Stretcher



Description

- Utilizes high precision mechanical transmission
- Can be used automatically folded through the left and right hand control handle
- Made of high quality aluminium alloy tubes
- Dimensions:
 - A High Position: 1900 x 560 x 900mm
 - B Low Position: 1900 x 560 x 280mm
- Load weight up to 120 Kg
- Product weight: 40 Kg
- Diameter of the castors: 125 mm
- Applicable for various kind of hospitals, emergency centers, ambulances and battle fields



Patient Transfer Trolleys

IHPT-1157

Emergency & Recovery Trolley Hydraulic

Description

- Indian Recovery Trolley Highly customizable for best patient care
- Excellent maneuverability to reduce the risks related with patient handling
- Easy to operate and maintain, also prevent injury to patient
- Easy to access and allow unlimited control of all the function

FACILITIES

- X-ray cassette can be slide under the translucent X-ray s platform
- Recovery trolley frame allows the undercarriage and wide range of height adjustment make the handling with C arm easier
The Recovery Trolley allows treatment of patient easily and quickly
- The diagnostics is facilitated by possibility of X-ray examination and C-arm Systems directly on the stretcher reducing time for diagnostics

EASY TO MOVE

- Recovery Trolley is easy Maneuver & 360° Rotation on 5th wheel (Optional). Adjustment of height is operated by foot controls through hydraulic pumps. Trendelenburg & reverse position by gas spring.



Standard Accessories





Emergency Trolleys



IHF-2890 Laparoscopic/Monitor Trolley

Description

- Overall approx. size : 820 mm L x 620 mm D x 1680 H
 - Four shelves and one drawers
 - Trolley having two handle
 - The trolley mounted on 125 mm dia castors, 2 with brakes
 - Switch & Socket for medical equipment
 - Supplied with S.S. IV Rod and M.S. Oxygen Gas Cylinder Cage
 - Finish : Pre-treated and Epoxy Powder Coated
- Also available in Complete S.S.

IHF-2901 Crash Cart

Description

- Overall approx. size : 960 L x 500 W x 1545H mm
 - Frame work made up of S.S. tubes
 - Two light weight polystyrene boxes each with three drawers
 - Upper drawer with medicine container of different sizes
 - Provision to hold oxygen cylinder made up of M.S.
 - Massage board for cardiac patient are provided
 - Six number colour hand out small bins at eye level
 - Total three S.S. shelves with railings to carry medical equipments
 - Provided with S.S. I.V. Rod, corner buffers
 - The cart mounted on 125 mm dia castors 2 with brakes
- Also available in Epoxy Powder Coated Framework & S.S. Top



IHF-2901B Emergency Medicine Trolley

Description

- Overall approx. size : 750 x 500 W x 810H mm
 - Mild steel frame work with five draws for medicine
 - Upper drawer with medicine container of different sizes
 - Provision to hold oxygen cylinder made up of M.S.
 - S.S. shelves with railings to carry medical equipments
 - Provided with S.S. I.V. Rod, corner buffers
 - The cart mounted on 125 mm dia castors 2 with brakes
- Also available in Complete S.S.





ZydroMed

INNOVATING HEALTHCARE

SINCE 2021

Ward Equipments

IHF-2601 Medicine Trolley with 4 Drawers

Description

- Overall approx. size: 76L x 46W x 81H cms
- Frame work made up of M.S. tubes mounted on 10 cms castors
- Two S.S. shelves with three side railing on top shelf
- Two drawer under the each shelf
- Finish: Epoxy Powder Coated



IHF-2602 Utility Trolley Two Shelves

Description

- M.S. Frame work
 - S.S. Shelves
 - One M.S. Drawer
 - 10 cms Castors
- Also available in three shelves

IHF-2650 Dressing Trolley

Description

- Approx. size : 30"x18"x32
 - Frame work made up of S.S. tubes
 - Two S.S. shelves up with S.S. railings on all four sides
 - The trolley fitted S.S. bucket and S.S. bowl
 - The trolley mounted on 100 mm dia castors
 - S.S. frame, S.S. shelves with S.S. basin & bucket
- Also available in Epoxy Powder Coated Frame & S.S Top



IHF-2651 Instrument Trolley Two Shelves

Description

- Frame work made up of 1x 18G vertical M.S. tubes
- Two 22G S.S. shelves with three sides railing
- The trolley mounted on 100 mm dia castors
- finish : S.S. frame with S.S. shelves

Size (inch)

- (A) 30x18x32
- (B) 36"x24"x32"
- (C) 24x18x32

Also available in Epoxy Powder Coated Frame & S.S. Top

www.zydromed.com



IHF-2810 Solid Linen Trolley with Canvas Bag

Description

- Frame work made up of CRC tube mounted on 10 cms castors
- Superior quality canvas bag
- Finish: Pre-treated and Epoxy Powder Coated

Also available in Complete S.S. (IHF-2810A)

IHF-2820 Solid Linen Trolley with Plastic Bucket

Description

- Push handle at one end
- Frame work made up of CRC tube on 10 cms castors
- Superior quality plastic bucket
- Pre-treated & Epoxy Powder Coated
- Also available in S.S. frame
- Complete in S.S. frame

Also available in Complete S.S. (IHF-2810B)



IHF-2801 Foot Step Single Step

Description

- Overall approx. size : 505L x 305W x 230H mm
- Step made up of CRCA Sheet fitted with Aluminium Tread flats by pop rivets
- Frame made up of 1 x 18G CRCA tube fitted with PVC stumps
- Finish: Pre treated and Epoxy Powder Coated

Also available in Complete S.S. (IHF-2801A)



IHF-2802 Foot Step Double Step

Description

- Overall approx. step size : 505 mm L x 305 mm W
- First step height 230 mm and second step size 450 mm
- Step made up of CRCA sheet fitted with Aluminium Tread flats by pop rivets
- Frame made up of 1x18G CRCA tubes fitted with PVC stumps
- Finish: Pre-treated and Epoxy Powder Coated

Also available in Complete S.S. (IHF-2802A)





IHF-2835/60

- Size : 60 Liters
- Material : PP/ CP Injection Moulded
- Dimension : L 28.6 x W 30.1 x H 72.4 CM
- Available in colour coding options of Red, Blue, Black, Yellow & Green



Waste Bin (Paddle Type)

| Model | Capacity |
|---------|----------|
| IHH-340 | 5 ltr |
| IHH-341 | 7.5 ltr |
| IHH-342 | 12 ltr |
| IHH-343 | 20 ltr |
| IHH-344 | 35 ltr |



Dustbin Pedestal S.S.
with Plastic Bucket

Waste Bin (Push Can)

| Model | Size DXH (inch) |
|---------|-----------------|
| IHH-335 | 20X40 cm |
| IHH-336 | 26X47 cm |
| IHH-337 | 31X57 cm |



Dustbin Push
Type S.S.

Biomedical Waste Segregation Trolley

IHF-2830

Size/Capacity : 5ltr 60ltr

- Waste segregation Trolley with one, Two, Three and Four Compartment
- Trolley available in M.S. and S.S.
- Foot operated system for touch less opening off lid
- Bins can be interchanged as and when required
- Color available : Red, Blue, Yellow, Black and Green





Ward Equipments

IHF-2830 Trolley For Oxygen Cylinder

Description

- Frame work made up of CRC tube mounted on 10 cms/15cms castors
- Finish: Epoxy Powder Coated
 - (A) For D type cylinder
 - (B) For B type cylinder



CUSHION TOP

IHF-2860 Patient's Revolving Stool S.S. Top

Description

- Four leg base fitted with PVC stumps
- Height adjustment by machine screw from 18" x 27
- Rest ring support made up of M.S. tube
- S.S. top supported with M.S. sheet top
- Finish : Pre-treated and Epoxy Powder Coated

Also available in S.S. Frame work

IHF-2867 Patient's Stool

Description

- Approx. size: 12x 12"x 20H
- Top made up of CRCA sheet double bent
- Legs made up of 25 mm x 18 G and horizontal support of 19 mm x 18 G CRCA tube fitted with PVC stumps
- Finish : Pre-treated and Epoxy Powder Coated



IHF-2501 Surgeon Chair

Description

- Cushioned seat and back
- Pneumatic height adjustable
- Height adjustable and swinging back rest
- Legs chrome plated base with foot ring
- Base fitted with 50 mm dia castors



ZydroMed
INNOVATING HEALTHCARE
SINCE 2021

Baby Cradles

IHF-2910 Baby Cradle

Description

- Overall approx. size: 36 x 15 x 39
- Stand frame work made up of 25 mm x 1.22 mm M.S. tubular pipe
- Legs fitted with PVC stumps
- Wire mesh hanging cradle made up of 19 mm x 1.22 mm
- CRC tube and wire mesh on 5 mm thick
- Finish: Pre-treated and Epoxy Powder Coated



IHF-2911 Baby Bassinet

Description

- Preprex transparent crib with mattress
- Trendelenburg / Reverse Trendelenburg manual 5 cms castors
- I. V. Rod
- Re-treated & Epoxy Powder Coated

IHF-2912 Baby Bassinet With Utility Box

Description

- Preprex transparent crib with mattress
- Trendelenburg / Reverse Trendelenburg by knob
- laminated cupboard with platform 5 cms castors
- I. V. Rod
- Re-treated & Epoxy Powder Coated



IHF-2950A Instrument Cabinet

Description

- Made from CRC sheet three side closed
- Front glass door and glass shelves
- Pre-treated and Epoxy Powder Coated
- Approx size : 63 x 24" x 78

Also available in five shelves Double Door (IHF-2950B)



Delivery Tables

IHF-2020 Labour Delivery Room Bed Hydraulic

Description

- Overall Size : 1880L x 660W x 600 - 800H mm
- Tubular frame work mounted on 125 mm dia central locking castors
- Three section top made up of Bakelite Sheet with 3 section mattress
- Trendelenburg / Reverse Trendelenburg positions adjustment through gas spring
- Height adjustment through hydraulic pump
- Back section adjustment through crank mechanism
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray



IHF-2021 Labour Delivery Room Bed Electric

Description

- Overall size: 1880L x 660W x 600-800H mm
- Tubular frame work mounted on 125 mm dia central locking castors
- Three section top made up of Bakelite Sheet covered with 3 section mattress
- Trendelenburg / Reverse Trendelenburg positions, height adjustment, Back section adjustment through electric actuator system
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray



Two-Parts Obstetric Delivery Bed

Description

- Height adjustable by a pair of knee crutches
- Approx. dimensions: 72" L X 30" W X 30" H
- Tubular frame work made in two sections
- Body section with legs mounted on PVC stumps
- Leg section on swivel castors with brakes
- Two section cushioned top
- Finish: Pre-treated & Epoxy Powder Coated





ZydroMed
INNOVATING HEALTHCARE
SINCE 2021

Delivery Tables

IHF-2035 Obstetric Labour Table Telescopic Adjustable Height



Description

- Approx. dimensions: 72L x 27W x 24- 32H
- Tubular frame work mounted on swiveling castors
- Bakelite sheet top in three sections with 3 section mattress
- Trendelenburg / Reverse Trendelenburg positions, adjustable by gas spring from back end
- Hydraulically height adjustable by foot paddle from side
- Backrest section adjustable crank mechanism from back end
- Leg end section can slide under the main section
- Height adjustable by a pair of knee crutches
- Pre-treated & Epoxy Powder Coated

Also available in S.S. Frame & S.S Top (IHF-2036)

IHF-2037 Labour Table

Description

- Overall approx. size : 72 x 27 x 30
- Frame work made up of S.S. tube
- Legs fitted with PVC stumps
- 3 section top made up of Bakelite Sheet
- Back rest section adjustable ratchet mechanism from back end
- Leg end section can slide under the main section
- The entire table top gives trendelenburg positions by gas spring from back end
- Drop down S.S. safety side railing are provided on 3 sides of the table
- Height adjustable a pair of foam padded knee crutches
- Patient hand grips made up of S.S. tubes
- Supplied with waste collecting S.S. Bowl on S.S. Bracket and one S.S. I.V. Rod

Also available in M.S. Frame (IHF-2037A)



IHF-2030 Gynecological Couch

Description

- Made in 3 sections with independent controls and trendelenburg position
 - Adjustable back rest and leg section with mechanism to varying positions capable of tilting for obstetric and gynecological use
 - Size of assembled table : approx. 1800L x 550W x 800H mm
 - Framework made up of chrome plated rectangular steel tube with upholstered top
 - Supplied completely with S.S. bowl and two standard padded leg holders
- Knockdown construction





Blood Transfusion Chair

IHF-BC2

Description

Specification

• Dimensions

- Length: 1800mm
- Width: 600mm
- Height: 540mm-830mm
- Back cushion: 390*220*100 mm
- Caster: 125mm, PU Caster

• Material

- Chair: Mild Steel
- Outside: PVC leather

• Adjustment

- Back adjustment: -12°C-80°C
- Knee Adjustment
- Chair Position



Dialysis Chair

IHF-DC3

Description

- Castor wheels with locks for effortless manual shifting and parking at convenient locations.
- High density cushion seating for firm supporting of patient.
- Foldable Handrest for easy patient entry and exit.
- Optional provisions for I-V Rod, Foot rest cushion etc.
- 200 Kg Patient weight capacity.

Specification

• Dimensions

- Length: 1800mm
- Width: 600mm
- Height: 540mm-830mm
- Back cushion: 390*220*100 mm
- Caster: 125mm, PU Caster

• Adjustment

- Back adjustment: -12°C-80°C
- Knee Adjustment
- Chair Position
- Trendelenburg / Reverse Trendelenburg



Examination Couch

IHF-2031



Description

- Back section adjustable to 75 degree
- Powder coated steel frame, firm and anti-rust
- With a shelf to assemble non woven, easy to clean and more anti-infection
- High quantity leather, it is waterproof
- Size: 190 X 80 X 45cm
- Other size and material offered

IHF-2032

Description

- Overall approx. dimension : 1800 X 500 X 810 mm
- Construction made from mild steel CRCA tubes and sheets
- Two section mild steel CRCA sheet top
- Headrest adjustable on gas spring
- Three drawers
- Three cabinets with lock
- Complete with B.P. apparatus tray, foam mattress covered with rexine and built in step stool pre-treated and powder coated finish



IHF-2035

Gynaec Examination Table

Description

- Overall approx. dimension : 1800 X 500 X 810 mm
- Construction made from mild steel CRCA tubes and sheets
- Two section mild steel CRCA sheet top
- Headrest adjustable on gas spring
- Three drawers
- Three cabinets with lock
- Complete with B.P. apparatus tray, foam mattress covered with rexine and built in step stool pre-treated and powder coated finish



Operation Table

IHT-3360

Description

- Easy installation
- Accurate dimensions
- Optimum performance
- M.S. tubular frame work on 10 cms castors
- Height adjustment by crank mechanism with lever handle
- Five section S.S. tops
- All positions viz, straight, Trendelenburg & Reverse Trendelenburg Positions, Kidney bridge, Lithotomy position
- Overall size: 72 X 20 X 32
- Fine finished



IHF-2038 Delivery Table Mechanical

Description

- Approx. dimensions: 72 X 27 X 30
- Tubular frame work mounted on PVC stumps
- Stainless steel top in three sections
- Trendelenburg positions adjustable by mechanical gear system with lever handle
- Backrest section adjustable on ratchet
- Leg end section can slide under the main section
- A pair of S.S. Lithotomy Rods with straps with height adjustable
- With Stainless Steel Sink/ Bowl
- Fine finished



IHF-2039 Spica Table

Description

- Tubular frame work on castors
- Exceptionally fine surgical table
- With facility of height adjustment by crank mechanism
- Straight, Trendelenburg & Reverse Trendelenburg positions, chair, Lithotomy positions, etc.





ZydroMed
INNOVATING HEALTHCARE
SINCE 2021

Ward Equipments

IHF-HZ3 Waiting Area Chair



Description

- Perforated sheet
- Galvanized arm rest
- Chrome plated finish

Also available in full Stainless Steel

IHPT -1173 Wheelchair Fix/ Folding

Description

- Folding wheelchair: 600 X 790 X 870 mm
- Folding wheelchair with cushion: 600 X 790 X 870 mm
- Sturdy structures
- High loadbearing
- Durable wheels
- Brake handles provided



Food Trolley

IHT-501 Electric Trolley with Double Door

Description

- Smooth edges
- Resistant to abrasion and corrosion
- Longer operational life
- Flawless finish
- Smart and trendy
- With 5 to 6 bowls, 1 tray and 1 shelf for keeping trays
- 200mm dia wheels
- 750 x 1200mm





ZydroMed

INNOVATING HEALTHCARE


SINCE 2021

Hydraulic Mortuary Trolley

IHA-446

Description

- Hydraulic mortuary trolley has torsion free construction with built in ergonomically designed hydraulic system which is foot
- The mortuary trolley comes in two variants
- Complete trolley made up of Mild Steel duly powder coated
- Complete trolley made up of S.S.
- Hydraulic trolley is capable of successfully lifting the cadaver at the desire height



Autopsy Table

IHA-447

Description

- Autopsy Tables
- Construction 304 grade type stainless steel with large radius inside corners for easy clean up
- Single bowl sink, wrist operated stainless steel FAUCET
- Manufactured without rivets or bolts
- Three solid stainless steel sliding body supports
- Table length: 91"Lx36"W
- Mounted on six bullet legs for sturdy performance
- Reverse flow attachment for suction facility
- Water flow from side of the tale





Hydraulic Operation Table Side End Control

IHT-3330

Description

Specification

- Solid base mounted on castors capable of moving on a smooth cemented floor and with locking device too, giving rigidity to the table
- Foot rails and toe space on the base for surgeons
- The table top in five sections without any wobble and with perineal cutout for drainage tray
- The hydraulic lift giving a vertical jerk free and smooth movement to the system by a foot pedal
- All accessories ensured rust proof by chromium plating

| | |
|-----------------------|-----------------|
| Dimensions | : 1900 x 600 mm |
| Height Adjustable | : 650 - 980 mm |
| Trendelenburg | : 25° |
| Reverse Trendelenburg | : 25° |
| Lateral Right / Left | : 25° |
| Back Section | : 60°/40° |
| Head Section | : 45°/90° |
| Leg Section | : 20°/90° |
| Castors | : Four |

Standard Accessories

- Anaesthetic Screen
- Lateral Supports
- Shoulder Supports
- Arm Rest (2)
- Mattress

Optional

- All accessories available in Stainless steel
- X-ray translucent top instead of S.S. top
- Geoponic crutches



C-ARM Compatible Hydraulic Operating Table

IHT-3340

Description


C-ARM O.T. Table is suitable for all kind of surgeries, i.e. general surgery, vascular surgery, cardio, neurology, urology, gynecology, proctology, laparoscopy, traumatic surgery, plastic surgery and other. The base & column of the table is made of high quality medical stainless steel (grade-304) Non-reflecting surface, antibacterial & easy to clean. We provide with Height adjustment, Lateral Tilts, Trendelenburg and Flex-Reflex, Chair Position, Kidney bridge position.

Specification

| | | |
|-----------------------------------|---|--------------|
| Length of Table | : | 1900 mm |
| Width of Table Top | : | 520 mm |
| Minimum Height(without mattress) | : | Min. 750 mm |
| Maximum Height (without mattress) | : | max. 1 000mm |
| Trendelenburg | : | 25 Degree |
| Reverse Trendelenburg | : | 25 Degree |
| Lateral Tilt | : | 20 Degree |
| Back Section | : | ± 20 Degree |
| Head Section | : | ± 60 Degree |
| Leg Section | : | 90 Degree |
| Floor Locking System | : | Manual |

Standard Accessories

- Eccentric Pillars
- Stainless Fittings
- Detachable, Head, Leg & Pelvic Section
- Five Section Radio Translucent Top
In built Kidney bridge.
- Base & cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table top for precise patient positioning



Hydraulic Surgical Operating Table

IHT-3350

Description

Deluxe O.T Table is suitable for all kind of surgeries, i.e. general surgery, neurology, urology, gynecology, laparoscopy, and other. The base & column of the table is made of high quality medical stainless steel (grade-304) Non-reflecting surface, antibacterial & easy to clean. We provide with Height adjustment, Lateral Tilts, Trendelenburg, and Flex-Reflex, Chair Position & Kidney bridge position.

Specification

| | | |
|-----------------------------------|---|--------------|
| Length of Table | : | 1900 mm |
| Width of Table Top | : | 520 mm |
| Minimum Height(without mattress) | : | Min. 750 mm |
| Maximum Height (without mattress) | : | max. 1 000mm |
| Trendelenburg | : | 25 Degree |
| Reverse Trendelenburg | : | 25 Degree |
| Lateral Tilt | : | ± 20 Degree |
| Back Section | : | ± 60 Degree |
| Head Section | : | ± 60 Degree |
| Leg Section | : | 90 Degree |
| Floor Locking System | : | Manual |

Standard Accessories

- Precision made Hydraulic System with a single lever action Hydraulic lift controlled by a foot pedal.
- Stainless Fittings
- Detachable, Head, Leg Section
- Five Section stainless steel top gives anatomic adaptation to the patient body.
- Built in Kidney bridge and large perineal cut-out for drainage.
- All the operating positions including Proctology, Lithotomy, Chair, Flex, Reflex, Trendelenburg and Reverse Trendelenburg, Lateral Tilt etc. can be obtained from either side of the table by working of different handles.





Bariatric Table

IHT-3360

Description

Weight Lifting Capacity : 450 Kg. Width 600 mm.

C-ARM O.T. Table is suitable for all kind of surgeries, i.e. general surgery, vascular surgery, cardio, neurology, urology, gynecology, proctology, laparoscopy, traumatic surgery, plastic surgery and other. The base & column of the table is made of high quality medical stainless steel (grade-304) Non-reflecting surface, antibacterial & easy to clean. We provide with Height adjustment, Lateral Tilts, Trendelenburg and Flex-Reflex, Chair Position, Kidney bridge position.

Specification

| | | |
|-----------------------------------|---|-------------|
| Length of Table | : | 1900 mm |
| Width of Table Top | : | 600 mm |
| Minimum Height (without mattress) | : | Min. 750 mm |
| Maximum Height (without mattress) | : | max. 1000mm |
| Trendelenburg | : | 25 Degree |
| Reverse Trendelenburg | : | 25 Degree |
| Lateral Tilt | : | + 20 Degree |
| Back Section | : | + 60 Degree |
| Head Section | : | + 60 Degree |
| Leg Section | : | 90 Degree |
| Floor Locking System | : | Manual |
| Weight Lifting Capacity | : | 450 Kg. |



Ward Equipments

IHF-2909 Infant Warmer



Description

- Micro processor controlled with Servo & Manual modes of operation
- This infant warmer provides automatic over heat and over temperature protection in both manual and servo modes
- Quartz Infrared heater element with very effective heat radiation
- Thermistor based high sensitive temperature probe ensures an accuracy of $\pm 0.2^{\circ}$. Probe is inter-changeable without calibration
- An integral bed with up-down tilting facility
- Optimum bed dimensions ensure optimum work space for the nursing staff
- Display of set temperature and infant temperature
- Comprehensive alarms and safety cut-offs
- Wide base for stability and castors with brakes for good mobility
- Easy to use and clean
- Convenient storage tray for keeping essential things
- Halogen lamp for observations

IHF-D176NP Phototherapy Unit (Single Surface)

Description

- The single surface CFL phototherapy units is a combination of the CFL (Free Standing model)
- The CFL with phototherapy lamp sources placed on the upper surface
- Height adjustable facility
- With timer system



IHF-D177NP Phototherapy Unit With Baby Bassinet (Double Surface)

Description

- The double surface fluorescent phototherapy units is a combination of the fluorescent (Free Standing model) and fluorescent (Under Surface) phototherapy units
 - The fluorescent with phototherapy lamp sources placed both on the upper surface and under surface of the baby bed, help to treat patients requiring more surface area exposure to phototherapy treatment
 - Choice to use single light source, either upper or under surface, when patient condition improves
- Also available in M.S. Frame work and Laminated Shelves



ZydroMed

INNOVATING HEALTHCARE

SINCE 2021

X-Ray Illuminator

D-002 X- Ray Viewer Single Film Compact, Solid with Backlight of LED's Based Panel

Description

- Long life approximate LEDs life 50,000 hrs
- Uniform light at the total surface area
- No heat emission
- Wall mounted
- Can be used for tracing on X-Ray
- Auto-sensor
- Overall size: 410 X 490 X 60 mm
- Screen size: 430 X 355 mm

D-003 X- Ray Viewer Double Film Compact, Solid with Backlight of LED's Based Panel

Description

- Long life approximate LEDs life 50,000 hrs
- Uniform light at the total surface area
- No heat emission
- Wall mounted
- Can be used for tracing on X-Ray
- Auto-sensor
- Overall size: 490 X 765 X 60 mm
- Screen size: 430 X 710 mm

D-004 X- Ray Viewer Three Film Compact, Solid with Backlight of Leds Based Panel

Description

- Long life approximate LEDs life 50,000 hrs
- Uniform light at the total surface area
- No heat emission
- Wall mounted
- Can be used for tracing on X-Ray
- Separate On/Off switch for each film
- Overall size: 490 X 1120 X 60 mm
- Screen size : 430 X 1060 mm



D-005 X- Ray Viewer Four Film Compact, Solid with Backlight of LEDs Based Panel

Description

- Long life approximate LEDs life 50,000 hrs
- Uniform light at the total surface area
- No heat emission
- Wall mounted
- Can be used for tracing on X-Ray
- Separate On/Off switch for each film
- Overall size: 490 X 1500 X 60 mm
- Screen size: 430 X 1425 mm

*Illumination/Dimmer Facilities is available in all models



ZydroMed

INNOVATING HEALTHCARE
SINCE 2021

HOSPITAL FURNITURES

Ergonomic semi-fowler and plain beds with reinforced CRCA frames designed for patient comfort and durability in busy wards.

Critical Care: Advanced Motorized ICU Beds with Trendelenburg and safety-lock systems.

Patient Wards: Ergonomic Semi-Fowler & Plain Beds with reinforced CRCA frames.

Ward Essentials: Anti-microbial Bedside Lockers, Overbed Tables, and IV Stands.

ABOUT US

Since 2021, H.R. Enterprises has been dedicated to enhancing healthcare with premium critical care and patient ward Advanced medical devices, Smart Technology and Healthcare solutions.

Established in 2021, H.R. Enterprises has built a reputation for excellence and reliability in the medical procurement sector. Under our premium flagship brand, ZydroMed, we provide a comprehensive range of high-end hospital solutions designed for modern clinical environments.

CALL: +91-9718891821

E-MAIL: info@zydromed.com

ADDRESS: 1/117, Sonia Vihar, Delhi-110090

**HR
ENTERPRISES**

www.zydromed.com