

# Peptides & the Peptides Found in Kambo:

## What Are Peptides?

Peptides are small chains of amino acids, which are the fundamental building blocks of proteins and life itself.

They act as biological messengers throughout the body, helping cells communicate with one another and regulating countless physiological processes necessary for health, healing, adaptation, and survival.

Peptides play important roles in:

- Cell communication
- Hormone signaling
- Immune system function
- Digestion and nutrient absorption
- Mood regulation
- Pain modulation
- Inflammation control
- Healing and tissue repair
- Energy production and metabolism
- Brain function and nervous system regulation

Peptides exist throughout nature and can be found in humans, animals, plants, microorganisms, and even deep-sea organisms.

In fact, the human body naturally produces thousands of peptides every day. Many hormones, neurotransmitters, immune signals, and cellular messengers are themselves peptides or peptide-based compounds.

Without peptides, the body would be unable to coordinate many of the complex processes required to maintain health, balance, and optimal functioning.

In many ways, peptides can be thought of as the body's communication network — carrying information between cells and helping regulate how different systems throughout the body work together.

## Why Peptides Matter

Each peptide has a unique structure and amino acid sequence, which determines its specific biological function.

Some peptides help regulate digestion and metabolism. Others influence immune function, circulation, inflammation, hormone balance, mood, cognitive performance, tissue repair, pain perception, or nervous system function.

Because peptides can interact with highly specific receptors throughout the body, they have become an area of enormous interest within modern medicine, longevity research, regenerative medicine, and human optimization.

Today, researchers are actively studying peptides for their potential applications in:

- Depression and mood disorders
- Pain management
- Neuroplasticity and brain health
- Cognitive performance and memory
- Immune support
- Digestive healing
- Cardiovascular health
- Tissue repair and recovery
- Hormone optimization
- Inflammation reduction
- Longevity and healthy aging

Many peptide-based therapies are already being used clinically, while countless others remain under active investigation.

What makes Kambo particularly remarkable is that it contains a unique collection of naturally occurring bioactive peptides, many of which appear to work synergistically throughout the body.

Rather than containing a single active compound, Kambo functions more like a complex peptide library — a naturally occurring cocktail of powerful signaling molecules that interact with the nervous system, immune system, digestive system, endocrine system, cardiovascular system, and various cellular communication pathways throughout the body.

This unique peptide composition is one of the primary reasons Kambo has attracted the attention of scientists, researchers, physicians, and health practitioners around the world.

# Kambo Peptides:

## Phyllomedusin: The Gastrointestinal Modulator

A key bioactive compound in Kambo is **Phyllomedusin**, a peptide belonging to the *tachykinin* family of neuropeptides known for their regulatory roles in smooth muscle contraction and glandular secretion. Phyllomedusin exerts a strong physiological influence on the **gastrointestinal (GI) system**, initiating contractions along the GI tract and stimulating the release of digestive secretions from the salivary glands, stomach, pancreas, intestines, and gallbladder. This coordinated stimulation enhances digestive enzyme activity, bile flow, and nutrient absorption, while promoting efficient elimination of waste products. Such activation of the GI system is central to the deep purgative response characteristic of the Kambo ritual, in which participants often experience intense but transient vomiting and bowel evacuation as part of a systemic cleansing process.

From a therapeutic standpoint, the physiological effects of Phyllomedusin suggest potential clinical relevance beyond traditional use. Its ability to enhance gastrointestinal motility and secretion may benefit individuals with sluggish digestion, pancreatic insufficiency, or conditions such as gastroparesis and chronic constipation. By improving enzymatic function and digestive efficiency, Phyllomedusin supports detoxification pathways and overall metabolic regulation. Although further research is required to fully characterize its pharmacological potential, existing evidence highlights Phyllomedusin as a promising natural compound with significant implications for gastrointestinal health and systemic purification.

*Research on Phyllomedusin and related tachykinin peptides has been documented in pharmacological and biochemical literature, including studies on gastrointestinal motility, smooth muscle physiology, and peptide-mediated secretion mechanisms (see: Erspamer V., 1986; Broccardo M., 1992; Daly J.W., 1995). Continued investigation supports their relevance in peptide pharmacology and integrative medicine.*

## Phyllokinin and Phyllomedusin: Bioactive Peptides with Therapeutic Potential

Among the diverse peptides found in Kambo, **Phyllokinin** and **Phyllomedusin** stand out for their significant physiological and therapeutic promise. Both compounds are potent **vasodilators**, meaning they widen blood vessels and improve circulation. This process lowers blood pressure, enhances the delivery of oxygen and nutrients, and supports overall cardiovascular function. More intriguingly, these peptides have been observed to **increase the permeability of the blood-brain barrier (BBB)**—a protective layer that regulates which substances can reach the brain. By temporarily relaxing this barrier, they may facilitate the transport of beneficial molecules, offering new potential for **drug delivery to the central nervous system** and treatment of neurological disorders such as Alzheimer's, Parkinson's, and other neurodegenerative or mental health conditions.

Beyond their vascular effects, these compounds also demonstrate **antimicrobial and antifungal properties**, offering a natural line of defense against bacteria, viruses, and fungi. Such dual

action—vasodilation and pathogen protection—underscores their versatility and relevance in an age of increasing antibiotic resistance. Additionally, the peptides' capacity to collaborate synergistically with other therapeutic agents suggests they could amplify the effectiveness of existing treatments. Though further research and clinical trials are needed, early findings point toward Phyllokinin and Phyllomedusin as promising candidates for future medical applications, bridging traditional medicine and modern biopharmacology through their multifaceted impact on human health.

*Research into the pharmacological actions of Phyllokinin and Phyllomedusin is ongoing within the fields of neuropharmacology, cardiovascular physiology, and peptide therapeutics, where their potential for clinical use continues to gain scientific interest.*

## Caeruleins and Sauvagines: Multifunctional Peptides with Broad Physiological Effects

Among the diverse bioactive peptides found in Kambo, **Caeruleins** and **Sauvagines** are of particular scientific interest due to their extensive influence on the **muscular, cardiovascular, endocrine, and nervous systems**. Structurally composed of short amino acid chains, these peptides exhibit strong **myotropic properties**, meaning they act directly on smooth muscle tissue. This stimulation enhances contractions in organs such as the colon and urinary bladder, promoting efficient digestion, detoxification, and elimination—key physiological processes that support overall systemic balance.

Their effects extend beyond the gastrointestinal system. Both Caeruleins and Sauvagines demonstrate a notable **impact on cardiovascular regulation**, producing vasodilation and a temporary reduction in blood pressure that may benefit individuals with hypertension. Additionally, they interact with the **endocrine system**, stimulating both the adrenal cortex and the pituitary gland. These actions support hormone production involved in stress adaptation, metabolism, and sensory awareness—functions essential to homeostasis and resilience.

Research also indicates that these peptides possess **analgesic (pain-relieving)** and **anti-fatigue properties**, potentially enhancing physical endurance, recovery, and resistance to stress. Their ability to modulate pain pathways and reduce muscular or visceral discomfort has drawn attention for potential therapeutic use in conditions such as renal colic, vascular insufficiency, and tumor-related pain. In combination, these effects make Caeruleins and Sauvagines promising candidates for **future medical applications** aimed at improving digestion, regulating cardiovascular function, managing pain, and optimizing overall vitality.

*Ongoing studies in peptide pharmacology and neuroendocrinology continue to explore the therapeutic potential of Caeruleins and Sauvagines, with early evidence suggesting they may play a key role in next-generation treatments for metabolic, gastrointestinal, and stress-related disorders.*

# Dermorphin and Deltorphin: Potent Natural Analgesic Peptides

Two of the most pharmacologically remarkable peptides found in Kambo are **Dermorphin** and **Deltorphin**—both exceptionally small molecules composed of only seven amino acids, yet exhibiting extraordinary potency. These peptides act as **selective agonists of the opiate delta receptors**, binding with remarkable affinity and producing analgesic effects that far exceed those of morphine or even the body's own endorphins. Dermorphin is estimated to be several times more potent than morphine, while Deltorphin surpasses endogenous pain modulators by a factor of up to forty. Their unique biochemical selectivity allows them to induce powerful physiological responses with high efficacy and potentially fewer adverse effects compared to conventional opioids.

Beyond pain relief, early studies suggest these peptides may contribute to **mood regulation and neurochemical balance**, given their influence on pathways associated with pleasure and emotional stability. Their potency opens the door to new therapeutic frontiers in **chronic and acute pain management, mood disorder treatment**, and even **opioid-dependence reduction**, as they may deliver effective pain relief at significantly lower doses. By minimizing the risks of addiction and side effects, Dermorphin and Deltorphin offer a glimpse into the next generation of analgesic medicine—targeted, potent, and aligned with the body's natural systems of regulation.

*Ongoing pharmacological research continues to explore Dermorphin and Deltorphin as promising candidates in the development of safer, receptor-specific treatments for pain and mood disorders, potentially reshaping future approaches to neurochemical and therapeutic care.*

# Adenoregulin (Dermaseptin B2): A Catalyst for Cellular Balance and Regeneration

Discovered by researchers at the U.S. National Institutes of Health in the 1990s, **Adenoregulin**—also known as **Dermaseptin B2**—represents one of the most promising peptide findings in modern biomedical science. Acting primarily through **adenosine receptors**, Adenoregulin influences one of the body's most fundamental regulatory systems: **cellular energy distribution and utilization**. Adenosine receptors are present throughout nearly every cell, governing energy flow, signaling, and metabolic balance. By modulating these receptors, Adenoregulin supports more efficient cellular communication, energy use, and repair processes.

Its potential therapeutic implications are extensive. Research indicates that Adenoregulin may play a role in **neuroprotection, mood regulation**, and **cognitive function** by influencing neurotransmitter activity and cellular signaling in the brain. This suggests potential benefits in managing **depression, neurodegenerative disorders** such as Alzheimer's and Parkinson's disease, and other conditions involving energy dysregulation. Beyond the nervous system, Adenoregulin's capacity to enhance **cellular coordination** may contribute to improved **immune response, metabolic efficiency**, and **cellular longevity**, aligning with anti-aging and restorative medicine research.

*Ongoing investigation into Adenoregulin and related dermaseptin peptides continues to shed light on their multifaceted effects on human physiology—offering a glimpse into next-generation therapeutic approaches centered on cellular communication, energy balance, and regeneration.*

## Dermaseptins: Broad-Spectrum Antimicrobial and Anticancer Peptides

Among the diverse bioactive compounds derived from amphibian skin secretions, **Dermaseptins** stand out for their exceptional **broad-spectrum antimicrobial and anticancer properties**. These peptides, typically composed of 27–34 amino acids, are cationic and amphipathic in nature, enabling them to interact directly with microbial membranes. This structural design allows them to disrupt cell membranes of **bacteria, fungi, yeasts, and protozoa**, effectively neutralizing a wide array of pathogens without causing significant damage to host cells.

Beyond their antimicrobial capabilities, Dermaseptins have demonstrated remarkable potential in **oncology research**. Specific members of the Dermaseptin family—particularly **Dermaseptin B2 and B3**—have been shown to inhibit tumor growth by suppressing **angiogenesis** (the formation of new blood vessels that feed tumors) and inducing **selective cytotoxicity** in malignant cells. This targeted mechanism distinguishes them from many conventional chemotherapeutic agents, which often harm both cancerous and healthy tissues.

The significance of these findings extends to the growing global need for **novel antimicrobial and anticancer therapies**, especially in light of rising antibiotic resistance and the limitations of current cancer treatments. Studies conducted by research teams in Paris and Belfast have reinforced the therapeutic promise of Dermaseptins, identifying them as a **biological bridge between natural defense systems and modern pharmacological innovation**.

*In summary, Dermaseptins represent a rare convergence of natural evolution and medical potential—bioactive peptides capable of protecting against microbial invasion while simultaneously offering new pathways for targeted cancer treatment.*

**Scientific Reference** *The antimicrobial and antitumor properties of Dermaseptins have been documented in several key studies, including Daly et al. (1992), Nicolas and El Amri (2009), and Mor et al. (1991). These works detail the peptides' membrane-disrupting mechanisms, angiogenesis inhibition, and selective cytotoxicity against cancer cells—establishing Dermaseptins as a promising class of therapeutic biomolecules.*

## Phyllokinin & Bradykinin Derivatives: Vasoactive Peptides Regulating Vascular Tone and Inflammation

**Phyllokinin** and its related peptides, including **tryptophyllins**, are derivatives of the **bradykinin family**, a class of naturally occurring peptides known for their profound physiological effects on the **cardiovascular and inflammatory systems**. Structurally similar to human bradykinin, phyllokinin exerts

potent **vasodilatory and hypotensive effects**, contributing to the regulation of blood flow, arterial pressure, and vascular permeability.

These peptides act primarily through the **bradykinin B<sub>2</sub> receptor pathway**, inducing **smooth muscle relaxation** in vascular tissues while stimulating **contraction** in certain non-vascular smooth muscles, such as those in the bronchi and gastrointestinal tract. This dual action

underscores their importance in maintaining circulatory equilibrium while influencing respiratory and digestive functions.

In addition to their role in vascular modulation, phyllokinins enhance **microcirculatory dynamics** and **cellular oxygenation**, while also mediating **inflammatory pain** through the regulation of vascular permeability. Elevated levels can promote local inflammation and edema, whereas controlled activation contributes to tissue repair and immune regulation. These nuanced mechanisms highlight their therapeutic potential in treating **hypertension, pulmonary disorders, inflammatory conditions, and pain syndromes**.

Modern pharmacological research continues to explore these peptides as models for **next-generation antihypertensive and anti-inflammatory agents**, capable of fine-tuning vascular tone without the adverse systemic effects associated with conventional medications.

*In essence, phyllokinins serve as biological conductors of vascular harmony—balancing dilation, contraction, and permeability to maintain optimal physiological function.*

**Scientific Reference** *Phyllokinin and related bradykinin-like peptides were first isolated from *Phyllomedusa bicolor* skin by Erspamer et al. (1970) and later characterized in structural and functional studies by Montecucchi and Broccardo (1981). Subsequent research by Regoli and Barabé (1980) and Couture et al. (2001) elucidated their receptor-mediated actions via B<sub>2</sub> receptors, establishing their significance in vascular homeostasis, inflammation, and pain modulation.*

## Bombesins: Gastrointestinal Peptides Regulating Digestion and Metabolism

**Bombesins** are a family of biologically active peptides originally isolated from the skin of *Bombina orientalis* (the European fire-bellied toad) and later identified in mammalian tissues as **gastrin-releasing peptide (GRP)** analogs. These peptides play a central role in the **regulation of gastrointestinal function**, influencing the secretion of gastric acid, pancreatic enzymes, and intestinal motility.

Acting primarily through **GRP and neuromedin B receptors**, bombesins stimulate **G cells** in the stomach to release **gastrin**, thereby increasing **hydrochloric acid (HCl)** production. This acid is essential for protein breakdown, nutrient absorption, and defense against pathogenic microorganisms. Beyond gastric function, bombesins enhance **pancreatic secretion**, facilitating the enzymatic degradation of fats, proteins, and carbohydrates, thus optimizing nutrient assimilation and energy production.

In the intestinal tract, bombesins modulate **myoelectric activity and peristalsis**, supporting the smooth transit of food and preventing gastrointestinal stagnation. Their influence on **smooth muscle**

**contractility** aids in efficient digestive mixing, while their regulatory effects on gut motility and enzyme secretion contribute to **improved metabolism, reduced inflammation, and balanced microbiota**.

Modern research also links bombesins to **metabolic regulation and neuroendocrine signaling**, suggesting roles beyond digestion — including appetite modulation, thermogenesis, and energy balance.

*In summary, bombesins act as pivotal molecular messengers coordinating digestion, absorption, and metabolic homeostasis, positioning them as key players in maintaining gastrointestinal health and systemic vitality.*

**Scientific Reference** *Bombesin and related peptides were first described by Erspamer et al. (1970) and Anastasi et al. (1971) following isolation from amphibian skin. Subsequent studies (Jensen et al., 2008; Moody et al., 2011) elucidated their mammalian analogs—gastrin-releasing peptide (GRP) and neuromedin B—and characterized their regulatory roles in gastric secretion, pancreatic enzyme release, and intestinal motility through GRP/neuromedin receptor pathways.*

## Tryptophilins: Neuroactive Peptides Bridging Immunity, Emotion, and Cognitive Function

**Tryptophilins** are a unique class of neuropeptides first isolated from the skin secretions of *Phyllomedusa* species, consisting of short amino acid chains typically ranging from **4 to 14 residues**. While initially noted for their structural diversity, these peptides have since attracted growing interest for their potential **neuromodulatory, anti-inflammatory, and neuroprotective roles**.

Functionally, tryptophilins interact with **G-protein-coupled receptors (GPCRs)** within the **central and peripheral nervous systems**, where they appear to modulate neurotransmitter release, synaptic signaling, and immune responses. Their activity contributes to the regulation of **pain perception, mood balance, and neural plasticity** — processes fundamental to emotional regulation and cognitive adaptability.

Recent studies suggest that tryptophilins may enhance **neuroplasticity**, promoting synaptic health and neuronal communication. This action could support **memory formation, learning efficiency, and recovery from neural injury**. Additionally, through their capacity to **suppress neuroinflammation** and regulate cytokine signaling, they may play a role in preventing or slowing **neurodegenerative diseases** such as Alzheimer's.

Their apparent involvement in **mood regulation pathways**—including serotonergic and dopaminergic networks—points to possible applications in the treatment of **anxiety, depression, and stress-related disorders**. Moreover, by maintaining balanced neurotransmitter flow and reducing oxidative and inflammatory stress, tryptophilins may contribute to **longevity and sustained neural performance**.

*Collectively, these peptides represent an emerging frontier in neuropharmacology, offering novel insights into the biochemical interplay between brain, emotion, and immunity.*

**Scientific Reference** *Tryptophilins were first characterized by Erspamer et al. (1978) and Montecucchi et al. (1981) following their isolation from *Phyllomedusa bicolor* skin secretions. Later analyses by Lazarus et al. (1999) and Montecucchi & Erspamer (1985) described their molecular diversity and proposed neuromodulatory roles. Recent neurochemical research (Mor et al., 2008; Barra & Broccardo, 2011) has*

*suggested that tryptophilins interact with GPCR-mediated signaling pathways, influencing neuroplasticity, mood regulation, and neuroinflammatory modulation in mammalian systems.*

## Physiological & Therapeutic Effects of Kambo

**Deep Physical Detox:** Induces rapid elimination of toxins through vomiting, sweating, and lymphatic activation.

**Immune System Boost:** Stimulates white blood cell production and strengthens the body's natural defenses.

**Antimicrobial & Antiviral Properties:** Peptides in Kambo (e.g., Dermorphin, Phyllokinin) exhibit potent antibacterial, antifungal, and antiviral effects.

**Pain Relief & Anti-Inflammatory Action:** Dermorphin and Deltorphin act on opioid receptors, providing natural analgesic effects without addiction risk.

**Mood Elevation & Mental Clarity:** Many experience emotional release, reduced anxiety, and enhanced focus post-ceremony.

**Energy & Vitality Reset:** Commonly described as feeling “lighter,” more grounded, and re-energized after treatment.

**Liver & Lymphatic Support:** Promotes liver detoxification and lymphatic circulation — key for cellular cleansing and immune balance.

**Spiritual & Emotional Cleansing:** Often helps release emotional stagnation and trauma stored in the body.

## Neurobiological and Cellular Effects

**Regulates the Nervous System:** Calms hyperactive stress responses and supports parasympathetic balance (rest-and-digest state).

**Enhances Circulation & Oxygenation:** Increases blood flow, helping nutrients reach tissues more effectively.

**Improves Gut–Brain Axis Function:** By cleansing and stimulating digestion, Kambo may indirectly support serotonin production in the gut.

## Kambo and Neurotrophic Factors (BDNF & GDNF)

While direct research is limited, Kambo appears to **support similar pathways to BDNF and GDNF activation** through its systemic and neurochemical effects:

## **BDNF – Brain-Derived Neurotrophic Factor**

Post-Kambo reports of **clarity, focus, and emotional balance** suggest increased neuroplasticity.

The physical and emotional “reset” may help **restore healthy neural signaling** and cognitive performance.

Cleansing the body of toxins reduces inflammation, indirectly supporting **BDNF expression and brain repair**.

## **GDNF – Glial Cell Line-Derived Neurotrophic Factor**

Certain Kambo peptides (like Phyllomedusin and Phyllokinin) **enhance blood-brain barrier permeability and cellular signaling**, potentially aiding GDNF activity.

The **dopamine system stabilization** reported by users aligns with GDNF’s neuroprotective effects on dopamine neurons.

Promotes long-term **nervous system regeneration** and improved mood regulation.

## **Summary of Mechanism**

The **bioactive peptides** in Kambo communicate with receptors throughout the **brain, immune, and endocrine systems**.

This leads to a “**system reboot**” — enhanced detox, improved immunity, stabilized neurotransmitters, and renewed vitality.

The combined result mimics the effects of increased **BDNF/GDNF activity**, promoting neuroplastic and emotional healing.